

THE ROYAL SOCIETY OF HEALTH

FOR THE PROMOTION

Founded 1876

LIBRARY REGULATIONS

(a) Books, periodicals and pamphlets may be borrowed by Fellows, Members, Licentiate Members, Associates and Affiliates personally or by a messenger producing a written order. The person to whom such publications are delivered shall sign a receipt for them in a book provided for that purpose.

(b) Publications may be borrowed through the post upon a written order. An acknowledgement of the receipt of such publications must be made on the form provided and returned to the Society immediately. Failing this, it will be assumed that the borrower has received the books, for which he will accordingly be held responsible. The postage of publications returned to the Society shall be defrayed by the borrower.

(c) A borrower may not have more than three publications in his possession at one time.

(d) A borrower will be considered liable for the value of any publication lost or damaged while on loan to him, and, if it be a single volume or part of a set, for the value of the whole work thereby rendered imperfect. Marking or writing in the publications is not permitted, and borrowers are requested to call attention to damage of this character.

(e) Books and pamphlets may be retained for twenty-eight days. Periodicals may be retained for fourteen days. Applications for extension of the loan period must be made in writing before its expiry. This loan period cannot be extended without application being made to the Secretary of the Society whose decision in this matter must be accepted as final and binding.

(f) Books and pamphlets added to the Library will not be lent until after the expiry of one month from the date received. The current number of a periodical may not be borrowed.

(g) Borrowers retaining publications longer than the time specified, and neglecting to return them when demanded, forfeit the right to borrow until they be returned, and for such further time as may be ordered by the Council.

Any borrower failing to comply with a request for the return of a publication shall be considered liable for the cost of replacing it, and the Council, may, after giving due notice to him, order it to be replaced at his expense.

No publication may be reissued to the same borrower until at least seven days have elapsed after its return, neither may it be transferred by one borrower to another.

(h) Publications may not be taken or sent out of the United Kingdom.

(i) Publications returned through the post must be securely packed and adequately protected.

(j) Parcels should be addressed: THE LIBRARIAN,

THE ROYAL SOCIETY OF HEALTH

90 BUCKINGHAM PALACE ROAD, LONDON, S.W.1

O.B., Truro.

—February, 1963



22500150234

THE ROYAL SOCIETY

FOR THE PROMOTION

OF HEALTH

90 Buckingham Palace Road, London, S.W.1

Class No. NAAA 93

Acc. No. 27466

This book is returnable on or before the last date Marked below

--	--

GENERAL REGISTER OFFICE

THE
REGISTRAR GENERAL'S
STATISTICAL REVIEW
OF
ENGLAND AND WALES
FOR THE TWO YEARS
1957—1958

SUPPLEMENT ON MENTAL HEALTH

LONDON

HER MAJESTY'S STATIONERY OFFICE

1961

Regional Hospital Areas in England and Wales with location of Moss Side* and Rampton* Mental Hospitals.

* The State Institutions of Rampton and Moss Side are not administered by the Regional Hospital Boards



TABLE OF CONTENTS

Page

CORRIGENDA	1x
------------	----

INTRODUCTION	1
--------------	---

NOTES ON THE TABLES:

I	Table M.1	Trends in hospital population statistics, 1951 to 1958	2
---	-----------	---	---

Mental Hospitals

II	Table M.2	Direct admissions: numbers and rates	4
----	-----------	--------------------------------------	---

III	Table M.3	Sex-age distribution of resident population	5
-----	-----------	--	---

IV	Table M.4	First admissions	7
----	-----------	------------------	---

V	Table M.5	Trends in estimated residence rates	8
---	-----------	-------------------------------------	---

VI	Table M.6	Numbers of first and other admissions, 1956 to 1958	9
----	-----------	--	---

VII	Table M.7	First admission rates for the three principal psychoses	10
-----	-----------	--	----

VIII	Table M.8	Numbers of previous admissions of patients admitted in 1957	11
------	-----------	--	----

IX	Table M.9	First admission rates by place of residence (<i>discontinued</i>)	12
----	-----------	--	----

X	Table M.10	Admission rates by social class in diagnostic groups (males only)	12
---	------------	--	----

XI	Table M.11	Deaths, and departures and discharges by disposal, 1957 and 1958	14
----	------------	---	----

Mental Hospitals - *continued*

XII	Table M.12	Departures and discharges by length of stay_____	15
XIII	Table M.13	Median durations of stay in hospital_____	16
XIV	Table M.14	Quittance rates per 100,000 patients at risk _____	17

Mental Deficiency Hospitals

I	Table M.D.1	Trends of admissions by sex and age, 1955 to 1958 _____	18
II	Table M.D.2	Admissions according to grade of defect, 1957 and 1958 _____	19
III	Table M.D.3	Percentage distribution by cause of admission _____	20
IV	Table M.D.4	Measurement of intelligence at admission _____	20
V	Table M.D.5	} <i>discontinued</i>	
VI	Table M.D.6		
VII	Table M.D.7	Discharges by age-group at discharge or time on the books _____	22
VIII	Table M.D.8	Deaths by age and grade of defect, 1958 _____	24

DIAGRAMS

Diagram I	Mental Hospitals. Percentage variation in hospital population statistics, 1951 to 1958 _____	25
-----------	--	----

Diagram 2	Mental Hospitals. Admission rates (Total and First), 1954 and 1958 _____	26
Diagram 3	Mental Hospitals. Estimated residence rates at end of 1954 and 1958 for males and females aged 20 and over _____	27
Diagram 4	Mental Hospitals. First admission rates for Schizophrenia and Manic-depressive reaction, 1954, 1956 and 1958 _____	28
Diagram 5	Mental Hospitals. Admission rates by social class for certain diagnostic groups, 1953 and 1957 _____	29
Diagram 6	Mental Hospitals. First and other admission rates by social class for certain diagnostic groups, 1957 _____	30

APPENDIX TABLES

Mental Hospitals

Appendix Table A	Patient movements for individual hospitals, 1957 _____	32
Appendix Table B	First admissions. Principal causes of admission and numbers of other conditions requiring treatment, 1957-1958 _____	38
Appendix Tables M.1 and M.2	<i>discontinued</i>	
Appendix Table M.3	Percentage of voluntary patients among direct admissions by sex, age and hospital region, 1958 _____	47
Appendix Table M.4	<i>discontinued</i>	

Mental Hospitals - continued

Appendix Table M.5	Admissions according to diagnosis and hospital region:	
	a(i) First admissions, 1957	48
	(ii) Second and subsequent admissions, 1957	50
	b(i) First admissions, 1958	52
	(ii) Second and subsequent admissions, 1958	54
Appendix Table M.6 and M.7	<i>discontinued</i>	
Appendix Table M.8	Numbers of admissions of males aged 20 and over by social class and age in diagnostic groups:	
	(i) First admissions, 1957	56
	(ii) Second and subsequent admissions, 1957	58
Appendix Table M.9	Admission rates per million home population of males aged 20 and over by social class and age, in diagnostic groups:	
	(i) First admissions, 1957	60
	(ii) Second and subsequent admissions, 1957	61
Appendix Table M.10	Direct admissions for certain diagnoses showing number of previous admissions:	
	a 1957	62
	b 1958	63
Appendix Table M.11	Trends in numbers of admissions (Persons) and first admissions (Males and Females) by diagnosis, 1956 to 1958	64
Appendix Table M.12	Trends in readmissions by diagnosis, 1956 to 1958	66
Appendix Table M.13	Admissions by age at admission and hospital region:	
	a(i) First admissions, 1957	68
	(ii) Second and subsequent admissions, 1957	69
	b(i) First admissions, 1958	70
	(ii) Second and subsequent admissions, 1958	71

Mental Hospitals - *continued*

Appendix	Admission rates per million home popu-	
Table M.14	lation in sex-age groups at 10 years	
	and over for certain diagnoses:	
(i)	First admissions, 1957 and 1958	72
(ii)	Second and subsequent admissions, 1957	
	and 1958	73

Appendix	
Tables M.15-	<i>discontinued</i>
18	

Appendix	Quittance rates per 100,000 at risk for	
Table M.19	certain diagnoses by sex and age, 1957	74

Appendix	Departures and discharges of patients	
Table M.20	admitted during the year, by age at	
	admission and duration of stay:	
a(i)	First admissions, 1957	75
(ii)	Second and subsequent admissions, 1957	76
b(i)	First admissions, 1958	77
(ii)	Second and subsequent admissions, 1958	78

Appendix	Causes of death of patients dying in	
Table M.21	hospital, irrespective of year of	
	admission:	
a	1957	79
b	1958	82

Mental Deficiency Hospitals

Appendix	Movements of patients and mental state	
Table M.D.1	of direct admissions:	
a	1957	86
b	1958	88

Appendix	Admission rates per million home popu-	
Table M.D.2	lation by sex, age and hospital region:	
a	1957	90
b	1958	92

Mental Deficiency Hospitals - *continued*

Appendix	Direct admissions by intelligence quotient	
Table M.D.3	for those aged under 15 and by mental age	
	for those aged 15 and over:	
a	1957	94
b	1958	95
Appendix	Admissions by grade of defect and by	
Table M.D.4	intelligence quotient for those aged	
	under 15 and by mental age for those	
	aged 15 and over, 1957 and 1958	96
Appendix		
Tables M.D.5,	<i>discontinued</i>	
6 and 7		
Appendix	Deaths by grade of defect, age at	
Table M.D.8	admission and duration of stay:	
a	1957	97
b	1958	100
Appendix		
Table M.D.9	<i>discontinued</i>	

CORRIGENDA

The Registrar General's Statistical Review of England and Wales for the Three Years 1954-1956 Supplement on Mental Health

Page 95 Appendix Table M.7b(1), All diagnoses, Greater London,
males, age 75 and over, *for 288 read 283.*

Pages 124 and 125 Appendix Table M.12.

I.S.C. No.	Diagnosis	First readmissions		Second and later readmissions
		Males 1956	Females 1956	Males 1956
300	Schizophrenia	<i>for 2,164 read 2,185</i>	<i>for 2,378 read 2,380</i>	<i>for 2,170 read 2,171</i>
301	Manic-depressive reaction	<i>for 2,200 read 2,197</i>	<i>for 4,202 read 4,201</i>	<i>for 2,076 read 2,073</i>
	Psychoses, all forms (except puerperal)	<i>for 5,583 read 5,581</i>	<i>for 8,592 read 8,593</i>	<i>for 5,009 read 5,007</i>
	All diagnoses	<i>for 7,393 read 7,391</i>	<i>for 10,627 read 10,628</i>	<i>for 6,434 read 6,432</i>

Page 183 Appendix Table M.D.9(2), column 1, *after 30- insert*
40-
50-
60-

INTRODUCTION

This volume contains annual statistics of patients in mental and mental deficiency hospitals for the years 1957 and 1958. Previous supplements on mental health in this series have dealt with patients in designated hospitals who were under the provisions of either the Lunacy and Mental Treatment Acts or the Mental Deficiency Acts. By 1958 the modern attitude to mental sickness was finding expression in the de-designation of mental hospital beds, so that patients could be admitted informally without coming under the Acts, and at the same time patients in mental deficiency hospitals were reviewed and many of them recategorised as informal patients.

In order to preserve the continuity of the statistics, an attempt has been made to maintain the same bed coverage in 1958 as in previous years, ignoring whether patients were statutory or informal. Owing to the rapidity with which changes were taking place in the hospitals, this attempt was not completely successful and the figures for 1958 for mental hospitals are therefore somewhat understated. This defect will be remedied in the 1959 figures. In the following tables the totals of admissions, departures and discharges, deaths and resident populations include all statutory patients for the years up to and including 1957, and for 1958 all statutory patients plus those informal patients for whom it was possible to obtain data.

NOTES ON THE TABLES

1. Table M.1. Trends in hospital population statistics, 1951 to 1958

(a) Mental Hospitals. (Voluntary, temporary and certified patients only)

Year	Direct admissions				Discharges and departures (1)		Deaths		Patients on books on 31st December	
	Total		First							
	M	F	M	F	M	F	M	F	M	F
1951	24,412	34,876	16,193	22,496	19,106	27,107	5,474	6,972	60,761	82,435
1952	25,955	36,303	16,604	22,591	20,343	28,908	5,100	6,561	61,296	83,287
1953	28,278	39,144	18,234	24,556	22,347	31,517	4,798	6,689	62,413	84,230
1954	29,751	41,948	18,326	24,851	24,459	34,390	4,991	7,003	62,954	85,126
1955	32,369	46,217	19,400	26,502	27,584	39,427	5,187	7,481	62,531	84,336
1956	34,263	49,731	19,868	27,545	29,462	42,910	5,400	7,471	61,956	83,637
1957	36,830	52,113	20,664	27,602	32,640	46,107	5,328	7,265	60,815	82,405
1958 (a)	37,018	54,540	20,151	28,425	32,180	47,758	5,184	7,633	59,075	79,047
1958 (b)	37,822	56,261	20,645	29,414	33,129	49,439	5,212	7,722	60,442	81,724

(b) Mental Deficiency Hospitals. (1951 to 1957 - patients within the provisions of the Acts; 1958 - informal patients also included)

Year	Direct admissions		Discharges and removals *		Deaths		Patients on books on 31st December	
	M	F	M	F	M	F	M	F
1951	1,543	1,326	572	633	415	393	28,944	26,104
1952	1,776	1,562	633	591	389	378	29,658	26,701
1953	1,754	1,348	664	540	400	371	30,236	27,147
1954	1,625	1,213	663	612	435	355	30,779	27,340
1955	1,540	1,277	659	634	394	411	31,245	27,554
1956	1,683	1,389	1,389	1,341	393	380	31,068	27,266
1957	1,893	1,278	1,226	1,065	477	445	31,280	27,016
1958	2,252	1,939	1,244	1,246	455	428	31,806	27,221

* Excluding transfers out and deaths.

Mental Hospitals

- (a) For 1958, the upper line (a) shows statistics for voluntary, temporary and certified patients only; the lower line (b) includes data for informal patients.

- (b) Direct admissions continued to increase and, including the informal patients covered, by 1958 were in excess of the 1951 admissions by 55 per cent for males and 61 per cent for females.
- (c) First admissions showed relatively smaller increases, rising by 1958 to 27 and 31 per cent above the 1951 first admissions for males and females respectively.
- (d) The speeding up of discharge and departure is shown by the numbers for 1958 being nearly 80 per cent higher than in 1951.
- (e) The downward trend in the resident population at the end of the year, which started in 1955, resulted in the numbers on the books at 31st December 1957 being approximately equal to the number in 1951.

Mental Deficiency Hospitals

- (a) Direct admissions numbered 3,171 in 1957 and 4,191 in 1958, compared with 3,072 in 1956. Available beds in hospitals under the Regional Hospital Boards and in Rampton and Moss Side increased during the same three years from 50,400 to 51,341.
- (b) Discharges and removals, numbering 2,490 in 1958, were 240 less than in the peak year of 1956.
- (c) The number of patients on the books at 31st December 1958 was 10 per cent higher for males and 4 per cent higher for females than at the end of 1951.

Mental Hospitals

11. Table M.2. Direct admissions: numbers and rates

Table M.2. Mental Hospitals. Direct admissions by sex and age and admission rates per 100,000 home population, 1957 and 1958

Age-group	Direct admissions (numbers)				Estimated home population (thousands)		Admission rates per 100,000 home population			
	First		Other		Males	Females	First		Other	
	Males	Females	Males	Females			Males	Females		
1957										
0-	25	12	7	1	3,476	3,312	1	0	0	0
10-	116	81	19	17	1,777	1,696	7	5	1	1
15-	797	724	369	313	1,396	1,389	57	52	26	23
20-	1,318	1,268	928	810	1,361	1,386	97	91	68	58
25-	3,660	4,405	3,436	3,607	3,036	3,038	121	145	113	119
35-	3,651	4,420	3,642	4,992	3,124	3,227	117	137	117	155
45-	3,533	4,696	3,085	5,399	3,147	3,273	112	143	98	165
55-	3,266	4,429	2,646	4,922	2,261	2,742	144	162	117	180
65-	2,472	4,100	1,573	3,403	1,396	2,009	177	204	113	169
75 and over	1,826	3,467	461	1,047	674	1,187	271	292	68	88
All ages	20,664	27,602	16,166	24,511	21,648	23,259	95	119	75	105
1958										
0-	37	13	7	3	3,445	3,280	1	0	0	0
10-	103	83	24	21	1,845	1,763	6	5	1	1
15-	760	835	326	316	1,428	1,412	53	59	23	22
20-	1,336	1,449	929	840	1,380	1,402	97	103	67	60
25-	3,474	4,527	3,569	3,863	2,985	2,990	116	151	120	129
35-	3,642	4,732	3,842	5,487	3,110	3,212	117	147	124	171
45-	3,396	4,910	3,298	5,890	3,161	3,284	107	150	104	179
55-	3,316	4,488	2,909	5,463	2,318	2,783	143	161	125	196
65-	2,496	4,354	1,694	3,747	1,396	2,028	179	215	121	185
75 and over	2,085	4,023	579	1,217	676	1,211	308	332	86	100
All ages	20,645	29,414	17,177	26,847	21,744	23,365	95	126	79	115

(a) Rates for admissions at all ages per 100,000 home population continued their upward trend. During the five years 1954 to 1958, for example, first admission rates rose from 86 to 95 for males and from 108 to 126 for females. Rates for admissions other than first increased over the same period from 54 to 79 for males and from 74 to 115 for females.

(b) The numbers of first admissions of elderly people aged 65 and over continued to increase. The numbers in this age-group in the population have also increased, but not to the same extent. Since 1954, for example, the numbers of first admissions and the corresponding rates per 100,000 home population have been:

Year	Numbers		Rates per 100,000 home population	
	Males	Females	Males	Females
1954	3,725	6,407	184	211
1955	4,076	6,927	200	225
1956	4,228	7,464	207	239
1957	4,298	7,567	208	237
1958	4,581	8,377	221	259

III. Table M.3. Sex-age distribution of resident population

Table M.3. Mental Hospitals. Estimated sex and age distribution of resident population at 31st December, and rates per 100,000 home population, 1957 and 1958

Age-group	1957				1958			
	Numbers		Rates		Numbers		Rates	
	Males	Females	Males	Females	Males	Females	Males	Females
0-	17	10	0	0	27	6	1	0
10-	438	343	14	11	439	385	13	12
20-	1,011	788	74	57	969	704	70	50
25-	6,996	4,687	230	154	6,584	4,292	221	144
35-	10,905	9,205	349	285	10,595	8,794	341	274
45-	13,167	14,646	418	447	12,920	14,073	409	429
55-	13,722	19,040	607	694	14,070	18,995	607	683
65-	9,472	18,850	679	938	9,553	18,904	684	932
75 and over	5,087	14,836	755	1,250	5,285	15,571	782	1,286
All ages	60,815	82,405	281	354	60,442	81,724	278	350

* Taking into account admissions, deaths, discharges and departures and the ageing of the resident population.

- (a) By 1957 the resident population at 31st December had declined to 60,815 males and 82,405 females, compared with the peak numbers of 62,954 males and 85,126 females in 1954, a total decrease of 4,860 patients.
- (b) The corresponding decrease in rates per 100,000 home population was from 296 for males and 370 for females to 281 and 354 respectively.
- (c) Compared with 1954, the numbers for both males and females were lower in 1957 in each age-group under 55 shown in the table. At ages 55 and over, the numbers resident increased from 77,176 to 81,007, an increase of 3,831.

IV. Table M.4. First admissions

Table M.4. Mental Hospitals. Trends of first admissions by sex and age-groups, 1956 to 1958

Age-group	Males			Females		
	1956	1957	1958	1956	1957	1958
Numbers						
0-	31	25	37	7	12	13
10-	103	116	103	91	81	83
15-	671	797	760	715	724	835
20-	1,273	1,318	1,336	1,277	1,268	1,449
25-	3,486	3,660	3,474	4,364	4,405	4,527
35-	3,424	3,651	3,642	4,469	4,420	4,732
45-	3,483	3,533	3,398	4,717	4,696	4,910
55-	3,169	3,266	3,316	4,441	4,429	4,488
65-	2,416	2,472	2,498	4,017	4,100	4,354
75 and over	1,812	1,826	2,085	3,447	3,467	4,023
All ages	19,868	20,664	20,645	27,545	27,602	29,414
Proportions per 1,000 total admissions						
0-	816	781	841	583	923	812
10-	805	859	811	883	827	798
15-	748	684	700	710	698	725
20-	612	587	590	634	610	633
25-	518	516	493	569	550	540
35-	519	501	487	505	470	463
45-	555	534	507	489	465	455
55-	581	552	533	491	474	451
65-	629	611	596	568	546	537
75 and over	813	798	783	797	768	768
All ages	580	561	546	554	530	523
Rates per 100,000 home population						
0-	1	1	1	0	0	0
10-	6	7	6	6	5	5
15-	49	57	53	51	52	59
20-	93	97	97	92	91	103
25-	113	121	116	141	145	151
35-	110	117	117	139	137	147
45-	111	112	107	145	143	150
55-	144	144	143	164	162	161
65-	174	177	179	203	204	215
75 and over	275	271	308	301	292	332
All ages	92	95	95	119	119	126

- (a) There was little difference between the number of first admissions in 1956 and 1957, either in the totals or in separate sex-age groups.
- (b) At ages 15 and over for males and 10 and over for females, the proportion of first admissions was lower in 1957 than in 1956, indicating also a higher proportion of readmissions.
- (c) First admission rates per 100,000 home population for males aged under 75 were either the same or higher in 1957 than in 1956. For females, some decreases in 1957 were offset by increases in 1958, which might have been even greater had the figures for this year been complete. Despite the exclusion of some informal admissions, the rates at ages 65 and over showed substantial increases between 1956 and 1958.

V. Table M.5. Trends in estimated residence rates

Table M.5. Mental Hospitals. Trends in estimated residence rates per 100,000 home population on 31st December, 1951 to 1958

Year	Sex	Age-group at admission										All ages
		0-	10-	16-	20-	25-	35-	45-	55-	65-	75 and over	
1951	M	4		42	112	245	355	483	606	644	677	289
	F	3		35	88	187	338	542	742	887	1,073	362
1952	M	1	6	43	112	248	363	474	609	641	700	290
	F	1	5	34	86	188	337	530	741	895	1,115	365
1953	M	1	3	37	108	251	379	471	617	646	738	294
	F	1	4	29	82	181	344	526	740	910	1,151	368
1954	M	1	6	44	101	264	370	461	613	690	715	296
	F	0	6	34	83	189	334	516	716	953	1,174	370
1955	M	0	5	35	92	255	365	446	618	690	738	292
	F	0	4	30	72	180	323	493	711	947	1,203	366
1956	M	1	14		84	246	358	434	614	691	749	288
	F	0	13		64	170	303	471	710	944	1,227	361
1957	M	0	14		74	230	349	418	607	679	755	281
	F	0	11		57	154	285	447	694	938	1,250	354
1958	M	1	13		70	221	341	409	607	684	782	278
	F	0	12		50	144	274	429	683	932	1,286	350

(a) Rates at ages under 75 have either risen to a peak value in 1953 or 1954 and then decreased, for example, those at ages 35-44, or else there has been a continuous fall since 1951, as at ages 45-54.

(b) At ages 75 and over female rates have increased annually, rising from 1,073 per 100,000 in 1951 to 1,286 in 1958, and male rates, except for a temporary check in 1954, have risen from 677 to 782.

VI. Table M.6. Numbers of first and other admissions, 1956 to 1958

Table M.6. Mental Hospitals. Numbers of first and subsequent admissions in diagnostic groups and proportions per 1,000 admissions, 1956 to 1958

Diagnostic group	Sex	Numbers						Proportionate distribution of 1,000 admissions			
		1956		1957		1958		First		Other	
		First	Other	First	Other	First	Other	1956	1957	1956	1957
Psychoses (other than puerperal)	M	14,011	11,009	14,371	12,217	14,444	12,939	705	695	765	755
	F	20,621	18,217	20,536	20,083	21,955	21,855	749	744	821	819
Psychoneuroses	M	3,546	1,618	3,710	1,779	3,589	1,904	179	180	112	110
	F	5,119	2,813	5,026	3,012	5,331	3,296	186	182	127	123
Character, behaviour and intelligence disorders	M	1,517	1,303	1,723	1,611	1,777	1,749	76	83	91	100
	F	641	664	697	837	801	1,068	23	25	30	34
Others	M	794	465	860	559	835	585	40	42	32	35
	F	1,164	492	1,343	579	1,327	628	42	49	22	24
All diagnoses	M	19,868	14,395	20,664	16,166	20,645	17,177	1,000	1,000	1,000	1,000
	F	27,545	22,186	27,602	24,511	29,414	26,847	1,000	1,000	1,000	1,000

(a) Psychoses, other than puerperal, accounted for about 70 per cent of male first admissions and 75 per cent of female. Psychoneuroses contributed about 18 per cent of the first admissions for males and females alike, and disorders of character, behaviour and intelligence formed about 8 per cent of male and 2 per cent of female admissions.

(b) Among readmissions, about 76 per cent for males and 82 per cent for females were due to psychoses, and between 11 and 12 per cent to psychoneuroses.

(c) First admissions for psychosis increased by 275 in 1957 compared with 1956, whereas readmissions increased by 3,074.

VII. Table M.7. First admission rates for the three principal psychoses

Table M.7. Mental Hospitals. First admission rates per million home population in sex and age-groups for Schizophrenia, Manic-depressive reaction and Senile and Presenile psychoses, 1956 to 1958

Diagnostic group	Sex	Year	Age-group									
			10-	15-	20-	25-	35-	45-	55-	65-	75 and over	All ages
Schizophrenia	M	1956	10	204	419	408	215	103	51	22	14	152
		1957	5	236	415	432	236	92	43	23	16	156
		1958	9	215	443	403	238	93	49	34	21	154
	F	1956	6	168	286	348	236	165	109	65	31	150
		1957	6	167	271	342	252	170	119	68	29	151
		1958	9	177	272	364	262	182	120	70	49	159
Manic-depressive reaction	M	1956	2	43	129	206	314	416	603	453	190	243
		1957	1	52	131	234	336	435	580	472	194	253
		1958	5	36	117	228	333	426	595	453	206	250
	F	1956	4	72	170	376	514	575	726	576	210	362
		1957	3	78	175	388	491	586	696	612	206	362
		1958	3	79	213	417	562	612	724	644	257	390
Senile and presenile psychoses	M	1956	-	-	-	-	-	12	75	572	1,961	106
		1957	-	-	-	-	1	12	76	552	1,829	102
		1958	-	-	-	-	1	9	75	570	2,025	109
	F	1956	-	-	-	-	-	9	100	787	2,276	193
		1957	-	-	-	-	1	11	97	776	2,238	194
		1958	-	-	-	-	1	14	95	784	2,498	211

- (a) First admissions for schizophrenia continued to be highest at ages 20-34 for males and 25-34 for females. Male admission rates were higher than female rates at ages under 35, but at ages 35 and over female rates exceeded the male.
- (b) The peak first admission rates for manic-depressive psychosis occurred at ages 55-64 for both sexes. At all ages female rates exceeded those for males.

VIII. Table M.8. Numbers of previous admissions of patients admitted in 1957

Table M.8. Mental Hospitals. Direct admissions in 1957, showing number of previous admissions

Diagnosis	Sex	Number of previous admissions						First admissions per cent of total	1954	
		(1) 0	(2) 1	(2) 2	(2) 3-6	(2) 7 and over	(3) Total		Total	Per cent of first admissions
Schizophrenia	M	3,383	2,355	1,220	1,308	154	8,542	40	7,014	48
	F	3,523	2,647	1,421	1,542	196	9,460	37	7,188	46
Manic-depressive reaction	M	5,483	2,329	1,058	1,074	218	10,247	54	7,732	57
	F	8,419	4,583	2,337	2,889	658	18,793	45	14,074	50
Senile psychosis	M	2,046	339	91	70	10	2,568	80	2,453	82
	F	4,291	722	240	164	37	5,484	78	4,827	83
All diagnoses	M	20,664	3,083	3,573	3,572	563	36,830	56	29,751	62
	F	27,602	11,536	5,524	5,858	1,166	52,113	53	41,948	59

(1) Patients admitted for the first time to statutory care.

(2) The figures in these columns show persons previously admitted once, twice, etc. to designated mental disorder hospitals but who may also have been previously admitted to mental deficiency hospitals or hospitals not vested in the Minister.

(3) The figures in this column, which are the totals of direct admissions in 1957, include patients previously admitted to hospitals not vested in the Minister and also persons admitted previously to a mental deficiency hospital only.

(a) The figures showing the numbers of previous admissions relate to in-patient treatment at mental hospitals vested in the Minister. The 'Total' column includes patients who were direct admissions in 1957, and who may have been previously admitted to mental deficiency hospitals or hospitals not vested in the Minister.

(b) Readmissions occurred relatively frequently among the schizophrenic group; thus, for every 100 patients admitted for the first time there were the following numbers who had been previously admitted:

	Number of previous admissions			
	1	2	3-6	7 and over
Males	70	36	39	5
Females	75	40	44	6

The corresponding figures for manic-depressive reaction and for all diagnoses were:

		1	2	3-6	7 and over
Manic-depressive reaction	Males	42	19	20	4
	Females	54	28	32	8
All diagnoses	Males	39	17	17	3
	Females	42	20	21	4

IX. Table M.9. First admission rates by place of residence

This table is omitted because a separate report on admissions in 1957 from all county boroughs and administrative counties has been published by the Registrar General*.

X. Table M.10. Admission rates by social class in diagnostic groups (males only)

Table M.10a. Mental Hospitals. Admission rates per million males aged 20 and over by social class in diagnostic groups, 1956 and 1957

(The rates are based on the home population for each year, distributed according to the social class proportions at the 1951 census.)

Diagnostic group	Year	Social class					Not stated per cent of total stated
		I	II	III	IV	V	
Schizophrenia	1956	211	189	382	412	1,142	8.9
	1957	316	230	393	424	1,226	10.6
Manic-depressive reaction	1956	595	485	536	564	1,040	6.4
	1957	579	489	553	598	1,122	7.8
Psychoses, all forms	1956	1,222	1,049	1,291	1,368	2,954	10.0
	1957	1,362	1,113	1,333	1,422	3,085	11.3
Psychoneuroses, all forms	1956	236	261	315	294	494	3.8
	1957	262	252	324	326	509	6.0
Character, behaviour and intelligence disorders	1956	238	109	117	121	369	9.3
	1957	262	143	144	140	381	10.0
All diagnoses	1956	1,744	1,458	1,777	1,854	3,977	9.1
	1957	1,951	1,553	1,858	1,952	4,139	10.7

* *Studies on Medical and Population Subjects*, No. 16. Area of Residence of Mental Hospital Patients, 1957. (H.M.S.O. price 15s. 6d. net.)

- (a) No data are available for 1958 as occupation coding was discontinued in that year.
- (b) The upward trend in admission rates was reflected in each social class, the percentage increases in the five years 1953 to 1957 being 47, 31, 24, 23 and 36 for Classes I to V respectively.
- (c) The rates for schizophrenia and for disorders of character, behaviour and intelligence in each social class in 1957 were the highest for five years. In particular, the rate for schizophrenia in Social Class I increased by 93 per cent over the period 1953 to 1957.

Table M.10b. Mental Hospitals. First and other admission rates per million males aged 20 and over by social class in diagnostic groups, 1957

Diagnostic group	Admission	Social class				
		I	II	III	IV	V
Schizophrenia	First	140	93	158	155	457
	Other	175	137	235	289	769
Manic-depressive reaction	First	291	277	303	317	577
	Other	289	212	250	281	545
Psychoses, all forms	First	774	661	737	756	1,511
	Other	589	452	596	666	1,573
Psychoneuroses, all forms	First	192	185	225	212	312
	Other	69	67	99	114	196
Character, behaviour and intelligence disorders	First	114	78	76	69	165
	Other	148	65	68	71	216
All diagnoses	First	1,122	955	1,075	1,074	2,072
	Other	829	597	783	877	2,067

- (a) For schizophrenia, manic-depressive reaction and all psychoses together, the social class gradient was similar for both first and other admissions (see Diagram 6, page 30).
- (b) In each social class the readmission rates for schizophrenia exceeded the first admission rates.

XI. Table M.II. Deaths, and departures and discharges by disposal

Table M.II. Mental Hospitals. Deaths, and departures and discharges by disposal, 1957 and 1958

(Voluntary, temporary and certified patients only)

Year	Sex	Outcome and disposal					
		Died	Discharged or departed				Total
			By Operation of Law	Recovered	Relieved	Not improved	
1957	M	5,328	138	6,467	21,962	4,073	37,968
	F	7,265	119	11,851	30,157	3,980	53,372
1958	M	5,184	172	5,682	22,269	4,057	37,364
	F	7,633	173	10,758	32,543	4,284	55,391

- (a) In 1957, 17 per cent of males were described, on departure or discharge, as recovered, and 58 per cent as relieved; the corresponding figures for females were 22 and 57 per cent.
- (b) Compared with 1954 there was no great change in the total proportion recorded as recovered or relieved. In 1954, 71 per cent of males and 74 per cent of females were in these categories, compared with 75 and 79 per cent respectively in 1957.
- (c) The proportions stated to be not improved were the same in these two years - 11 per cent for males and 8 per cent for females.

XII. Table M.12. Departures and discharges by length of stay

Table M.12a. Mental Hospitals. Duration of stay of all patients discharged or departed in 1957 and 1958, irrespective of year of admission

1957

	Under 1 wk.	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9 mths.-	12 mths.-	18 mths.-
Males	2,325	9,393	7,680	3,765	4,405	1,468	786	764	326
Females	2,409	11,857	11,845	5,952	6,804	2,206	1,224	1,050	528
	2 yrs.-	3 yrs.-	5 yrs.-	10 yrs.-	15 yrs.-	20 yrs.-	25 yrs.-	30 yrs. and over	All durations
Males	389	451	423	173	106	67	46	73	32,640
Females	512	561	605	243	139	60	41	71	46,107

1958

	Under 1 wk.	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9 mths.-	12 mths.-	18 mths.-
Males	2,489	9,627	8,091	3,721	4,284	1,398	759	706	350
Females	2,788	12,933	13,340	6,287	6,821	2,184	1,147	929	546
	2 yrs.-	3 yrs.-	5 yrs.-	10 yrs.-	15 yrs.-	20 yrs.-	25 yrs.-	30 yrs. and over	All durations
Males	375	395	421	220	91	67	43	92	33,129
Females	517	563	701	295	142	96	60	90	49,439

- (a) Two trends are apparent in the departures and discharges of mental hospital patients: a general movement towards shorter durations of stay and an increase in the numbers of long term patients leaving hospital.
- (b) The number of short stay patients, namely, those spending less than 3 months in hospital, during 1954 to 1958 and their percentage of the total discharges were:

1954	1955	1956	1957	1958
38,955	45,173	49,383	55,226	59,276
66.2	67.4	68.2	70.1	71.8

- (c) Over the same period the numbers of 'chronic' patients discharged after spending 2 years or more in hospital increased from 2,451 to 4,168.

Table M.12b. Mental Hospitals. Proportionate duration of stay of all patients discharged or departed in 1957 and 1958, irrespective of year of admission

Year	Sex	Under 1 mth.	1 mth.-	2 mths.-	3 mths.-	6 mths.-	12 mths.-	2 yrs.-	5 yrs.-	20 yrs. and over	All durations
1957	M	359	235	115	135	69	33	26	22	6	1,000
	F	310	257	129	148	74	34	23	21	4	1,000
1958	M	366	244	113	129	65	32	23	22	6	1,000
	F	318	270	127	138	67	30	22	23	5	1,000

XIII. Table M.13. Median durations of stay in hospital

Table M.13. Mental Hospitals. Median durations of periods in hospital of patients leaving by discharge or departure, 1951 to 1958

Year	Sex	Median duration of stay			
		Less than 1 year	1 year, but less than 5 years	5 years and over	All durations
1951	M	1.90 months	1 year 8.5 mths.	11 years 6.7 mths.	2.21 months
	F	1.97 "	1 " 8.5 "	10 " 11.3 "	2.29 "
1952	M	1.78 "	1 " 8.9 "	11 " 5.5 "	2.00 "
	F	1.91 "	1 " 8.4 "	11 " 10.8 "	2.17 "
1953	M	1.70 "	1 " 7.8 "	10 " 6.8 "	1.87 "
	F	1.81 "	1 " 8.1 "	11 " 3.6 "	1.98 "
1954	M	1.64 "	1 " 8.2 "	9 " 7.7 "	1.82 "
	F	1.74 "	1 " 8.6 "	10 " 4.6 "	1.91 "
1955	M	1.57 "	1 " 9.2 "	10 " 6.5 "	1.75 "
	F	1.70 "	1 " 9.6 "	9 " 9.8 "	1.87 "
1956	M	1.50 "	1 " 8.9 "	10 " 0.0 "	1.67 "
	F	1.67 "	1 " 10.0 "	9 " 9.5 "	1.84 "
1957	M	1.42 "	1 " 9.7 "	10 " 7.3 "	1.60 "
	F	1.58 "	1 " 9.1 "	9 " 9.5 "	1.74 "
1958	M	1.38 "	1 " 9.5 "	11 " 0.5 "	1.55 "
	F	1.53 "	1 " 9.8 "	9 " 11.2 "	1.67 "

(a) The medians are shown for patients staying less than 1 year, 1 year and under 5 years, or 5 years and over.

- (b) The median stay of the first group decreased during 1951 to 1958 from 1.90 months to 1.38 months for males and from 1.97 to 1.53 months for females. Thus there was an average saving of 16 days for males and 13 for females.
- (c) The median duration for the second group increased from 1 year 8.5 months to 1 year 9.5 months for males and from 1 year 8.5 months to 1 year 9.8 months for females, a trend consistent with the discharge of a larger number of patients toward the 5 year end of the scale.
- (d) For patients staying 5 years or more, the median decreased by 6 months for males and 1 year for females.

XIV. Table M.14. Quittance rates per 100,000 patients at risk

Table M.14. Mental Hospitals. Quittance rates per 100,000 at risk, by sex and age, 1957 and 1958

Year	Sex	Age-group							
		20-	25-	35-	45-	55-	65-	75 and over	All ages
1957	M	68,077	50,000	40,049	33,701	30,854	32,550	36,563	38,436
	F	71,997	62,972	50,880	41,155	33,188	28,601	27,060	39,309
1958	M	68,712	50,917	41,393	34,068	30,754	32,354	38,035	38,813
	F	76,144	65,972	53,645	43,345	34,455	30,236	28,786	41,157

- (a) Quittance rates relate the numbers of deaths, departures and discharges in any year to the total number of patients who have been in hospital at any time during the year.
- (b) In 1957 and 1958 the rates for males decreased to a minimum at ages 55-64 and increased in the higher age-groups; those for females decreased with increasing age.
- (c) Between 1951 and 1958 the male quittance rates increased at ages 20-54 and 75 and over, but at ages 55-74 there was a decrease between 1957 and 1958. Female rates at ages 20-74 showed steady increases, and the rate at ages 75 and over, despite oscillations, was higher in 1958 than in 1953.

Mental Deficiency Hospitals

I. Table M.D.1. Trends of admissions by sex and age, 1955 to 1958

Table M.D.1. Mental Deficiency Hospitals. Trends of admissions by sex and age, and admission rates per million home population, 1955 to 1958

Age-group	Males				Females			
	1955	1956	1957	1958	1955	1956	1957	1958
Numbers								
0-	13	16	36	31	12	29	33	33
2-	150	147	137	150	81	90	92	111
5-	275	287	312	352	185	239	191	238
*10-	237	203	289	272	201	141	166	187
*15-	336	440	481	482	244	308	287	363
20-	134	154	158	208	94	115	99	146
25-	163	170	183	245	162	159	152	239
35-	111	132	144	193	150	149	119	259
45-	78	109	102	181	98	112	94	213
55-	38	23	46	111	37	33	37	91
65 and over	5	2	5	29	13	14	8	59
All ages	1,540	1,683	1,893	2,252	1,277	1,389	1,278	1,939
Rates per million home population								
0-	19	23	51	43	19	45	50	48
2-	149	146	136	149	84	94	96	116
5-	146	152	176	206	103	133	113	146
*10-	128	124	163	147	114	90	98	106
*15-	308	322	345	338	217	222	207	257
20-	98	113	116	149	67	83	71	104
25-	52	55	60	82	51	51	50	80
35-	36	42	46	62	47	46	37	81
45-	25	35	32	57	30	34	29	65
55-	18	10	20	48	14	12	13	33
65 and over	2	1	2	14	4	4	3	18
All ages	72	78	87	104	55	60	55	83

* For 1955 the age-groups 10-15 and 16-19 have been used.

- (a) The numbers of admissions showed regular annual increases for males and also for females with the exception of a temporary check in 1957. These increases, with few exceptions, were apparent in each of the age-groups shown. In particular, the number of patients aged 45 and over on admission increased more than two and a half times, from 269 in 1955 to 684 in 1958.

- (b) The annual admission rates showed maxima at ages 15-19, probably due to the admission of subnormal patients who had hitherto been attending schools for the educationally subnormal.

11. Table M.D.2. Admissions according to grade of defect, 1957 and 1958

Table M.D.2. Mental Deficiency Hospitals. Admissions by sex and age according to (i) Grade of defect, 1957
(ii) Grade of defect or social reason, 1958

Grade of defect	Sex	Year	Age-group							
			0-	5-	10-	15-	20-	25-	35 and over	All ages
Idiot	M	1957	62	87	49	18	11	10	7	244
		1958	71	87	29	14	6	11	35	253
	F	1957	42	64	23	8	6	11	11	165
		1958	54	86	30	16	9	20	37	252
Imbecile	M	1957	90	191	179	136	43	65	145	849
		1958	98	224	169	95	41	70	187	884
	F	1957	77	113	101	68	33	56	131	579
		1958	82	133	105	86	46	81	290	823
Feeble-minded	M	1957	21	34	61	327	102	107	145	797
		1958	11	40	74	369	156	162	281	1,093
	F	1957	6	14	41	210	60	84	116	531
		1958	8	19	52	256	91	138	257	821
Moral defective	M	1957	-	-	-	-	2	1	-	3
		1958	-	1	-	2	1	1	4	9
	F	1957	-	-	1	1	-	1	-	3
		1958	-	-	-	1	-	-	-	1
Educationally subnormal	M	1958	1	-	-	-	1	-	-	2
	F		-	-	-	-	-	-	-	-
Social reason with dullness	M	1958	-	-	-	1	-	1	-	2
	F		-	-	-	3	-	-	3	6
Social reason with normal intelligence	M	1958	-	-	-	-	-	-	-	-
	F		-	-	-	-	-	-	2	2
No mental defect	M	1958	-	-	-	1	1	-	7	9
	F		-	-	-	1	-	-	33	34
Total, 1957	M	1957	173	312	289	481	158	183	297	1,893
	F		125	191	166	287	99	152	258	1,278
Total, 1958	M	1958	181	352	272	482	206	245	514	2,252
	F		144	238	187	363	146	239	622	1,939

III. Table M.D.3. Percentage distribution by cause of admission

Table M.D.3. Mental Deficiency Hospitals. Percentage distribution by cause of admission, 1957 and 1958

Grade of defect	1957		1958	
	Males	Females	Males	Females
Idiot	13	13	11	13
Imbecile	45	45	40	43
Feeble-minded	42	42	49	42
Moral defective	0	0	0	0
Educationally subnormal	*	*	0	-
Social reason with dullness	*	*	0	0
Social reason with normal intelligence	*	*	-	0
No mental defect	*	*	0	2
Total	100	100	100	100

* Information not available for 1957.

(a) The percentage distribution by grade of defect continued to show little annual variation, and in 1957, as in 1956, there was little difference between the sexes in this respect.

IV. Table M.D.4. Measurement of intelligence at admission

Table M.D.4a. Mental Deficiency Hospitals. Percentage of untestable patients or with no test result stated, 1957 and 1958

	1957		1958	
	Not testable	Not stated	Not testable	Not stated
Males	11.7	17.4	9.2	19.3
Females	10.5	13.6	10.9	19.8
Total	11.2	15.9	10.0	19.5

(a) In 1954, 10.4 per cent of the patients admitted were not testable and during 1955 to 1958 the proportion of patients untestable on admission remained at about one-tenth. The percentage for whom no test results were stated rose during the same period from 10.5 to 19.5. The proportion of patients whose intelligence quotient or mental age is unknown therefore rose from about 20 to 30 per cent. Notes on the index cards show that there is an increasing diversity in the tests used.

Table M.D.4b. Mental Deficiency Hospitals. Average intelligence quotient and mental age at admission, 1956 to 1958

	Average intelligence quotient at ages:			Average mental age at ages:				
	2-	5-	10-	15-	20-	25-	35-	45-54
Males								
1956	29	35	39	8.1	7.9	7.3	6.4	6.6
1957	30	34	37	8.0	7.8	7.7	6.6	6.7
1958	30	35	39	8.2	8.6	7.6	6.9	7.2
Females								
1956	29	32	35	7.9	7.8	6.4	6.9	6.8
1957	31	33	36	7.8	7.4	6.7	6.4	6.6
1958	30	31	39	7.9	7.5	7.0	6.5	6.8

(a) Until some improvement can be obtained Table M.D.4b, which shows the average intelligence quotients and mental ages on admission by sex-age groups, will continue to be of limited value.

V and VI. Table M.D.5., which shows sex and age-group on admission by social class and Table M.D.6., giving marital status on admission in sex-age groups, have been suspended for 1957 and 1958.

VII. Table M.D.7. Discharges by age-group at discharge or time on the books

Table M.D.7a. Mental Deficiency Hospitals. Age-group at discharge by grade of defect, 1958

Age-group	Grade of defect								All grades
	Idiot	Imbecile	Feeble-minded	Moral defective	Educationally subnormal	Social reason with dullness	Social reason with normal intelligence	No mental defect	
Males									
0-	-	-	-	-	-	-	-	-	-
2-	1	3	1	-	-	-	-	-	5
5-	6	27	10	-	-	-	-	-	43
10-	9	31	16	-	-	-	-	-	56
15-	1	24	96	-	-	-	-	-	121
20-	3	29	262	-	1	-	-	-	295
25-	-	29	186	1	-	-	-	-	217
30-	-	12	118	-	-	-	-	-	130
35-	-	14	127	1	-	-	-	-	142
40-	1	9	69	-	-	-	-	-	79
45-	1	9	70	-	-	-	-	-	80
50-	-	2	38	-	-	-	-	-	40
55-	-	4	17	-	-	-	-	-	21
60-	1	2	8	-	-	-	-	-	11
65 and over	-	-	4	-	-	-	-	-	4
All ages	23	195	1,022	2	2	-	-	-	1,244
Females									
0-	-	-	-	-	-	-	-	-	-
2-	2	4	4	-	-	-	-	-	10
5-	4	19	3	-	-	-	-	-	26
10-	2	12	12	1	-	-	-	-	27
15-	1	24	106	-	-	2	-	1	136
20-	1	29	201	-	-	-	1	-	232
25-	2	25	180	-	-	1	1	-	189
30-	-	20	132	1	-	-	-	-	153
35-	-	14	113	-	-	2	1	-	130
40-	-	11	93	-	-	1	1	-	106
45-	-	14	84	-	-	1	-	-	99
50-	-	12	45	-	-	-	-	-	57
55-	-	5	29	1	-	-	-	-	35
60-	-	4	22	-	-	-	-	-	26
65 and over	-	2	18	-	-	-	-	-	20
All ages	12	195	1,024	3	-	7	4	1	1,246

- (a) The total number of discharges in 1958 was 2,490, 1,244 males and 1,246 females. This is nearly double the number of discharges in 1954, 663 males and 612 females.
- (b) In 1958, 15 children of pre-school age and 152 of school age were discharged, 104 boys and 63 girls. At the other end of the age scale, 15 men and 46 women aged 60 or over were discharged.
- (c) 82 per cent of discharged patients were categorised as feeble-minded.

Table M.D.7b. Mental Deficiency Hospitals. Distribution of time
on the books of discharged patients, 1957 and 1958

Sex	Under 1 month	Months							Years								Total	
		1-	2-	3-	6-	9-	12-	18-	2-	3-	5-	10-	15-	20-	25-	30 and over		
1957																		
Males	17	21	15	17	11	7	40	29	98	201	328	176	115	93	35	23	1,226	
Females	4	18	2	14	9	16	51	31	73	143	248	161	142	96	33	24	1,065	
1958																		
Males	69	38	19	50	23	26	71	34	95	154	280	158	110	62	35	20	1,244	
Females	61	38	28	51	14	18	41	40	76	161	236	155	135	114	46	32	1,246	

(a) In 1958, 829 patients were discharged who had been on the books for 5-14 years and a further 554 who had been on for 15 years or more.

Table M.D.8. Mental Deficiency Hospitals. Age-group at death by grade of defect, 1958

Age-group	Grade of defect											
	Idiot		Imbecille		Feeble-minded		Moral defective		Educationally subnormal		Social reason with dullness	
	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
0-	4	4	4	4	-	-	-	-	-	-	-	8
2-	2	8	6	6	-	-	-	-	-	-	-	14
5-	17	21	15	7	2	-	1	-	-	-	-	35
10-	18	13	12	16	1	1	-	-	-	-	-	31
15-	11	11	16	11	5	3	-	-	-	-	-	32
20-	13	8	19	5	4	5	-	-	-	-	-	18
25-	9	6	11	8	4	2	-	-	-	-	-	16
30-	7	4	10	9	5	4	-	-	-	-	-	22
35-	4	9	11	14	14	6	-	-	-	-	-	29
40-	6	2	20	9	12	8	-	-	-	-	-	38
45-	2	4	16	16	18	16	1	-	-	-	-	37
50-	2	3	21	19	21	19	-	-	-	-	-	44
55-	2	4	16	21	17	11	1	-	-	-	-	36
60-	-	5	9	10	16	18	-	-	-	-	-	25
65 and over	-	5	16	22	34	48	-	-	-	-	1	50
All ages	97	107	202	177	153	143	3	-	-	-	-	455
												428


(a) Of 883 patients who died in hospital in 1958, 204 (23 per cent) were idiots, 379 (43 per cent) imbeciles and 296 (34 per cent) were feeble-minded.

DIAGRAM I. MENTAL HOSPITALS.


PERCENTAGE VARIATION IN HOSPITAL POPULATION STATISTICS 1951 TO 1958

Numbers in 1951 represent 100 per cent (persons)


TOTAL ADMISSIONS



FIRST ADMISSIONS




DEPARTURES & DISCHARGES



DEATHS



DEATHS, DEPARTURES
& DISCHARGES



PATIENTS ON THE BOOKS
ON DECEMBER 31st




DIAGRAM 2. MENTAL HOSPITALS.
ADMISSION RATES (TOTAL AND FIRST), 1954 AND 1958

Rates per 100,000 home population





DIAGRAM 3. MENTAL HOSPITALS.
ESTIMATED RESIDENCE RATES AT END OF 1954 AND 1958
FOR MALES AND FEMALES AGED 20 AND OVER

Rates per 100,000 home population






DIAGRAM 4. MENTAL HOSPITALS.

FIRST ADMISSION RATES
FOR SCHIZOPHRENIA AND MANIC-DEPRESSIVE REACTION,
1954, 1956 AND 1958

SCHIZOPHRENIA

Rates per million home population



1958 ————— 1956 - . - . - . 1954 - - - - -

MANIC-DEPRESSIVE REACTION

Rates per million home population




DIAGRAM 5. MENTAL HOSPITALS.

ADMISSION RATES BY SOCIAL CLASS FOR CERTAIN
DIAGNOSTIC GROUPS, 1953 AND 1957



Rates for males aged 20 and over, per million home population









DIAGRAM 6. MENTAL HOSPITALS.

FIRST AND OTHER ADMISSION RATES BY SOCIAL CLASS FOR CERTAIN DIAGNOSTIC GROUPS, 1957

Rates for males aged 20 and over, per million home population



APPENDIX TABLES

The diagnoses on admission and causes of death have been classified according to the *International Statistical Classification of Diseases, Injuries, and Causes of Death*, 1955. In the tables this classification is referred to as ICD.

Appendix Table A. Patient movements for individual mental hospitals, 1957

- (a) This table is comparable with Appendix Table A of the Supplement for 1954-1956, which gave patient movements in 1955. In addition, the numbers of patients aged 65 and over at first admission are shown and also the ratios of admissions and of discharges and deaths for 100 staffed beds.
- (b) There were 160 hospitals for which the numbers on the books on 31st December 1954 and 1957 could be determined. In 103 hospitals the numbers had decreased by 1957 compared with 1954, and in 6 there was no change; in 51 hospitals, however, the numbers on the books had increased.
- (c) The percentage of patients aged 65 and over among first admissions in 1957 was 24.6 for England and Wales as a whole. Admissions of elderly people varied from the numbers which would be expected on the basis of the national average. Allowing for such variations there was, on balance, an excess of elderly patients among first admissions in the four metropolitan regions, and the regions of East Anglia, Oxford and the South West, and a corresponding deficit in the regions of Newcastle, Leeds, Sheffield, Wales, Birmingham, Manchester and Liverpool. This indicates roughly an excess of elderly patients among first admissions to hospitals south of a line from the Wash to the Severn and a deficit among hospitals to the north.
- (d) A number of the hospitals listed as taking mental patients have a very small number of beds and some of these are in fact already functioning as short-stay units, and therefore have a high rate of turnover. It was not possible to determine the exact number of available staffed beds in all hospitals. There were 111 hospitals for which the number of beds was known accurately, and the patient turnover as measured by the average of admissions and leavers per 100 staffed beds was calculated for these hospitals. The following table suggests that a higher rate of turnover is more likely in small than in large hospitals.

Number of available staffed beds	Turnover percentage of staffed beds									Total
	20-	40-	50-	60-	70-	80-	90-	100-	120 and over	
Under 500	-	1	2	1	2	1	-	2	3	12
500 -	1	1	2	3	-	1	2	3	-	13
800 -	-	2	4	3	2	3	-	1	-	15
1000 -	1	2	9	9	9	1	1	1	-	33
1500 -	2	2	4	3	2	-	-	-	-	13
2000 -	2	6	8	1	1	-	-	-	-	18
2500 and over	4	2	1	-	-	-	-	-	-	7

Appendix Table A. Mental Hospitals. Patient movements for individual hospitals, 1957

Name of hospital and Regional Hospital Board		Average avail- able staffed beds at 31.3.57	Number of admissions				Number of depar- tures and dis- charges	Number of deaths	Number on books at 31.12.57*	Number of admis- sions	No. of deaths and dis- charges
			Total	First admissions		Number aged 65 and over					
				Diagnosis on admission							
				Psychoses (ICD Nos. 300-9)	Other condi- tions						
										Per 100 staffed beds	
NEWCASTLE R.H.B.											
Cherry Knowle,	Sunderland	865	799	343	85	82	873	83	887	92	87
Garlands,	Carlisle	1,064	619	278	101	77	566	98	994	58	61
Winterton,	Stockton-on-Tees	2,033	1,247	610	174	177	1,086	165	1,997	81	61
St. Mary's,	Stannington,	870	584	195	68	67	549	62	781	67	70
	Morpeth										
St. Nicholas',	Newcastle-on- Tyne, 3	1,173	756	326	102	155	593	122	1,158	64	61
St. George's,	Morpeth	1,270	637	256	84	83	574	74	1,225	50	51
St. Luke's,	Middlesbrough	568	556	178	131	48	488	50	574	98	95
Crossgate,	Durham	(1) 36	8	7	1	6	1	9	46	(3)	
Lee Hill,	Lanchester	(1) 44	7	3	4	5	1	7	36	(3)	
General,	West Hartlepool	(1) 100	28	23	-	14	19	15	64	(3)	
Bensham General,	Gateshead, 6	(2)	-	-	-	-	-	-	19	(3)	
TOTAL			5,241	2,219	750	894	4,549	685	7,780		
LEEDS R.H.B.											
Naburn and		629	575	202	89	66	551	48	583	91	95
Bootham Park,	York										
Clifton,	York	1,206	608	194	125	86	517	101	1,132	50	51
De la Pole,	Wetherby	1,174	825	402	100	119	758	109	1,031	70	74
Broadgate,	Beverley	651	345	111	78	49	318	34	642	53	54
Stanley Royd,	Wakefield	1,925	830	274	164	99	723	107	1,976	43	45
Storches Hall,	Huddersfield	2,737	1,111	423	200	123	978	198	2,602	41	43
Menston,	Leeds	2,522	928	383	97	89	891	145	2,419	37	41
Scalebor Park,	Burley-in- Wharfedale	398	594	172	95	40	516	25	389	153	139
Lynfield Mount,	Bradford	110	79	45	4	34	37	37	109	72	67
Stansfield View,	Todmorden	(1) 24	-	-	-	-	-	3	24	(3)	
St. James',	Leeds, 9	(1) 130	539	214	107	58	551	9	62	(3)	
Northern View,	Bradford	100	43	30	2	28	28	15	98	43	43
TOTAL			6,477	2,450	1,061	789	5,868	831	11,067		
SHEFFIELD R.H.B.											
The Lawn,	Lincoln	100	102	42	27	13	97	13	94	102	110
The Copple,	Nottingham	121	91	30	17	8	107	10	85	75	97
The Pastures,	Mickleover	1,457	894	371	165	86	852	71	1,287	61	63
Kingsway,	Ridgway, Derby	887	499	204	101	77	439	61	792	58	56
Middlewood,	Sheffield, 6	2,089	1,460	584	219	168	1,342	128	2,045	70	70
Carlton Hayes,	Narborough,	1,070	675	313	86	109	571	114	990	63	64
	Leicester										
The Towers,	Humberstone,	1,088	674	205	121	50	595	94	1,031	62	63
	Leicester										
Bracebridge Heath,	Lincoln	1,282	390	218	45	108	366	117	1,217	30	38
Rauceby,	Sleaford	609	623	293	100	69	573	50	587	102	102
Saxondale,	Radcliffe-on- Trent	838	792	336	91	78	727	72	920	84	85
Mapperley,	Nottingham	907	754	253	90	71	770	55	690	83	91
Victoria,	Mansfield	(1) 11	1	-	1	-	-	-	11	(3)	
Soarsdale,	Chesterfield	(1) 125	44	38	1	32	23	28	109	(3)	
Scartho Road,	Grimsby	(2)	-	-	-	-	-	-	-		
(4) Fir Vale	(5) Moorgate										
Infirmery	General Hospital										
TOTAL			6,999	2,867	1,064	867	6,462	811	9,818		
EAST ANGLIA R.H.B.											
St. Andrew's,	Norwich	1,257	753	240	144	109	670	131	1,238	60	64
Hellesdon,	Norwich	983	701	260	119	81	617	94	914	71	71
St. Audrey's,	Woodbridge	1,150	541	231	67	89	438	117	1,045	47	48
St. Clement's,	Ipswich	434	430	138	58	52	394	42	380	99	102
Fulbourn,	Fulbourn,	964	755	322	80	99	683	80	954	77	78
	Cambridgeshire										
Clarkson,	Wisbech	(2)	-	-	-	-	-	-	1	(3)	
TOTAL			3,180	1,191	468	430	2,802	461	4,532		

Appendix Table A - continued

Name of hospital and Regional Hospital Board		Average avail- able staffed beds at 31.3.57	Number of admissions				Number of depart- ures and dis- charges	Number of deaths	Number on books at 31.12.57*	Number of admis- sions	No. of deaths and dis- charges
			Total	First admissions							
				Diagnosis on admission		Number aged 65 and over					
				Psychoses (ICD Nos. 300-9)	Other condi- tions						
NORTH WEST METROPOLITAN R.H.B.											
Friern,	N.11	2,387	1,282	484	156	200	1,069	240	2,260	53	55
St. Bernard's,	Southall	2,507	1,347	514	171	204	1,161	213	2,366	54	56
Shenley,	St. Albans	2,360	1,113	480	137	176	871	229	2,320	47	47
Napsbury,	St. Albans	2,043	1,108	462	89	184	942	225	2,051	54	57
Hill End,	St. Albans	(1) 651	743	266	136	108	597	77	652	(3)	
Three Counties,	Arlesey	1,205	824	334	105	89	811	107	1,112	68	76
Leavesden,	Abbots Langley	(1) 430	13	-	5	-	11	24	467	(3)	
TOTAL			6,410	2,540	799	959	5,452	1,115	11,248		
NORTH EAST METROPOLITAN R.H.B.											
Claybury,	Woodford Green	2,313	1,303	467	192	221	1,018	270	2,171	56	56
Goodmayes,	Ilford	1,380	719	220	102	95	586	140	1,340	52	53
Runwell,	Wickford	1,138	701	207	159	81	628	91	1,138	62	63
Warley,	Brentwood	2,072	1,088	379	200	108	957	136	1,912	53	53
Severalls,	Colchester	1,885	996	350	153	115	822	142	1,822	53	51
Langthorne,	Leytonstone, E.11	(2)	-	-	-	-	-	-	13	(3)	
TOTAL			4,807	1,623	806	618	4,009	781	8,396		
SOUTH EAST METROPOLITAN R.H.B.											
Bexley,	Kent	2,280	1,310	534	178	201	1,117	229	2,201	57	59
Stone House,	n.r. Dartford	627	155	63	14	21	110	36	520	25	23
St. Augustine's,	Canterbury	1,739	1,336	451	239	198	1,275	143	1,576	77	82
St. Martin's,	Canterbury	106	79	23	-	23	15	15	151	75	29
Oakwood,	Maidstone	2,209	1,089	413	186	107	1,101	152	2,017	49	57
Hellingly,	Hallsham	1,415	1,027	406	127	191	898	180	1,279	73	76
St. Francis',	Haywards Heath	1,069	1,086	329	289	176	952	109	913	102	99
Sundridge,	Sevenoaks	138	16	15	-	15	1	20	102	12	15
West Hill,	Dartford	(1) 68	174	121	13	13	159	2	22	(3)	
Farnborough,	Kent	(1) 128	89	48	6	30	62	30	107	(3)	
All Saints',	Chatham	(1) 56	74	37	7	17	56	15	57	(3)	
Pouchlands,	S. Challey	(2)	-	-	-	-	-	3	6	(3)	
Darenth Park,	Dartford	(1) 45	-	-	-	-	-	1	47	(3)	
Horne,	Horne Common	(2)	-	-	-	-	-	-	1	-	
Eastry,	Eastry	(2)	-	-	-	-	-	-	-	-	
TOTAL			6,435	2,438	1,059	992	5,746	935	8,999		
SOUTH WEST METROPOLITAN R.H.B.											
Holloway		746	872	341	88	54	858	26	561	117	118
Sanatorium,	Virginia Water										
Springfield,	S.W. 17	2,084	999	411	81	136	812	183	2,072	48	48
Banstead,	Sutton	2,419	1,043	468	98	128	931	170	2,058	43	46
Cane Hill,	Coulsdon	2,468	1,115	362	139	158	957	228	2,288	45	48
Horton,	Epsom	1,608	878	327	110	85	853	128	1,416	55	61
Long Grove,	Epsom	2,206	1,072	362	138	120	983	190	1,989	49	52
St. Ebbe's,	Epsom	865	462	158	125	23	600	18	459	56	71
West Park,	Epsom	2,375	772	291	74	107	654	144	2,133	33	34
Brookwood,	Woking	1,905	954	458	73	194	777	250	1,710	50	54
Netherne,	Coulsdon	2,026	1,024	427	107	166	899	176	1,712	51	53
Warlingham Park,	Warlingham	1,121	759	208	165	62	726	94	943	68	73
Graylingwell,	Chichester	1,227	536	212	57	134	419	114	989	44	43
Knowle,	Fareham	1,995	1,355	408	279	140	1,220	171	1,790	68	70
Park Prewett,	Basingstoke	1,728	758	326	71	169	833	159	1,546	44	46
St. James',	Portsmouth	1,152	830	304	179	123	685	99	1,155	72	68
Harrison,	Dorchester	1,027	515	227	69	95	451	92	993	50	53
Whitcroft,	Newport, I.O.W.	454	335	141	52	78	272	56	449	74	72
Tooting Bec,	S.W. 17	2,141	567	212	35	43	428	120	1,046	26	26
St. Mary's,	Portsmouth	(1) 172	-	-	-	-	1	4	24	(3)	
Moor Green,	Southampton	(1) 190	97	70	11	78	35	79	159	(3)	
St. Lawrence's,	Caterham	(1) 280	-	-	-	-	-	15	294	(3)	
TOTAL			14,963	5,733	1,951	2,091	13,170	2,512	25,786		

Appendix Table A - continued

Name of hospital and Regional Hospital Board		Average avail- able staffed beds at 31.3.67	Number of admissions				Number of depart- ures and dis- charges	Number of deaths	Number on books at 31.12.67*	Number of admis- sions	No. of deaths and dis- charges
			Total	First admissions		Number aged 65 and over					
				Diagnosis on admission							
				Psychoses (ICD Nos. 300-9)	Other condi- tions					Per 100 staffed beds	
OXFORD R.H.B.											
The Warneford,	Oxford	150	323	88	79	14	371	7	65	215	252
Littlemoor,	Oxford	994	472	187	41	82	387	66	918	47	46
St. John's,	Aylesbury	805	513	226	51	77	444	81	817	84	63
Fair Mile,	Wallingford	1,187	656	228	107	82	598	84	1,119	55	57
St. Crispin,	Duston	1,210	859	256	215	132	642	109	1,089	71	79
TOTAL			2,823	985	493	387	2,642	327	4,008		
SOUTH WESTERN R.H.B.											
Wonford House,	Exeter	180	274	97	56	27	271	13	158	152	158
St. Lawrence's,	Bodmin	1,288	762	281	166	132	687	159	1,170	61	66
Exminster,	nr. Exeter	1,639	576	184	102	112	503	101	1,578	35	37
Digby,	Exeter	424	247	91	40	38	223	37	387	58	61
Moorhaven,	Ivybridge	756	778	323	180	115	698	78	736	103	103
Mendip,	Wells	946	469	186	59	80	380	102	917	50	51
Tone Vale,	Taunton	1,112	773	337	99	95	683	100	1,072	70	70
Roundway,	Devizes	1,330	727	251	149	95	646	103	1,253	55	56
Horton Road and Coney Hills,	Gloucester	1,598	795	248	168	113	769	99	1,292	50	54
Bristol Mental, St. Martin's,	Bristol Bath	1,628 (1) 86	1,114 80	370 55	223 6	96 38	1,026 58	87 20	1,586 64	68 (3)	68
(6) Stapleton Institution	(7) Budock Hospital										
TOTAL			6,615	2,423	1,248	941	5,944	899	10,193		
WALES R.H.B.											
Whitchurch,	Cardiff	867	913	235	161	42	863	47	782	106	106
St. Cadoc's,	Caerleon	470	389	146	67	43	347	30	440	79	80
Pen-y-val,	Abergavenny	1,336	866	398	143	104	775	106	1,250	65	66
Morgannwg,	Bridgend	2,368	1,069	429	245	110	882	151	2,348	45	44
Cefn Coed,	Swansea	710	405	188	43	67	363	72	681	57	61
St. David's,	Cardmarthen	998	566	203	126	75	470	58	1,005	57	53
Mid-Wales,	Talgarth	511	231	79	13	29	205	32	488	45	46
North Wales,	Denbigh	1,541	1,144	528	122	140	1,079	126	1,468	74	78
Ely Lodge,	Cardiff	(1) 201	75	21	48	88	4	65	190	(3)	
Conway,	Conway	(2)	-	-	-	-	-	-	1		
TOTAL			5,638	2,227	968	678	4,988	687	8,653		
BIRMINGHAM R.H.B.											
All Saints',	Birmingham, 18	1,357	675	271	42	89	647	99	1,266	50	55
Rubery Hill,	nr. Birmingham	986	437	175	75	86	338	90	963	44	43
Burghill and Holme Lacey,	Hereford	700	468	159	89	66	405	77	686	67	69
Barnsley Hall,	Bromsgrove	779	504	242	57	85	459	79	745	65	69
Powick Mental,	Worcester	1,062	631	225	120	93	537	87	1,048	59	57
The Central, Shelton,	Hatton	1,432	1,394	549	220	149	1,238	162	1,399	97	98
St. George's,	Shrewsbury	963	559	259	52	72	477	69	970	58	57
St. Matthew's,	Stafford	1,238	864	341	152	77	804	57	1,202	70	70
St. Edward's,	Lichfield	1,313	1,018	457	114	130	914	114	1,243	78	78
	Leek	1,420	766	353	53	90	628	121	1,421	54	53
Hollymoor,	Birmingham, 31	768	504	218	58	86	441	82	728	66	68
Highcroft,	Birmingham, 23	1,252	1,021	493	91	177	865	174	1,141	62	83
The Andressey,	Burton-on-Trent	(1) 79	21	15	-	15	5	8	76	(3)	
City General,	Stoke-on-Trent	(1) 159	417	271	24	38	429	11	118	(3)	
Burton Road,	Dudley	(2) -	-	-	-	-	-	4	51	(3)	
TOTAL			9,279	4,028	1,147	1,253	8,185	1,214	13,055		

Name of hospital and Regional Hospital Board		Average avail-able staffed beds at 31.3.57	Number of admissions				Number of departures and discharges	Number of deaths	Number on books at 31.12.57*	Number of admis-sions	No. of deaths and dis-charges
			Total	First admissions		Number aged 65 and over					
				Diagnosis on admission							
				Psychoses (ICD Nos. 300-9)	Other condi-tions					Per 100 staffed beds	
MANCHESTER R.H.B.											
Lancaster Moor,	Lancaster	2,718	830	322	153	146	686	203	2,543	31	33
Whittingham,	Preston	3,170	956	425	199	103	806	171	3,028	30	31
Prestwich,	Manchester	3,033	936	397	67	60	797	148	2,979	31	31
Parkside Mental,	Macclesfield	1,639	624	273	80	57	541	89	1,618	38	38
Roose,	Barrow-in-Furness	(1) 34	-	-	-	-	1	2	23	(3)	
Wesham Park,	Kirkham	(1) 44	143	56	27	20	125	14	33	(3)	
Queen's Park,	Blackburn	(1) 120	234	132	53	57	238	26	63	(3)	
General,	Burnley	(1) 104	234	65	72	24	234	10	81	(3)	
Billinge,	Wigan	(1) 101	224	134	25	23	206	11	95	(3)	
Atherleigh,	Leigh	(2) -	4	2	-	2	3	1	42	(3)	
Townley's Annexe,	Bolton	(1) 164	363	141	63	64	328	35	159	(3)	
Rosendale General,	Rawtenstall	(1) 86	47	21	6	7	36	5	59	(3)	
Fairfield General,	Bury	(1) 130	182	75	41	29	167	20	164	(3)	
Birch Hill,	Rochdale	(1) 115	116	50	28	19	103	15	110	(3)	
Eliz. Martland		(1) 220	311	115	44	40	291	18	195	(3)	
Unit,	Oldham (8)										
Bridgewater,	Manchester	(1) 159	24	19	-	14	10	19	155	(3)	
Lake Section,	Ashton-under-Lyne	(1) 38	13	10	1	8	3	10	36	(3)	
Ollersett View,	nr. Stockport	56	7	5	-	5	1	10	55	13	20
St. Thomas',	Shaw Heath,	(1) 162	141	81	13	37	111	27	152	(3)	
	Stockport										
Barony,	Nantwich	(1) 93	131	75	21	28	92	14	90	(3)	
Springfield,	Manchester, 8	785	885	282	49	97	596	63	634	85	84
Sharoe Green,	Fulwood, Preston	(1) 100	64	13	39	9	51	18	93	(3)	
TOTAL			6,248	2,693	979	849	5,426	929	12,407		
LIVERPOOL R.H.B.											
Rainhill,	nr. Liverpool	2,800	1,213	402	274	41	1,177	96	2,682	43	45
Deva,	Chester	1,857	1,127	461	95	94	987	121	1,850	61	60
Winwick,	Warrington	2,305	943	334	145	89	859	124	2,264	41	43
Sefton General,	Liverpool	(1) 168	225	112	16	29	203	15	100	(3)	
Ormskirk County,	Lancashire	(1) 119	200	120	26	27	190	12	80	(3)	
Birkenhead Mental,	Cheshire	(1) 200	56	45	3	31	24	27	124	(3)	
Whiston Mental,	Prescot	(1) 218	64	16	7	6	64	11	174	(3)	
TOTAL			3,828	1,490	566	317	3,504	406	7,274		

* Patients in accommodation non-designated at this date have not been included.

(1) Estimated figure.

(2) No figure available.

(3) Rate not calculated.

(4) Fir Vale, Sheffield: accommodation de-designated on 27.6.1956.

(5) Moorgate General, Rotherham: accommodation de-designated on 31.3.1957.

(6) Stapleton Institution, Bristol: accommodation de-designated on 1.8.1955 (now known as Manor Park Hospital).

(7) Budock, Falmouth: accommodation de-designated on 24.8.1956.

(8) Incorporating Boundary Park Annexe, Oldham, since 1.4.1955.

Appendix Table B. Cross tabulation of principal cause of admission and 'other condition requiring treatment' for first admissions in 1957 and 1958

(1) Diagnosis on admission to mental hospital is recorded in the form:

(a) Mental, psychoneurotic or personality disorder causing admission to hospital

(b) If psychosis is 'of other demonstrable aetiology' (i.e. Code No. 308 of the International Classification of Diseases) specify underlying disease or injury

(c) Other significant condition requiring treatment in hospital

(2) Appendix Table B is a cross tabulation, for males and females separately, of the data recorded in (a) and (c). To avoid having to record very small frequencies, the inclusion terms of the International Classification of Diseases have been arranged in 62 groups which are given in the Key to Classification shown below.

(3) The two left-hand columns of the table show the mental condition causing admission as entered in (a) and its number in the International Classification of Diseases.

The two right-hand columns show the *total* number of first admissions with this diagnosis.

The two middle columns show the group and number of cases recorded in (c), e.g.

12(1) means 1 person had group 12, diabetes, recorded.

32(172) means 172 people had group 32, mental deficiency, recorded.

Key to Classification of 'other condition requiring treatment'

Group No.	ICD Numbers	Diagnostic terms included in the group
1	001-019	Tuberculosis, all forms
2	020-039	Syphilis and other venereal diseases
3	040-074	Certain infectious diseases
4	080-081	Poliomyelitis
5	082, 083	Encephalitis
6	084-096	Other virus diseases
7	100-138	Malaria and other infectious and parasitic diseases
8	193, 223, 237	Neoplasm of brain and nervous system
9	140-192) 194-222) 224-236, 238, 239)	Other neoplasms
10	241	Asthma
11	250-254	Diseases of thyroid gland
12	260	Diabetes mellitus

Group No.	ICD Numbers	Diagnostic terms included in the group
13	281,286	Pellagra and other avitaminoses and deficiency states
14	Rest of 240-289	Other allergic, endocrine system, metabolic and nutritional diseases
15	290-299	Diseases of the blood and blood-forming organs
16	300	Schizophrenia
17	301	Manic-depressive reaction
18	302	Involuntional melancholia
19	303	Paranoia and paranoid states
20	304	Senile psychosis
21	305	Presenile psychosis
22	306	Psychosis with cerebral arteriosclerosis
23	307	Alcoholic psychosis
24	308	Psychosis of other demonstrable aetiology
25	309	Other and unspecified psychoses
26	310	Anxiety reaction
27	311	Hysterical reaction
28	313	Obsessive-compulsive reaction
29	314	Neurotic-depressive reaction
30	312,315-318	Other psychoneuroses
31	322	Alcoholism
32	325	Mental deficiency
33	Rest of 320-326	Other character, behaviour and intelligence disorders
34	350	Paralysis agitans
35	351,352	Cerebral paralysis
36	353	Epilepsy
37	Rest of 330-357	Other diseases of central nervous system
38	360-398	Diseases of nerves and sense organs
39	400-416	Rheumatic fever with or without heart involvement
40	420-422	Arteriosclerotic and degenerative heart disease
41	430-434	Other diseases of heart
42	440-443	Hypertensive heart disease
43	444-447	Other hypertensive disease
44	450	General arteriosclerosis
45	451-468	Other diseases of circulatory system
46	470-527	Diseases of respiratory system
47	530-587	Diseases of digestive system
48	620-637	Diseases of female genital organs
49	590-617	Other diseases of genito-urinary system
50	688	Puerperal psychosis and psychoneurosis
51	640-687,689	Complications of pregnancy and the puerperium
52	690-716	Diseases of skin
53	720-749	Diseases of bones and joints
54	750-759	Congenital malformations
55	780-781	Symptoms referable to nervous system and special senses
56	786	Symptoms referable to genito-urinary system
57	Rest of 782-795	Other symptoms and ill-defined conditions
58	N.800-804)	Head injuries
59	N.850-856)	Other fractures
60	N.805-829	Effects of poisons
61	N.960-979	Other injuries
62	Rest of N.830-999	

Appendix Table B. Mental Hospitals. First Admissions. Principal causes of admission and numbers of other conditions requiring treatment, 1957-58

Mental condition causing admission		Other significant conditions requiring treatment		Total number of first admissions	
ICD No.	Diagnosis	Males	Females	Males	Females
010	Tuberculosis of meninges and central nervous system	57(1)		*	*
024	Tabs dorsalis	12(1)			
025	General paralysis of insane	2(1); 12(1); 31(1); 38(1); 40(1); 59(1)	2(1); 45(1); 60(1)	3	5
026	Other syphilis of central nervous system	2(1); 32(1)	31(1); 45(1); 46(1)	217	99
080	Acute poliomyelitis			29	16
082	Acute infectious encephalitis	34(1)	25(1)	*	*
083	Late effects of acute infectious encephalitis	32(1); 37(2); 46(1); 62(1)	57(1)	1	2
088	Herpes zoster	1(1)	36(1)	44	23
154	Malignant neoplasm of rectum		9(1)	*	*
162	Malignant neoplasm of lung, etc. (primary)	9(1)		*	*
181	Malignant neoplasm of bladder and urinary organs	38(1)		*	*
193	Malignant neoplasm of brain and nervous system	9(3)	9(2)	13	6
199	Malignant neoplasm of other and unspecified sites		9(1)	*	*

204	Leukaemia and leukaemia	12(1)			*	*
237	Neoplasm of brain and C.N.S. (unspecified)	36(1); 41(1)		36(2)	47	42
253	Myxoedema and cretinism			17(1)	3	13
254	Other diseases of thyroid gland			62(1)	*	*
260	Diabetes mellitus			53(1)	2	3
271	Disorders of pancreatic internal secretion other than diabetes mellitus	47(1)			*	*
272	Diseases of pituitary gland			57(1)	*	*
277	Polyglandular dysfunction and other diseases of endocrine gland			32(1)	*	*
300	Schizophrenia	1(24); 2(4); 10(1); 11(2); 12(1); 13(1); 15(1); 16(1); 17(3); 23(5); 25(3); 28(6); 27(1); 28(3); 29(1); 30(3); 31(12); 32(172); 33(34); 35(1); 36(11); 37(3); 39(3); 40(2); 43(3); 45(1); 46(1); 47(6); 49(1); 52(1); 53(1); 54(1); 57(1); 58(1); 59(4); 60(1); 61(2); 62(4)		1(4); 2(1); 8(1); 9(2); 10(2); 11(4); 12(12); 14(2); 15(14); 16(1); 17(1); 19(3); 22(2); 25(3); 26(6); 27(10); 28(4); 29(4); 30(5); 31(2); 32(135); 33(17); 34(1); 35(1); 36(19); 37(6); 38(5); 39(3); 40(1); 42(4); 43(4); 44(1); 45(2); 46(2); 47(1); 48(1); 50(3); 51(1); 53(2); 55(1); 60(4); 62(9)	6,729	7,232
301	Manic-depressive reaction	1(42); 2(7); 5(16); 6(2); 8(2); 9(13); 10(11); 12(20); 13(2); 14(3); 15(13); 16(2); 17(6); 19(16); 20(2); 22(1); 25(15); 28(110); 27(32); 28(47); 29(11); 30(91); 31(44); 32(116); 33(392); 34(19); 35(8); 36(17); 37(14); 38(5); 39(4); 40(10); 41(8); 42(6); 43(33); 44(6); 45(2); 46(36); 47(12); 49(7); 52(7); 53(14); 55(1); 56(2); 57(15); 58(1); 59(3); 60(2); 61(3); 62(4)		1(23); 2(5); 3(1); 5(16); 6(1); 7(2); 8(2); 9(12); 10(11); 11(19); 12(38); 13(8); 14(9); 15(28); 17(3); 19(13); 20(2); 21(2); 25(36); 26(154); 27(132); 28(58); 29(19); 30(98); 31(12); 32(136); 33(260); 34(28); 35(5); 36(31); 37(13); 38(5); 39(19); 40(23); 41(13); 42(7); 43(97); 44(13); 45(4); 46(19); 47(20); 48(2); 49(1); 50(1); 52(5); 53(21); 55(4); 57(21); 59(1); 60(5); 61(8); 62(10)	10,919	17,528
302	Involutional melancholia	1(1); 12(1); 13(1); 23(1); 26(2); 29(1); 30(5); 31(4); 32(2); 33(4); 36(1); 37(1); 38(1); 40(1); 41(1); 43(5); 44(2); 45(2); 46(3); 48(1); 57(2)		1(2); 2(1); 5(1); 9(2); 10(2); 11(8); 12(5); 13(2); 15(11); 16(1); 19(1); 22(1); 28(8); 27(4); 28(2); 29(11); 30(9); 31(1); 32(8); 33(8); 34(3); 35(2); 36(4); 37(1); 38(1); 39(2); 40(3); 41(3); 42(3); 43(17); 46(4); 47(2); 48(3); 49(1); 53(2); 55(2); 56(1); 57(1); 60(1)	738	2,604
303	Paranola and paranoid states	1(2); 2(1); 5(2); 8(1); 9(2); 12(2); 17(14); 26(2); 27(1); 28(1); 29(2); 30(1); 31(2); 32(23); 33(19); 34(1); 40(1); 43(3); 45(1); 46(8); 47(4); 55(2); 57(1); 62(1)		1(3); 2(3); 5(2); 9(1); 10(1); 11(4); 12(4); 14(1); 15(2); 17(21); 25(1); 26(2); 27(4); 30(1); 32(19); 33(7); 34(4); 35(1); 36(1); 38(1); 39(3); 40(1); 42(1); 43(4); 44(1); 53(1); 55(1); 57(4); 60(1)	916	1,239

Appendix Table B - continued

Mental condition causing admission		Other significant conditions requiring treatment		Total number of first admissions		
ICD No.	Diagnosis	Males	Females	Males	Females	
304	Senile psychosis	2(1); 5(1); 7(11); 9(5); 10(11); 12(12); 13(3); 15(5); 22(6); 27(1); 29(2); 30(1); 31(1); 32(4); 33(3); 34(14); 35(1); 36(10); 37(23); 38(3); 40(24); 41(13); 42(7); 43(21); 44(32); 45(2); 46(22); 47(2); 49(9); 52(3); 53(1); 55(3); 56(1); 57(10); 59(1); 60(1); 61(1); 62(3)		1(2); 2(1); 3(1); 5(1); 6(1); 7(1); 8(1); 9(14); 10(2); 11(5); 12(33); 13(4); 14(2); 15(20); 17(1); 19(2); 20(2); 22(1); 23(1); 24(3); 25(1); 26(1); 30(5); 31(3); 32(5); 33(2); 34(16); 35(3); 36(3); 37(24); 38(11); 39(1); 40(62); 41(25); 42(11); 43(47); 44(79); 45(1); 46(13); 47(5); 48(1); 52(1); 53(5); 55(2); 57(15); 59(2); 60(6); 61(1); 62(4)	4,240	8,957
305	Presenile psychosis	1(1); 3(1); 5(1); 12(1); 15(1); 34(1); 36(1); 37(5); 40(2); 43(1); 44(4); 47(1); 49(1); 57(1); 59(1)	2(2); 9(2); 12(1); 13(1); 26(2); 29(1); 31(1); 32(1); 33(1); 36(1); 37(3); 39(1); 40(1); 41(1); 42(1); 43(4); 44(6); 49(1); 53(2); 55(2); 57(1); 60(1)	349	487	
306	Psychosis with cerebral arteriosclerosis	1(3); 2(1); 4(1); 5(1); 8(1); 9(1); 12(5); 15(2); 23(1); 26(1); 29(6); 30(2); 32(1); 33(3); 34(8); 35(7); 36(4); 37(3); 38(1); 39(1); 40(1); 41(1); 42(3); 43(22); 44(2); 46(9); 49(1); 53(2); 54(1); 55(1); 57(1); 61(1)	2(1); 7(1); 8(1); 11(2); 12(8); 15(1); 17(1); 21(1); 26(1); 27(2); 29(2); 30(2); 31(3); 32(1); 33(1); 34(11); 35(6); 36(3); 37(6); 38(2); 40(11); 41(6); 42(5); 43(18); 46(2); 53(2); 54(1); 57(2); 60(1)	1,003	1,010	
307	Alcoholic psychosis	1(2); 12(2); 13(1); 14(1); 16(1); 26(3); 29(2); 30(1); 31(1); 32(2); 33(11); 43(1); 45(1); 46(10); 47(1); 53(1); 57(1); 59(3); 60(1); 62(1)	1(1); 12(1); 15(1); 22(1); 29(1); 33(4); 36(1); 38(2); 45(1); 46(1); 49(1); 57(1); 59(1); 61(1)	439	147	
308	Psychosis of other demonstrable aetiology	1(11); 2(3); 5(1); 7(2); 9(11); 10(1); 12(7); 15(8); 16(1); 22(3); 26(6); 27(3); 29(4); 31(7); 32(11); 33(12); 34(4); 35(9); 36(2); 37(7); 38(1); 39(1); 40(22); 41(4); 42(9); 43(13); 44(7); 45(1); 46(23); 47(5); 49(2); 52(1); 53(2); 54(1); 55(2); 57(7); 59(1); 59(1); 60(2); 62(3)	1(5); 2(3); 5(1); 7(1); 8(1); 9(6); 10(2); 11(3); 12(7); 13(1); 14(3); 15(6); 16(4); 20(2); 22(1); 25(1); 26(4); 27(5); 29(2); 30(2); 31(4); 32(8); 33(10); 34(1); 35(3); 36(1); 37(8); 38(1); 39(5); 40(24); 41(8); 42(5); 43(15); 44(12); 46(9); 47(3); 48(1); 52(1); 53(2); 57(7); 58(1); 62(1)	1,835	1,592	
309	Other and unspecified psychosis	1(10); 5(4); 8(1); 9(11); 10(1); 11(1); 12(6); 13(1); 14(1); 15(1); 16(1); 17(9); 19(2); 22(1); 25(2); 28(1); 29(2); 30(7); 31(7); 32(33); 33(7); 34(7); 35(2); 36(5); 37(12); 40(14); 41(9); 42(3); 43(15); 44(3); 45(1); 46(10); 47(2); 49(3); 52(1); 54(1); 55(3); 57(7); 59(3); 62(1)	1(2); 2(5); 6(1); 9(1); 11(4); 12(5); 13(2); 15(12); 16(4); 17(20); 19(1); 20(1); 25(5); 26(8); 27(5); 28(2); 29(1); 30(7); 31(1); 32(35); 33(1); 34(6); 35(2); 36(5); 37(3); 38(2); 39(1); 40(9); 41(7); 42(4); 43(8); 44(4); 45(4); 46(6); 47(4); 48(1); 49(2); 52(1); 53(4); 55(3); 57(6); 60(1); 62(2)	1,489	1,695	
310	Anxiety reaction	1(10); 2(1); 5(1); 8(2); 9(3); 10(7); 12(3); 14(1); 15(1); 17(2); 19(1); 22(1); 27(1); 28(8); 29(4); 30(6); 31(32); 32(43); 33(166); 34(1); 36(13); 37(5); 38(7); 39(1); 40(2); 41(3); 43(10); 45(2); 46(9); 47(9); 49(1); 53(3); 55(2); 56(1); 57(1); 58(1); 62(8)	1(7); 2(2); 5(1); 6(2); 10(6); 11(9); 12(5); 13(3); 14(2); 15(3); 17(2); 26(4); 29(5); 30(4); 31(4); 32(26); 33(136); 34(1); 35(1); 36(16); 37(6); 38(3); 39(2); 40(3); 42(1); 43(25); 44(1); 45(1); 46(5); 47(2); 48(20); 49(1); 51(1); 52(3); 53(5); 54(1); 55(4); 57(2); 62(1)	3,051	3,395	
311	Hysterical reaction	1(2); 2(1); 6(1); 10(1); 11(1); 24(1); 29(2); 30(5); 31(3); 32(22); 33(67); 36(10); 37(3); 38(2); 40(2); 43(1); 46(1); 47(2); 53(1); 57(1); 59(3); 61(1); 62(5)	1(2); 2(2); 5(1); 6(1); 9(2); 10(5); 11(2); 12(2); 14(1); 15(2); 18(1); 26(1); 29(7); 30(3); 31(1); 32(54); 33(130); 34(2); 35(3); 36(20); 37(10); 38(2); 41(1); 43(2); 46(2); 47(2); 48(3); 53(3); 55(1); 57(1); 59(1); 61(1)	747	1,725	

312	Phobic reaction	11(1); 30(1); 32(1); 33(2); 43(1); 46(1)	28(1); 30(1); 33(5)	43	56
313	Obsessive- compulsive reaction	10(1); 14(1); 28(1); 29(1); 30(1); 32(2); 33(14); 34(1); 36(1); 37(1); 40(1); 55(1);	6(1); 11(2); 17(1); 28(1); 29(3); 30(1); 32(3); 33(8); 36(1); 37(1); 48(2); 53(1)	220	328
314	Neurotic-depressive reaction	1(9); 2(4); 5(2); 7(2); 9(10); 10(5); 11(2); 12(2); 13(2); 20(1); 26(1); 27(7); 28(9); 30(9); 31(32); 32(43); 33(169); 34(2); 35(7); 36(17); 37(11); 39(1); 40(7); 41(5); 42(1); 43(7); 44(6); 45(1); 46(18); 47(14); 48(14); 52(4); 53(3); 54(1); 55(3); 56(1); 57(2); 58(1); 60(2); 62(3)	1(4); 2(2); 5(4); 6(1); 7(1); 8(2); 9(7); 10(7); 11(6); 12(4); 13(2); 14(2); 15(12); 26(7); 27(22); 28(8); 30(21); 31(11); 32(48); 33(180); 34(3); 35(6); 36(35); 37(13); 38(7); 39(6); 40(6); 41(7); 42(5); 43(16); 44(5); 45(1); 46(10); 47(3); 48(19); 49(2); 52(4); 53(13); 54(1); 55(2); 56(1); 57(6); 60(1); 62(3)	2,614	4,298
315	Psychoneurosis with somatic symptoms affecting circula- tory system	37(1); 40(1)	3	1	
316	Psychoneurosis with somatic symptoms affecting digestive system		36(1)	5	4
317	Psychoneurosis with somatic symptoms affecting other systems	32(1); 33(3); 46(1); 57(1)	11(1); 30(1); 32(1); 33(1); 47(2)	47	53
318	Psychoneurotic disorders, other, mixed, and unspecified types	3(1); 5(1); 10(1); 12(2); 13(1); 27(2); 30(1); 31(6); 32(7); 33(34); 34(1); 36(2); 38(1); 41(1); 43(2); 44(1); 46(2); 49(2); 53(2); 55(1); 57(2); 58(1); 59(6); 62(34)	2(1); 10(1); 11(2); 12(1); 15(1); 16(1); 27(1); 29(1); 30(3); 31(2); 32(2); 33(16); 35(1); 36(3); 37(4); 38(2); 39(1); 43(3); 44(1); 46(1); 47(1); 48(7); 57(1); 62(2)	569	509
320	Pathological personality	1(4); 5(1); 8(1); 10(3); 12(3); 14(3); 17(4); 27(1); 30(3); 31(65); 32(59); 33(25); 36(18); 37(5); 38(2); 43(1); 44(1); 46(3); 47(5); 53(1); 54(1); 55(3); 57(2); 58(1); 59(4); 61(2); 62(16)	15(2); 27(2); 29(2); 30(2); 31(10); 32(28); 33(14); 35(1); 36(18); 37(4); 38(1); 40(1); 43(1); 46(1); 48(1); 52(1); 53(1); 55(1); 57(1); 59(2); 62(2)	1,917	778
321	Immature personality	1(2); 5(1); 12(1); 17(1); 31(3); 32(32); 33(3); 34(1); 36(5); 37(1); 39(1); 59(2)	1(1); 10(1); 11(1); 16(1); 31(1); 32(19); 33(4); 36(7); 37(1); 48(2); 61(1)	200	135
322	Alcoholism	1(1); 12(1); 17(2); 27(1); 32(4); 33(51); 36(3); 43(4); 44(1); 46(2); 47(1); 48(1); 53(1); 57(2); 59(1); 60(1); 62(1)	33(11); 38(3); 47(2); 55(1)		200
323	Other drug addiction	31(2); 33(5); 38(1); 37(1)	17(1); 31(2); 33(4)	845	200
324	Primary childhood behaviour disorders	32(5); 36(9); 37(2); 55(1)	32(2); 33(1); 36(3)	38	52
325	Mental deficiency	1(1); 11(1); 15(1); 32(1); 33(2); 35(2); 36(2); 37(1); 38(1); 41(1); 47(1); 52(1); 58(1); 60(1)	7(1); 12(2); 17(1); 32(1); 33(1); 35(3); 36(3); 38(2); 43(1); 57(2)	175	81
				164	150

Appendix Table B - continued

Mental condition causing admission		Other significant conditions requiring treatment		Total number of first admissions	
ICD No.	Diagnosis	Males	Females	Males	Females
326	Other and unspecified character, behaviour, and intelligence disorders	1(2); 8(1); 12(1); 13(1); 28(1); 31(1); 32(20); 33(4); 35(1); 36(12); 37(6); 38(2); 43(1); 55(1); 57(1); 62(3)	32(8); 33(7); 36(8); 37(2); 38(1); 57(1); 59(1); 62(2)	161	102
331	Cerebral haemorrhage		54(1)	6	7
332	Cerebral embolism and thrombosis	45(1)	2(1); 43(1); 55(1)	28	8
334	Other vascular lesions affecting C.N.S.	37(1); 43(1); 49(1)	44(1)	27	18
342	Intracranial and intraspinal abscess	46(1)		3	2
343	Encephalitis, myelitis and encephalomyelitis (except acute infectious)	46(1)		6	3
350	Paralysis agitans	43(2)	30(1)	10	15
351	Cerebral spastic infantile paralysis		37(1)	1	2
352	Other cerebral paralysis		55(1)	4	4
353	Epilepsy	7(1); 8(1); 12(1); 27(1); 31(3); 32(60); 33(15); 34(1); 35(1); 37(3); 38(2); 54(1); 55(1); 57(1)	2(1); 8(3); 11(1); 12(1); 13(1); 17(1); 25(1); 26(1); 30(1); 32(38); 33(10); 35(1); 61(1); 62(1)	440	361
354	Migraine		37(1)	-	4
355	Other diseases of brain	33(1); 40(1); 53(1); 57(1); 59(1); 62(1)	8(1); 39(1)	88	77
356	Motor neurone disease and muscular atrophy		9(1); 44(1)	*	*

357	Other diseases of spinal cord	53(1)		*	*
386	Other forms of neuralgia and neuritis	31(1)		*	*
387	Other diseases of cranial nerves	9(1)		*	*
390	Otitis externa	45(1)		*	*
434	Other diseases of heart	62(1)		*	*
444	Essential benign hypertension without mention of heart	37(1)	35(1)	*	*
445	Essential malignant hypertension without mention of heart	33(1)		*	*
450	General arteriosclerosis	57(1)			12
527	Other diseases of lung		10(1)	*	*
592	Chronic nephritis	57(1)		*	*
634	Disorders of menstruation		32(1)	-	*
635	Menopausal symptoms		32(1)	-	1
688	Other and unspecified complications of the puerperium		1(2); 12(1); 15(5); 28(1); 27(1); 30(2); 32(5); 33(3); 46(1); 48(1); 51(1); 60(1)	-	1,223
692	Other cellulitis and abscess without mention of lymphangitis	9(1)		*	*
708	Pruritus	57(1)			*
726	Muscular rheumatism	46(1)		*	*

Appendix Table 8 - continued

Mental condition causing admission		Other significant conditions requiring treatment		Total number of first admissions	
ICD No.	Diagnosis	Males	Females	Males	Females
760	Certain symptoms referable to nervous system and special senses	8(1); 32(2); 33(3); 57(2); 58(1); 62(1)	38(1)	68	24
761	Other symptoms referable to nervous system and special senses		5(1); 9(1); 39(1)	-	3
766	Symptoms referable to genito-urinary system	33(1)		*	*
790	Nervousness and debility		57(1)	*	*
793	Observation	15(1); 53(1)			
794	Senility without mention of psychosis	15(1); 28(1); 33(1); 38(1); 40(1); 43(1); 46(2)	1(1); 7(1); 41(1); 57(1) 12(1); 40(1); 43(1); 44(3)	*	*
N.852	Concussion	55(1); 59(1)		112	152
N.853	Other head injury	33(1); 55(1)		6	1
N.896	Injury of other and unspecified nature	37(1); 55(2)	31(1)	*	*
No mental disorder		6(1); 57(1)	39(1); 62(1)	*	*
Not yet diagnosed		1(2); 8(1); 12(1); 15(1); 32(1); 41(1); 42(1); 46(3); 53(1); 57(2)	9(1); 12(1); 37(2); 39(1); 48(1); 52(1); 57(1); 62(2)	*	*

* Individual figures not available

Appendix Table M.3. Mental Hospitals. Percentage of voluntary patients among direct admissions by sex, age and hospital region, 1958

Hospital region	Males								Females									
	0-	20-	25-	35-	45-	55-	65-	75 and over	All ages	0-	20-	25-	35-	45-	55-	65-	75 and over	All ages
Newcastle	87	74	80	81	87	87	69	50	79	87	81	82	83	85	81	74	51	79
Leeds	93	85	87	90	92	89	83	75	88	95	82	86	86	85	83	81	69	83
Sheffield	79	85	86	90	91	88	89	78	87	83	77	84	85	83	84	83	72	82
East Anglian	90	84	88	89	87	80	68	71	82	94	90	91	91	90	90	86	70	88
North West Metropolitan	74	70	70	76	85	79	67	39	73	75	67	77	73	76	79	70	31	69
North East Metropolitan	81	74	78	81	80	85	83	71	80	81	78	84	80	81	83	81	64	80
South East Metropolitan	97	94	89	89	93	94	95	83	91	92	90	92	90	91	91	89	83	90
South West Metropolitan	78	69	74	78	81	80	75	66	76	75	74	71	70	72	71	68	56	69
Oxford	97	84	89	93	93	95	88	76	90	89	94	90	90	90	92	88	79	89
South Western	96	91	91	93	94	94	92	86	92	93	93	93	92	92	94	92	82	92
Wales	97	89	91	91	96	95	89	80	92	95	94	94	94	96	95	92	77	93
Birmingham	90	85	87	90	92	94	90	88	90	91	95	92	92	91	92	92	86	91
Manchester	89	85	84	83	89	91	89	88	87	90	82	80	85	86	90	85	82	85
Liverpool	84	79	72	76	80	72	63	62	74	71	68	76	68	69	70	70	52	69
All regions	86	81	82	85	88	87	83	73	84	85	81	84	83	84	84	82	67	82

320.0	Schizoid personality	6	4	6	4	9	2	7	7	4	8	23	14	6	6	106	74	32
320.3	Inadequate personality	18	22	21	2	29	18	17	28	6	21	24	34	19	14	273	207	66
320.4	Antisocial personality	63	68	60	15	43	28	23	124	22	50	42	77	56	22	693	511	182
320.1, .2, .5, .6, .7	Other pathological personality	4	11	22	5	35	11	17	32	7	19	20	15	10	14	222	167	55
321	Immature personality	9	17	13	7	14	10	7	33	8	10	9	12	7	12	168	96	72
322, 323	Alcoholism and other drug addiction	32	37	28	20	30	16	33	171	14	67	32	37	36	3	554	429	125
325	Mental deficiency	15	5	12	3	8	7	14	25	4	17	8	16	24	4	162	78	84
324, 328	Other character, behaviour and intelligence disorders	6	13	12	9	11	13	11	81	5	38	4	17	8	14	242	161	81
	Character, behaviour and intelligence disorders, all forms	153	177	172	65	179	105	129	501	70	230	162	222	166	89	2,420	1,723	697
330-334, 340-345	Vascular lesions of C.N.S. and inflammatory diseases of C.N.S. }	4	4	5	3	4	3	45	13	1	4	-	6	14	2	108	63	45
353	Epilepsy	38	23	33	13	21	31	22	61	18	31	29	39	45	8	412	227	185
350-352, 354, 355	Other diseases of brain	14	5	8	3	7	10	23	12	3	8	8	1	9	2	113	59	54
450-456, 422.1	Diseases of arteries, myocardial degeneration with arteriosclerosis }	-	1	-	1	3	-	1	5	1	2	-	-	3	2	19	9	10
440-447	Hypertensive diseases	1	2	1	-	1	-	-	1	-	2	-	1	3	-	12	3	9
688.1	Puerperal psychosis	26	42	43	19	37	24	48	61	13	35	59	65	47	45	564	-	584
794	Senility without psychosis	1	9	13	4	3	6	2	18	2	23	52	4	12	2	151	55	96
780, 781	Symptoms, sense system, nerves	1	10	3	-	3	6	9	8	-	1	2	-	4	2	49	41	8
800-804	Head injuries	1	-	1	-	1	-	5	2	-	-	-	-	-	-	10	7	3
850-858	Other causes	8	9	19	12	39	25	117	108	20	20	15	32	17	16	457	205	252
	All diagnoses	2,969	3,511	3,931	1,659	3,339	2,429	3,497	7,684	1,478	3,671	3,195	5,175	3,672	2,056	48,266	20,661	27,602

330.0	Schizoid personality	8	7	6	2	13	5	1	22	11	14	10	16	8	4	125	87	39
330.3	Inadequate personality	31	20	11	4	52	29	19	46	16	15	21	40	29	14	347	240	107
330.4	Antisocial personality	61	79	62	35	64	37	49	202	33	51	75	72	55	22	897	592	305
330.1, .2, .5, .6, .7	Other pathological personality	4	5	18	5	34	7	15	28	4	12	7	9	8	11	167	114	53
331	Immature personality	9	17	13	4	10	10	6	14	9	8	9	15	1	4	129	59	70
332, 323	Alcoholism and other drug addiction	19	43	25	18	39	28	27	158	17	56	52	29	19	8	538	402	136
325	Mental deficiency	2	5	21	4	12	16	14	28	4	8	9	12	11	7	153	66	87
324, 326	Other character, behaviour and intelligence disorders	1	7	6	2	2	9	3	21	9	10	2	5	9	6	92	51	41
	Character, behaviour and intelligence disorders, all forms	133	183	162	74	226	141	134	519	103	174	185	198	140	76	2,448	1,611	837
330-334, 340-345	Vascular lesions of C.N.S. and inflammatory diseases of C.N.S. }	-	1	-	1	3	-	2	2	-	3	1	2	3	2	20	16	4
353	Epilepsy	28	27	53	13	28	20	21	62	22	48	29	45	22	12	430	248	182
350-352, 354, 355	Other diseases of brain	4	2	10	1	6	3	6	7	1	1	4	6	1	3	55	29	28
450-456, 422.1	Diseases of arteries, myocardial degeneration with arteriosclerosis }	-	-	1	-	-	-	-	-	-	-	-	2	-	-	3	1	2
440-447	Hypertensive diseases	-	-	-	-	-	-	1	-	-	1	1	-	-	-	3	-	3
688.1	Puerperal psychosis	11	17	11	6	8	13	8	17	5	5	15	17	13	3	149	-	149
794	Senility without psychosis	-	3	3	2	1	5	-	9	1	7	1	1	3	4	40	16	24
780, 781	Symptoms, sense system, nerves	3	9	2	1	9	6	5	13	2	3	1	-	6	-	60	45	15
800-804	Head injuries	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	2	-
850-856	Other causes	4	3	4	4	22	9	24	50	12	8	3	14	5	9	171	70	101
	All diagnoses	2,272	2,966	3,068	1,521	3,071	2,378	2,938	7,279	1,345	2,944	2,443	4,104	2,576	1,772	40,677	16,166	24,511

Appendix M.5b(i). Mental Hospitals. First admissions according to diagnosis and hospital region, 1958

ICD Number	Diagnosis	Hospital region												All regions				
		Newcastle	Leeds	Sheffield	East Anglian	Metropolitan				Oxford	South Western	Wales	Birmingham	Manchester	Liverpool	Total	Males	Females
						N.W.	N.E.	S.E.	S.W.									
020-029 082, 083 193, 223, 227	Syphilis	10	16	15	5	8	7	9	31	5	12	10	17	30	7	182	126	56
	Acute infectious encephalitis and effects	2	1	4	-	4	1	2	6	-	4	5	4	7	-	40	21	19
	Neoplasms, brain and central nervous system	4	2	6	1	2	1	9	3	1	4	2	3	4	1	43	26	17
300	Schizophrenia	470	447	623	171	452	393	473	1,481	155	381	371	780	568	310	7,055	3,346	3,709
301	Manic-depressive reaction	824	1,029	1,373	566	938	580	1,108	1,941	377	1,023	1,072	1,791	1,138	783	14,515	5,436	9,109
302	Involuntional melancholia	87	99	153	47	57	92	94	235	69	97	197	199	174	74	1,644	380	1,264
303	Paranoia, paranoid states	64	94	114	35	91	78	62	198	37	50	40	123	66	19	1,071	445	625
304	Senile psychosis	479	329	553	299	489	319	504	1,295	218	571	409	770	471	155	6,860	2,194	4,666
305	Presenile psychosis	34	31	45	13	31	28	21	84	9	24	25	51	36	9	441	179	262
306	Psychosis with cerebral arteriosclerosis	88	55	86	31	92	94	90	232	39	85	90	79	76	42	1,161	596	565
307	Alcoholic psychosis	12	9	18	11	12	8	14	54	9	22	19	58	14	8	266	195	71
308	Psychosis secondary to brain tumour, epilepsy, etc.	100	177	142	50	102	122	110	324	34	84	86	192	119	75	1,717	925	792
309	Psychoses, other and unspecified	83	165	107	31	137	47	109	341	55	143	38	134	143	106	1,639	747	892
	Psychoses, all forms (except puerperal)	2,241	2,435	3,214	1,254	2,401	1,760	2,595	6,185	1,002	2,462	2,347	4,125	2,807	1,581	36,393	14,444	21,955
310	Anxiety reaction	149	303	264	110	207	165	254	491	94	247	262	292	205	197	3,230	1,490	1,750
311	Hysterical reaction	59	90	101	75	80	90	94	149	44	115	90	76	68	24	1,155	352	803
313	Obsessive - compulsive reaction	13	18	14	8	13	17	22	51	15	25	17	16	31	10	270	101	169
314	Neurotic - depressive reaction	221	270	258	147	112	243	251	549	158	486	216	381	221	112	3,605	1,320	2,285
315-317	Neurosis with somatic symptoms	4	4	1	-	7	7	7	7	-	4	10	2	1	3	52	24	28
312, 318	Neuroses, other and unspecified	27	29	95	25	61	63	22	93	13	36	26	36	63	17	608	312	296
	Psychoneuroses, all forms	473	714	733	365	430	580	650	1,330	324	836	621	805	589	363	8,920	3,589	5,331

320.0	Schizoid personality	3	11	9	9	7	12	7	14	2	11	17	15	7	3	127	89	38
320.3	Inadequate personality	19	4	28	3	24	1	13	45	10	17	15	38	15	5	245	180	65
320.4	Antisocial personality	61	70	73	23	43	35	39	147	17	29	51	71	72	33	764	511	233
320.1, .2, .5, .6, .7	Other pathological personality	7	16	13	18	43	11	27	52	2	21	22	12	11	10	265	178	87
321	Immature personality	7	14	17	6	8	17	15	23	5	12	13	13	8	9	167	104	63
322, 323	Alcoholism and other drug addiction	16	47	28	15	38	19	37	170	15	59	41	50	37	11	581	454	127
325	Mental deficiency	10	9	15	6	8	10	4	23	7	19	13	16	11	1	152	86	66
324, 326	Other character, behaviour and intelligence disorders	9	6	35	8	16	8	7	72	2	48	7	20	28	11	277	175	102
	Character, behaviour and intelligence disorders, all forms	132	177	216	88	187	123	149	546	60	216	179	233	183	83	2,578	1,777	801
330-334, 340-345	Vascular lesions of C.N.S. and inflammatory diseases of C.N.S. }	3	3	6	1	4	7	18	12	3	7	3	2	19	-	88	55	33
353	Epilepsy	18	27	40	14	16	15	22	58	8	53	36	36	35	9	389	213	176
350-352, 354, 355	Other diseases of brain	7	8	9	4	7	5	14	14	1	6	3	6	4	2	90	42	48
450-456, 422.1	Diseases of arteries, myocardial degeneration with arteriosclerosis }	-	1	4	-	-	-	1	6	1	2	-	2	1	2	20	15	5
440-447	Hypertensive diseases	-	1	3	1	2	-	1	1	1	-	-	2	1	-	13	6	7
689.1	Puerperal psychosis	34	44	69	26	34	27	44	94	10	34	69	75	31	47	638	-	638
794	Senility without psychosis	5	3	17	-	8	10	9	19	2	29	2	6	3	-	113	57	56
780, 781	Symptoms, sense system, nerves	5	3	1	1	5	5	5	7	2	5	2	2	1	2	46	27	19
800-804	Head injuries	-	1	-	1	1	2	3	1	1	-	-	1	1	-	12	7	5
850-856	Other causes	18	13	40	21	49	23	64	82	30	24	17	47	31	29	483	240	248
	All diagnoses	2,952	3,449	4,377	1,782	3,208	2,566	3,585	8,395	1,451	3,751	3,298	5,366	3,753	2,126	50,059	20,645	29,414

320.0	Schizoid personality	5	4	4	13	5	9	9	14	8	13	6	14	6	7	119	777	42
320.3	Inadequate personality	21	14	24	5	48	35	23	65	12	15	19	44	21	15	359	233	126
320.4	Antisocial personality	56	85	97	28	85	58	55	248	40	44	58	80	60	34	1,028	625	403
320.1, .2, .5, .6, .7	Other pathological personality	3	3	8	10	48	21	15	35	11	22	3	18	8	8	211	109	102
321	Immature personality	12	11	20	3	11	9	12	19	7	12	15	19	6	11	167	82	85
322, 323	Alcoholism and other drug addiction	13	57	42	26	63	15	33	189	16	68	52	50	32	7	663	488	177
325	Mental deficiency	6	4	28	4	14	10	10	23	5	12	11	7	10	2	144	83	81
324, 326	Other character, behaviour and intelligence disorders	2	8	8	3	5	4	1	28	2	12	4	17	23	9	126	74	52
Character, behaviour and intelligence disorders, all forms		118	186	229	92	277	161	158	621	101	198	168	247	168	93	2,817	1,749	1,068
330-334, 340-345	Vascular lesions of C.N.S. and inflammatory diseases of C.N.S. }																	
353	Epilepsy	1	1	2	1	1	2	3	2	1	3	2	2	8	-	29	13	16
350-352, 354, 355	Other diseases of brain	23	43	47	20	31	22	25	88	26	49	40	27	24	15	478	274	204
450-456, 422.1	Diseases of arteries, myocardial degeneration with arteriosclerosis }	-	-	2	1	-	1	-	-	-	1	-	-	-	1	6	3	3
440-447	Hypertensive diseases	-	-	-	1	2	-	1	-	-	-	-	-	-	1	5	2	3
688.1	Puerperal psychosis	7	11	12	9	8	12	10	26	3	4	17	23	5	14	161	-	181
794	Senility without psychosis	1	5	11	2	4	4	4	10	1	12	1	1	-	-	56	19	37
780, 781	Symptoms, sense system, nerves	3	9	5	1	-	4	1	6	2	1	1	2	4	-	39	27	12
800-804	Head injuries	-	-	-	-	1	-	-	-	-	-	1	1	-	-	3	3	-
850-856	Other causes	4	7	15	6	16	16	11	26	12	7	7	15	14	8	164	69	95
All diagnoses		2,371	3,097	3,797	1,865	3,092	2,600	2,993	7,776	1,303	3,346	2,712	4,460	2,736	1,876	44,024	17,177	26,847

Appendix Table M.8(i). Mental Hospitals. Numbers of first admissions of males aged 20 and over by social class and age, in diagnostic groups, 1957

Diagnostic group	Social class	Age at admission								All ages 20 and over		
		20-	25-	30-	35-	40-	45-	50-	55-		60-	65 and over
Schizophrenia	I	9	16	19	14	6	4	-	1	3	1	73
	II	36	51	48	28	18	12	14	4	1	5	217
	III	212	295	247	195	107	80	35	19	13	14	1,217
	IV	74	79	84	56	28	20	13	11	3	4	372
	V	158	194	200	166	78	57	32	24	10	10	929
	Total not stated	78	43	37	24	17	13	10	6	2	9	237
Manic-depressive reaction	I	5	3	13	9	22	14	21	12	22	30	151
	II	8	29	41	60	62	99	88	84	73	103	647
	III	70	118	219	228	254	295	319	302	249	278	2,332
	IV	21	40	59	70	90	85	109	105	92	91	762
	V	42	55	106	92	132	135	170	174	140	126	1,172
	Total not stated	32	10	16	11	20	13	22	28	31	162	345
Psychoses, all forms	I	15	19	33	31	33	28	29	27	40	147	402
	II	47	88	103	105	114	145	148	146	142	507	1,545
	III	311	450	530	495	448	493	510	522	502	1,421	5,682
	IV	104	136	157	160	148	145	178	184	188	435	1,815
	V	213	268	345	296	250	262	293	305	302	535	3,069
	Total not stated	113	62	62	42	51	45	49	53	85	847	1,409
Anxiety reaction	I	3	3	9	4	2	9	4	8	3	4	49
	II	7	17	34	28	23	19	19	14	5	3	169
	III	57	92	149	159	91	85	68	39	32	17	789
	IV	16	33	42	37	23	24	11	14	10	6	216
	V	20	35	36	44	32	17	19	27	13	4	247
	Total not stated	15	12	2	5	6	1	3	-	-	13	57
Hysterical reaction	I	1	1	1	3	1	1	1	1	1	-	11
	II	2	2	3	3	5	3	5	4	2	2	31
	III	18	23	26	22	25	19	13	10	7	4	167
	IV	8	5	7	3	9	4	7	3	1	-	47
	V	11	7	7	13	10	8	2	2	3	1	64
	Total not stated	4	6	2	2	1	3	2	1	-	5	26

Neurotic-depressive reaction	I II III IV V Total not stated	2 4 23 8 8 7	1 4 48 18 22 4	4 13 53 22 19 7	3 16 68 29 28 2	2 23 73 27 34 6	3 31 67 27 34 2	4 21 71 21 24 2	5 26 56 27 39 3	7 15 45 40 18 9	2 20 60 14 17 26	33 173 564 200 236 68
Psychoneuroses, all forms	I II III IV V Total not stated	8 15 116 37 43 31	5 32 188 59 75 24	14 53 263 74 73 13	12 54 278 75 100 11	8 60 211 55 75 15	14 60 191 84 71 8	9 53 174 44 53 9	15 52 119 42 79 5	11 25 100 36 41 13	6 29 95 23 24 47	100 433 1,735 509 634 176
Alcoholic psychosis	I II III IV V Total not stated	- - 2 - 1 -	- 1 - 1 1 -	- 4 9 3 4 1	1 5 10 8 6 -	- 11 14 3 - 1 1	5 13 13 4 9 4	4 12 13 - 8 -	3 6 16 4 4 4	2 9 5 2 2 4	4 1 4 1 1 2	19 62 86 25 36 16
Alcoholism	I II III IV V Total not stated	- 1 - 1 1 -	- 1 6 2 2 2	3 3 22 4 9 1	2 11 23 8 14 4	4 20 36 7 7 5	9 26 24 2 5 3	7 12 27 6 8 2	5 11 16 7 8 2	1 8 4 3 3 3	2 4 4 1 1 2	33 97 162 41 58 24
Character, behaviour and intelligence disorders, all forms	I II III IV V Total not stated	1 9 87 35 64 21	4 21 83 17 59 19	4 16 92 29 61 18	4 25 91 25 43 9	8 32 74 18 31 10	16 33 62 10 25 9	8 18 54 13 25 7	8 15 23 12 15 5	3 9 8 4 9 9	3 4 11 3 3 8	59 182 585 166 335 115
All diagnoses	I II III IV V Total not stated	24 76 525 184 337 172	31 146 740 214 411 111	51 179 909 269 500 99	50 190 886 279 451 72	49 211 774 232 371 86	61 251 783 228 388 71	49 224 770 241 392 75	52 219 699 245 417 73	57 181 629 217 359 118	159 556 1,571 582 958	583 2,233 8,286 2,581 4,208 1,835

Appendix Table M.8(ii). Mental Hospitals. Numbers of second and subsequent admissions of males aged 20 and over by social class and age, in diagnostic groups, 1957

Diagnostic group	Social class	Age at admission								All ages 20 and over		
		20-	25-	30-	35-	40-	45-	50-	55-		60-	65 and over
Schizophrenia	I	2	12	29	22	12	6	2	1	1	4	91
	II	26	64	73	61	35	30	17	8	4	2	320
	III	211	368	411	343	193	118	63	53	32	18	1,810
	IV	77	125	123	109	67	67	43	21	3	67	647
	V	176	289	352	311	173	117	85	39	12	7	1,561
	Total not stated	86	107	116	93	45	27	16	14	6	17	527
Manic-depressive reaction	I	2	1	6	12	12	15	18	24	17	43	150
	II	7	13	19	29	39	65	72	76	66	109	495
	III	29	54	114	146	186	242	241	303	286	348	1,919
	IV	8	19	39	52	78	86	84	109	104	95	674
	V	24	33	59	111	116	136	166	179	155	127	1,106
	Total not stated	9	11	11	16	22	22	30	34	54	179	388
Psychoses, all forms	I	5	14	36	37	25	24	24	32	20	89	306
	II	33	80	97	103	86	111	112	117	96	232	1,057
	III	248	441	564	539	446	416	391	457	405	685	4,592
	IV	91	147	175	180	166	178	159	167	144	178	1,601
	V	213	344	435	462	341	326	299	289	224	262	3,195
	Total not stated	99	129	145	128	77	58	67	61	87	368	1,219
Anxiety reaction	I	-	-	1	-	4	5	3	5	1	-	19
	II	-	3	5	10	8	8	8	6	6	3	57
	III	12	13	50	43	65	36	30	25	20	14	308
	IV	1	8	13	23	16	12	18	7	7	4	109
	V	3	25	26	24	25	24	13	8	12	2	162
	Total not stated	5	6	6	3	3	2	1	2	2	6	36
Hysterical reaction	I	-	-	-	-	-	-	-	-	-	-	-
	II	1	-	1	-	3	2	1	1	1	1	11
	III	4	10	7	12	16	7	14	11	1	3	85
	IV	5	2	1	4	3	2	3	2	-	-	22
	V	4	4	8	7	2	11	7	7	1	1	52
	Total not stated	1	3	4	3	2	5	1	2	1	2	24

Neurotic-depressive reaction	I	-	1	1	6	-	1	1	4	4	9
	II	1	1	5	22	21	6	8	7	58	
	III	3	10	22	25	27	33	30	29	234	
	IV	1	6	5	6	10	14	14	3	88	
	V	4	3	6	13	16	17	22	10	126	
Total not stated		3	1	2	4	7	5	3	11	41	
Psychoneuroses, all forms	I	-	-	2	1	8	4	6	6	36	
	II	3	7	17	18	16	29	17	13	157	
	III	24	40	108	128	82	94	80	54	763	
	IV	8	19	22	40	32	42	28	8	273	
	V	12	37	53	50	59	46	43	15	399	
Total not stated		11	13	13	10	17	11	7	27	128	
Alcoholic psychosis	I	-	-	-	-	1	-	2	-	3	
	II	-	-	1	3	7	6	4	-	25	
	III	2	-	5	11	7	9	7	3	60	
	IV	-	-	-	1	3	3	5	-	16	
	V	-	-	3	5	5	4	7	6	40	
Total not stated		-	1	1	-	-	1	3	-	7	
Alcoholism	I	-	-	-	3	23	6	2	1	42	
	II	-	-	2	14	17	18	12	2	78	
	III	1	4	19	18	24	14	19	4	134	
	IV	-	2	2	4	9	4	3	1	26	
	V	1	2	8	7	12	10	4	1	66	
Total not stated		-	2	1	4	4	6	5	2	26	
Character, behaviour and intelligence disorders, all forms	I	1	3	6	9	29	8	4	5	77	
	II	8	8	16	30	33	26	15	8	153	
	III	46	58	105	76	67	36	34	19	522	
	IV	14	27	32	21	21	13	9	6	170	
	V	49	54	77	42	50	38	17	9	438	
Total not stated		20	15	22	17	15	16	10	9	153	
All diagnoses	I	6	18	45	42	63	36	46	100	431	
	II	44	96	141	139	163	170	151	243	1,396	
	III	326	556	750	672	595	539	582	757	6,037	
	IV	119	198	227	233	224	237	207	213	2,108	
	V	289	445	612	450	458	400	355	300	4,198	
Total not stated		144	166	172	118	99	98	84	421	1,601	

Appendix Table M.9(i). Mental Hospitals. First admission rates per million home population* of males aged 20 and over by social class and age, in diagnostic groups, 1957

Diagnostic group	Social class	Age at admission						
		20-	25-	35-	45-	55-	65 and over	All ages 20 and over
Schizophrenia	I	254	329	173	37	52	13	140
	II	334	263	89	47	12	13	93
	III	253	310	180	75	32	15	158
	IV	339	348	179	65	37	11	155
	V	966	1,180	697	199	86	29	457
	Total not stated % of stated	15.5	6.5	5.9	8.6	9.0	28.5	8.4
Manic-depressive reaction	I	141	151	288	327	443	382	291
	II	74	186	237	340	386	271	277
	III	84	193	288	401	551	303	303
	IV	96	210	341	381	518	257	317
	V	257	482	640	683	794	369	577
	Total not stated % of stated	21.9	3.8	3.0	2.6	4.7	2.6	6.8
Psychoses, all forms	I	423	489	554	533	872	1,871	774
	II	437	507	425	532	708	1,332	661
	III	372	580	583	654	1,023	1,551	737
	IV	477	623	657	634	922	1,230	756
	V	1,303	1,838	1,580	1,242	1,536	1,568	1,511
	Total not stated % of stated	16.4	5.8	4.5	4.2	5.9	27.8	11.3
Anxiety reaction	I	85	113	52	121	143	51	94
	II	65	135	99	69	47	8	72
	III	68	138	149	100	71	19	102
	IV	73	159	128	69	63	17	90
	V	122	213	217	81	101	12	122
	Total not stated % of stated	14.6	3.1	2.5	1.5	-	38.2	3.9
Hysterical reaction	I	28	19	35	19	26	-	21
	II	19	13	16	15	15	5	13
	III	22	28	28	21	17	4	22
	IV	37	28	26	22	10	-	20
	V	67	42	66	22	13	3	32
	Total not stated % of stated	10.0	9.8	3.2	7.9	2.9	71.4	8.1
Neurotic-depressive reaction	I	56	47	43	65	156	25	64
	II	37	45	76	94	101	53	74
	III	27	58	84	90	101	65	73
	IV	37	85	102	94	110	40	83
	V	49	123	157	130	144	50	116
	Total not stated % of stated	15.6	5.4	2.8	1.3	4.7	23.0	5.6
Psychoneuroses, all forms	I	226	179	156	215	339	76	192
	II	139	226	221	205	189	76	185
	III	139	258	292	238	219	104	225
	IV	170	283	277	212	204	65	212
	V	263	443	500	277	304	70	312
	Total not stated % of stated	14.2	4.4	2.8	2.3	3.5	26.6	5.2
Alcoholic psychosis	I	-	-	9	84	65	51	37
	II	-	13	31	45	37	3	27
	III	24	5	14	17	21	4	11
	IV	-	9	23	8	13	3	10
	V	6	15	17	38	15	3	18
	Total not stated % of stated	-	4.3	1.7	4.9	15.4	18.2	7.0
Alcoholism	I	-	28	52	150	78	25	64
	II	9	11	60	69	47	11	42
	III	-	16	35	33	20	4	21
	IV	5	13	32	16	26	3	17
	V	6	33	60	29	28	3	29
	Total not stated % of stated	-	5.8	6.8	4.0	7.6	18.7	6.1
Character, behaviour and intelligence disorders, all forms	I	28	75	104	224	143	38	114
	II	84	98	111	93	59	11	78
	III	104	100	99	76	31	12	76
	IV	161	98	92	45	42	8	69
	V	391	359	211	112	61	9	165
	Total not stated % of stated	10.7	9.6	5.4	6.1	13.2	33.3	8.7
All diagnoses	I	678	772	856	1,028	1,419	2,023	1,122
	II	706	863	778	862	984	1,461	955
	III	628	943	991	1,013	1,327	1,715	1,075
	IV	844	1,026	1,090	920	1,210	1,335	1,074
	V	2,061	2,728	2,349	1,745	1,963	1,706	2,072
	Total not stated % of stated	15.0	6.1	4.5	4.3	6.2	28.7	10.3

* The home population for 1957 has been distributed according to the proportions in each social class within each age-group obtained from the England and Wales Census, 1951.

Appendix Table M.9(11). Mental Hospitals. Second and subsequent admission rates per million home population* of males aged 20 and over by social class and age, in diagnostic groups, 1957

Diagnostic group	Social class	Age at admission						
		20-	25-	35-	45-	55-	65 and over	All ages 20 and over
Schizophrenia	I	58	386	294	75	26	51	175
	II	242	364	186	85	30	5	137
	III	252	445	320	118	86	20	235
	IV	353	527	376	216	63	34	268
	V	1,077	1,919	1,383	452	129	21	769
	Total not stated % of stated	17.5	12.1	10.4	7.8	11.5	39.5	11.9
Manic-depressive reaction	I	58	88	208	308	534	547	289
	II	65	85	122	249	349	286	212
	III	35	96	198	315	589	380	250
	IV	37	123	277	333	558	269	281
	V	147	275	649	676	845	372	545
	Total not stated % of stated	12.9	6.2	4.9	4.6	6.8	24.8	8.9
Psychoses, all forms	I	141	471	536	449	677	1,133	589
	II	307	470	367	405	524	583	452
	III	296	575	583	527	861	748	596
	IV	417	694	738	681	815	549	666
	V	1,303	2,333	2,295	1,399	1,298	788	1,573
	Total not stated % of stated	16.8	11.7	8.6	6.1	7.6	25.3	11.3
Anxiety reaction	I	-	9	35	75	78	-	37
	II	-	21	35	29	30	8	24
	III	14	36	64	43	45	15	40
	IV	5	45	83	59	37	11	45
	V	18	153	140	83	51	6	80
	Total not stated % of stated	31.3	8.3	2.8	1.9	4.1	28.1	5.5
Hysterical reaction	I	-	-	-	-	-	-	-
	II	9	3	6	5	5	3	5
	III	5	10	17	14	12	3	11
	IV	23	6	15	10	5	-	9
	V	24	36	26	40	20	3	26
	Total not stated % of stated	7.1	21.2	10.6	12.8	12.5	40.0	14.1
Neurotic-depressive reaction	I	-	9	9	9	26	51	17
	II	9	16	23	29	39	18	25
	III	4	18	27	40	63	32	30
	IV	5	23	43	51	71	8	37
	V	24	27	89	74	99	29	62
	Total not stated % of stated	33.3	5.1	3.6	8.8	5.4	20.8	8.0
Psychoneuroses, all forms	I	-	19	69	112	104	76	69
	II	28	64	72	82	86	34	67
	III	29	85	132	115	140	59	99
	IV	37	87	188	145	141	23	114
	V	73	269	286	235	195	44	196
	Total not stated % of stated	23.4	8.5	4.0	6.8	5.7	28.1	7.9
Alcoholic psychosis	I	-	-	-	9	26	-	6
	II	-	3	10	24	15	-	11
	III	2	3	14	10	11	3	8
	IV	-	-	9	12	16	-	7
	V	-	9	34	20	25	18	20
	Total not stated % of stated	-	11.1	2.3	2.2	11.4	-	4.9
Alcoholism	I	-	-	61	271	65	13	81
	II	-	5	41	64	44	5	33
	III	1	13	24	25	28	4	17
	IV	-	9	11	25	8	3	11
	V	6	30	71	49	18	3	33
	Total not stated % of stated	-	5.1	5.1	7.3	11.5	22.2	7.5
Character, behaviour and intelligence disorders, all forms	I	28	85	138	346	117	64	148
	II	74	37	89	107	57	8	65
	III	55	75	108	67	53	8	68
	IV	64	108	113	67	39	8	71
	V	300	452	340	197	66	15	216
	Total not stated % of stated	16.9	10.4	8.9	9.7	15.1	39.1	11.3
All diagnoses	I	169	612	753	925	964	1,273	829
	II	409	582	543	605	681	639	597
	III	390	754	849	740	1,079	826	783
	IV	546	903	1,069	910	1,011	602	877
	V	1,768	3,159	3,035	1,920	1,604	879	2,067
	Total not stated % of stated	18.4	11.5	8.7	6.8	8.0	26.1	11.3

* The home population for 1957 has been distributed according to the proportions in each social class within each age-group obtained from the England and Wales Census, 1951.

Direct admissions for certain diagnoses, showing number of previous

Diagnostic group	Sex	Number of previous admissions								First admissions per cent of total
		*0	1	2	3	4	5 and 6	7-9	10 and over	
Syphilis	M	128	58	25	7	5	2	-	-	228
	F	67	33	15	3	1	2	-	-	122
Schizophrenia	M	3,383	2,355	1,220	646	365	297	115	39	8,542
	F	3,523	2,647	1,421	765	421	356	146	50	9,460
Manic-depressive reaction	M	5,483	2,329	1,056	540	262	272	145	73	10,247
	F	8,419	4,563	2,337	1,237	708	744	380	278	18,793
Senile psychosis	M	2,046	339	91	40	13	17	9	1	2,568
	F	4,291	722	240	91	47	26	29	8	5,484
Anxiety reaction	M	1,571	414	129	58	41	17	12	1	2,267
	F	1,645	476	162	84	41	37	11	10	2,483
Hysterical reaction	M	395	98	53	24	12	8	2	1	599
	F	922	305	160	71	38	32	14	22	1,573
Neurotic-depressive reaction	M	1,294	351	102	46	16	20	5	8	1,854
	F	2,003	583	211	119	52	52	25	11	3,075
Pathological personality	M	959	456	215	115	80	71	38	24	1,992
	F	335	188	112	56	46	50	20	15	838
Mental deficiency	M	78	40	10	7	2	2	2	-	144
	F	84	41	13	8	7	9	3	2	171
Epilepsy	M	227	104	59	30	19	15	10	6	475
	F	185	75	46	21	10	15	9	3	367
Other diagnoses	M	5,100	1,544	613	259	143	121	49	23	7,914
	F	6,128	1,903	807	373	180	156	83	47	9,747
All diagnoses	M	20,664	8,088	3,573	1,772	958	842	387	176	36,830
	F	27,602	11,536	5,524	2,828	1,551	1,479	720	446	52,113

* The figures in this column are patients admitted for the first time to statutory care.

" " " " include patients previously admitted to hospitals not vested in the Minister and also persons admitted previously to a Mental Deficiency hospital only.

Appendix Table M.II. Mental Hospitals. Trends in numbers of admissions (Persons) and first admissions (Males and Females) by diagnosis, 1956 to 1958

ICD Number	Diagnosis	All admissions (Persons)			First admissions			
		1956	1957	1958	1957		1958	
					Males	Females	Males	Females
020-029	Syphilis and sequelae	368	350	338	128	87	126	56
062,083	Acute infectious encephalitis and its late effects	90	70	79	24	11	21	19
193,223,237	Neoplasms, brain and central nervous system	38	93	56	39	39	28	17
252,253,260, 281,289,290	Thyrotoxicosis, myxoedema, diabetes, pellagra, lipidosis, pernicious and other hyper-chromic anaemias	10	23	24	2	14	3	11
300	Schizophrenia	16,402	18,002	19,314	3,383	3,523	3,346	3,709
301	Manic-depressive reaction	27,629	29,040	30,789	5,483	8,419	5,436	9,109
302	Involuntional melancholia	2,823	2,779	2,733	358	1,340	380	1,284
303	Paranoia, paranoid states	1,909	1,997	2,021	470	814	448	825
304	Senile psychosis	7,910	8,052	8,717	2,046	4,291	2,194	4,668
305	Presenile psychosis	564	560	614	170	225	179	282
306	Psychosis with cerebral arteriosclerosis	1,258	1,348	1,478	595	445	598	565
307	Alcoholic psychosis	451	531	478	244	76	195	71
308	Psychosis secondary to brain tumour, epilepsy, etc.	2,535	2,618	2,662	910	800	925	792
309	Psychoses, other and unspecified	2,377	2,280	2,387	742	803	747	892
	Psychoses, all forms (except puerperal)	63,858	67,207	71,193	14,371	20,536	14,444	21,955
310	Anxiety reaction	4,610	4,750	4,963	1,571	1,645	1,480	1,750
311	Hysterical reaction	2,152	2,172	2,005	395	922	352	803
313	Obsessive-compulsive reaction	565	544	538	119	157	101	169
314	Neurotic-depressive reaction	4,742	4,929	5,468	1,294	2,003	1,320	2,285
315-7	Psychoneurosis with somatic symptoms	63	77	75	31	30	24	28
312,318	Psychoneuroses, other and unspecified	964	1,055	1,071	300	269	312	296
	Psychoneuroses, all forms	13,096	13,527	14,120	3,710	5,026	3,589	5,331
320.0	Schizoid personality	263	231	246	74	32	89	38
320.3	Inadequate personality	423	620	604	207	66	180	65
320.4	Antisocial personality	1,356	1,590	1,792	511	182	511	253
320.6	Sexual deviation	59	87	84	61	3	46	3
320.1,.2,.5,.7	Other pathological personality	237	302	412	106	52	132	84
321	Immature personality	284	297	334	96	72	104	63
322	Alcoholism	834	1,004	1,117	415	102	430	98
323	Other drug addiction	107	88	127	14	23	24	29
325	Mental deficiency	235	315	296	78	84	86	66
324,326	Other character, behaviour and intelligence disorders	327	334	403	161	81	175	102
	Character, behaviour and intelligence disorders, all forms	4,125	4,868	5,395	1,723	697	1,777	801
330-334	Vascular lesions of central nervous system	60	63	68	31	22	33	18
340-345	Inflammatory diseases of central nervous system	19	65	49	32	23	22	15
353	Epilepsy	709	842	887	227	185	213	176
350-352, 354,355	Other diseases of the brain and central nervous system	135	168	156	59	54	42	48
635,688	Neuroses of the menopause, puerperium	23	17	13	-	12	-	10
688.1	Puerperal psychosis	622	713	799	-	564	-	638
752,753	Congenital malformations	1	-	-	-	-	-	-
794	Senility without mention of psychosis	224	191	169	55	96	57	56
780,781	Symptoms of sense system, nerves	69	109	85	41	8	27	19
800-4,850-6	Head injuries	8	12	15	7	3	7	5
960-979	Poisoning	4	1	-	1	-	-	-
	Other causes not specified above	537	624	659	214	245	258	239
	All diagnoses	83,994	88,943	94,083	20,664	27,602	20,645	29,414

Appendix Table M.12. Mental Hospitals. Trends in readmissions by diagnosis, 1956 to 1958
(Numbers admitted in any year who had had an admission in that or previous years)

ICD Number	Diagnosis	First readmissions						Second and later readmissions					
		Males			Females			Males			Females		
		1956	1957	1958	1956	1957	1958	1956	1957	1958	1956	1957	1958
020-029	Syphilis and sequelae	57	58	51	33	33	23	36	39	47	18	21	27
082,083	Acute infectious encephalitis and its late effects	11	11	10	5	6	7	10	14	13	12	3	9
193,223,237	Neoplasms, brain and central nervous system	1	6	5	4	8	5	2	1	2	-	-	1
252,253,260,281,289,290	Thyrototoxicosis, myxoedema, diabetes, pellagra, lipidosis, pernicious and hyperchromic anaemias	-	-	-	1	4	7	-	-	-	-	3	3
300	Schizophrenia	2,165	2,355	2,434	2,380	2,647	2,809	2,171	2,682	3,067	2,569	3,159	3,700
301	Manic-depressive reaction	2,197	2,329	2,413	4,201	4,563	4,590	2,073	2,348	2,480	5,151	5,684	6,641
302	Involuntary melancholia	129	123	101	483	466	459	75	87	100	321	368	425
303	Paranoia, paranoid states	184	215	204	257	253	312	109	178	159	224	248	268
304	Senile psychosis	319	339	373	650	722	758	140	171	208	388	441	500
305	Presenile psychosis	42	53	53	66	60	63	27	20	28	32	29	28
306	Psychosis with cerebral arteriosclerosis	99	129	121	82	78	86	52	70	55	71	53	53
307	Alcoholic psychosis	77	71	61	13	33	32	55	75	76	21	25	40
308	Psychosis secondary to brain tumour, epilepsy, etc.	211	234	241	216	229	224	195	203	210	199	231	258
309	Psychoses, other and unspecified	158	161	170	245	241	264	110	120	112	142	191	188
	Psychoses, all forms (except puerperal)	5,581	6,009	6,171	8,593	9,292	9,597	5,007	5,954	6,495	9,118	10,449	12,101
310	Anxiety reaction	392	414	444	429	476	491	246	258	344	331	345	434
311	Hysterical reaction	116	98	108	295	305	294	78	100	93	320	337	347
313	Obsessive-compulsive reaction	52	51	43	87	73	76	44	41	54	78	101	90
314	Neurotic-depressive reaction	321	351	338	542	583	648	171	197	251	409	470	608
315-7	Psychoneurosis with somatic symptoms	7	4	5	4	8	10	3	2	3	2	2	5
312,318	Psychoneuroses, other and unspecified	66	110	110	117	124	129	60	110	92	120	137	129
	Psychoneuroses, all forms	954	1,028	1,048	1,474	1,569	1,648	602	708	837	1,260	1,392	1,613

320.0	Schizoid personality	41	30	37	13	14	18	48	53	38	13	20	23
320.3	Inadequate personality	55	98	92	35	32	49	81	139	135	50	72	77
320.4	Antisocial personality	211	275	253	92	122	162	240	295	361	160	178	234
320.6	Sexual deviation	9	10	11	-	3	-	4	9	4	-	-	-
320.1, 2, 5, 7	Other pathological personality	32	45	37	17	17	44	36	47	56	11	29	57
321	Immature personality	39	28	45	23	38	43	21	24	35	32	30	41
322	Alcoholism	147	189	207	38	51	61	151	169	232	41	61	71
323	Other drug addiction	17	12	15	6	9	16	20	17	19	8	11	22
325	Mental deficiency	23	40	29	27	41	34	17	23	29	24	42	42
324, 326	Other character, behaviour and intelligence disorders	24	32	48	21	23	26	15	19	25	26	18	26
	Character, behaviour and intelligence disorders, all forms	598	757	774	272	350	453	633	795	934	365	461	593
330-334	Vascular lesions of central nervous system	2	6	5	2	-	7	3	1	1	2	2	4
340-345	Inflammatory diseases of central nervous system	-	6	3	2	-	3	1	2	4	1	2	2
353	Epilepsy	96	104	114	73	75	102	100	139	153	80	104	99
350-352, 354, 355	Other diseases of the brain and central nervous system	20	22	27	14	17	14	10	7	14	10	9	11
635, 688	Neuroses of the menopause, puerperium	-	-	-	4	4	3	-	-	-	-	1	-
688.1	Puerperal psychosis	-	-	-	92	110	118	-	-	-	22	39	41
752, 753	Congenital malformations	-	-	-	-	-	-	-	-	-	-	-	-
794	Senility without mention of psychosis	10	12	9	9	11	23	5	4	10	14	12	14
780, 781	Symptoms of sense system, nerves	13	22	8	6	8	7	7	23	18	6	7	5
800-4, 850-6	Head injuries	-	1	2	-	-	-	-	1	1	1	-	-
960-979	Poisoning	-	-	-	-	-	-	-	-	-	1	-	-
	Other causes not specified above	48	46	50	44	49	46	16	20	23	21	43	40
	All diagnoses	7,391	8,088	8,277	10,628	11,536	12,063	6,432	7,708	8,552	10,930	12,548	14,563

Note. The figures in this table *exclude* patients previously admitted to hospitals not vested in the Minister and also persons admitted previously to a Mental Deficiency Hospital only.

Appendix Table M.13a(i). Mental Hospitals. First admissions by age at admission and hospital region (situation of hospital), 1957

Hospital region	Sex	Age at admission																		All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	
Newcastle	M	-	-	2	38	86	112	125	136	105	120	114	91	97	69	67	71	47	9	1,289
	F	-	-	4	43	89	150	173	165	121	124	147	129	101	121	113	115	59	23	1,680
Leeds	M	-	-	4	60	96	117	159	149	138	117	125	142	116	103	84	60	38	13	1,521
	F	-	-	3	44	91	172	166	166	157	167	170	180	183	159	161	96	53	22	1,990
Sheffield	M	-	-	8	66	113	139	173	187	158	146	155	153	128	96	93	66	44	14	1,737
	F	-	-	4	57	103	173	218	192	166	188	185	196	158	190	143	121	68	32	2,194
East Anglian	M	-	-	1	19	46	43	72	59	55	51	61	100	46	60	35	40	34	11	733
	F	-	-	1	29	48	67	77	73	70	78	84	77	72	80	65	39	34	32	926
North West Metropolitan	M	-	1	3	50	98	105	145	110	110	116	112	107	73	96	75	60	56	31	1,348
	F	-	-	1	44	107	133	167	158	126	160	169	147	138	122	159	155	122	83	1,991
North East Metropolitan	M	-	-	2	38	69	81	115	97	78	77	87	80	93	67	68	57	25	15	1,049
	F	-	-	1	38	47	112	116	112	121	115	122	111	99	100	109	85	61	31	1,380
South East Metropolitan	M	-	-	5	37	58	86	107	113	116	119	110	123	119	111	84	83	39	29	1,339
	F	-	-	3	43	96	153	157	163	167	185	198	188	159	179	160	138	116	53	2,158
South West Metropolitan	M	1	18	48	148	225	283	310	265	276	282	260	241	236	214	176	158	105	54	3,302
	F	3	4	33	133	194	303	335	343	296	394	320	321	319	348	341	321	235	139	4,382
Oxford	M	-	-	4	30	58	58	59	44	44	52	40	44	43	28	52	25	26	7	614
	F	-	1	-	23	40	52	76	75	71	70	79	66	62	48	63	61	53	24	864
South Western	M	1	3	16	47	79	98	117	121	99	147	128	120	123	113	90	88	39	27	1,456
	F	2	2	16	63	90	144	196	183	158	192	191	218	176	178	151	130	84	41	2,215
Wales	M	-	1	8	64	89	115	150	136	129	127	137	104	111	96	68	59	34	17	1,445
	F	-	-	5	45	74	124	175	154	145	162	163	155	144	136	108	77	53	30	1,750
Birmingham	M	-	-	8	104	133	172	244	240	181	182	204	188	170	124	114	93	68	22	2,247
	F	-	-	6	73	128	229	261	245	203	235	252	247	217	224	215	203	129	61	2,928
Manchester	M	-	-	5	54	100	140	138	174	156	158	141	147	144	126	89	67	38	18	1,695
	F	-	-	4	41	83	118	154	175	160	158	187	182	204	167	141	118	58	27	1,977
Liverpool	M	-	-	2	42	68	104	93	97	78	88	77	65	62	45	29	21	14	4	889
	F	-	-	-	45	78	97	107	127	128	97	104	96	84	73	46	49	25	11	1,167
All regions	M	2	23	116	797	1,318	1,653	2,007	1,928	1,723	1,782	1,751	1,705	1,561	1,348	1,124	948	607	271	20,664
	F	5	7	81	724	1,268	2,027	2,378	2,331	2,089	2,325	2,371	2,313	2,116	2,125	1,975	1,708	1,150	609	27,602

Appendix Table M.13a(ii). Mental Hospitals. Second and subsequent admissions by age at admission and hospital region (situation of hospital), 1957

Hospital region	sex	Age at admission																	85 and over	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		
Newcastle	M	-	-	-	22	54	78	112	156	89	94	82	59	48	41	31	17	4	2	887
	F	-	-	1	17	40	84	165	154	166	146	140	137	130	90	85	38	11	1	1,385
Leeds	M	-	-	1	25	68	126	138	158	112	104	99	115	97	73	40	20	8	1	1,183
	F	-	-	-	23	56	123	180	148	193	182	198	177	185	141	109	52	11	5	1,783
Sheffield	M	-	-	2	15	69	107	132	133	120	142	127	110	105	70	53	27	4	-	1,216
	F	-	-	2	21	50	108	159	186	171	220	198	217	177	150	112	61	16	-	1,852
East Anglian	M	-	-	-	11	28	36	56	68	47	71	48	49	44	46	33	15	11	3	566
	F	-	-	-	10	36	58	62	88	83	118	115	110	90	88	65	17	11	4	955
North West Metropolitan	M	-	-	-	17	73	107	159	127	128	129	121	89	77	76	37	16	8	2	1,166
	F	-	-	2	22	60	106	178	204	215	217	210	221	158	150	83	48	25	6	1,905
North East Metropolitan	M	-	-	1	19	51	80	120	125	91	87	77	88	70	46	37	19	3	3	917
	F	-	-	-	15	42	94	126	129	173	145	158	181	134	114	80	51	15	4	1,461
South East Metropolitan	M	-	-	-	21	50	88	92	83	94	110	77	97	98	74	59	29	11	1	984
	F	-	-	1	19	72	103	142	158	171	184	218	190	204	221	149	80	30	12	1,954
South West Metropolitan	M	1	4	6	77	162	277	360	368	312	285	284	248	201	158	97	57	23	9	2,909
	F	-	-	6	62	170	274	394	459	452	483	505	441	385	335	213	138	45	8	4,370
Oxford	M	-	-	-	19	43	54	61	46	38	47	36	52	40	38	35	11	7	4	532
	F	-	-	1	11	23	46	67	73	77	89	104	85	69	69	52	38	7	2	813
South Western	M	-	2	3	23	55	98	126	116	128	110	95	117	104	73	47	28	11	3	1,139
	F	-	1	3	35	53	84	175	158	182	198	195	172	187	167	116	51	23	5	1,805
Wales	M	-	-	2	24	65	85	114	134	110	101	106	63	87	63	33	15	5	-	1,027
	F	-	-	1	18	38	63	108	145	160	147	152	185	133	128	80	44	10	4	1,416
Birmingham	M	-	-	-	42	99	158	237	218	172	183	151	171	133	93	72	32	9	3	1,773
	F	-	-	-	29	72	147	199	254	228	250	283	228	225	191	130	61	17	7	2,331
Manchester	M	-	-	3	33	67	104	148	136	136	87	99	96	81	67	36	21	13	1	1,128
	F	-	-	-	17	54	90	108	178	157	153	147	154	140	115	79	40	14	2	1,448
Liverpool	M	-	-	-	21	44	81	104	120	77	68	85	51	38	24	21	5	-	-	739
	F	-	-	-	14	44	62	102	107	123	114	120	106	101	76	35	23	6	-	1,033
All regions	M	1	6	19	369	928	1,479	1,957	1,988	1,654	1,618	1,467	1,425	1,221	942	631	312	117	32	16,166
	F	-	1	17	313	810	1,442	2,165	2,441	2,551	2,646	2,753	2,604	2,318	2,035	1,368	742	241	64	24,511

Appendix Table M.13b(1). Mental Hospitals. First admissions by age at admission and hospital region (situation of hospital), 1958

Hospital region	Sex	Age at admission																	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	
Newcastle	M	-	-	5	51	67	101	122	119	98	100	106	89	90	99	71	80	39	17
	F	-	-	2	48	62	111	161	158	119	145	130	134	125	139	122	145	68	29
Leeds	M	-	-	4	44	108	122	125	146	113	139	136	138	130	105	80	50	42	13
	F	-	-	5	57	111	141	181	168	134	162	177	179	160	155	126	113	54	31
Sheffield	M	2	10	7	92	124	157	186	187	160	139	154	137	123	132	96	83	58	21
	F	1	3	11	72	140	172	207	230	191	214	219	202	182	198	173	154	93	47
East Anglian	M	-	-	-	18	49	48	65	71	51	55	53	60	71	41	44	49	33	16
	F	-	-	3	30	57	76	80	95	75	69	80	81	92	79	82	76	52	31
North West Metropolitan	M	-	-	4	51	74	103	121	115	98	83	103	121	82	79	76	69	31	21
	F	-	-	1	48	110	125	158	184	151	176	147	119	103	132	147	157	145	74
North East Metropolitan	M	-	-	3	39	82	78	94	101	81	68	67	86	84	79	61	56	40	18
	F	-	-	1	38	82	111	140	137	119	131	124	113	109	122	98	101	70	35
South East Metropolitan	M	-	-	-	43	90	87	118	122	105	99	113	112	120	95	85	84	48	19
	F	-	-	6	62	94	148	159	185	184	184	205	163	159	169	168	196	114	49
South West Metropolitan	M	1	17	27	125	227	245	339	321	276	279	263	261	212	212	190	193	156	66
	F	-	6	24	146	265	367	419	356	324	397	371	365	335	369	410	365	266	200
Oxford	M	-	-	1	18	35	30	50	40	52	36	57	64	32	39	36	42	24	5
	F	-	-	-	26	39	62	70	78	77	69	87	81	48	60	72	66	48	27
South Western	M	-	7	25	56	77	108	128	126	104	131	140	131	121	89	119	84	68	32
	F	1	2	15	58	94	148	166	185	165	177	212	181	182	166	145	156	93	59
Wales	M	-	-	7	60	81	83	125	139	103	118	143	132	126	80	79	68	37	23
	F	-	-	1	58	97	140	183	179	149	184	187	168	139	115	120	93	60	21
Birmingham	M	-	-	6	79	147	177	218	215	204	188	208	195	141	118	111	110	75	34
	F	-	-	11	96	125	245	268	301	246	239	264	238	223	260	214	203	128	81
Manchester	M	-	-	7	50	97	111	159	158	136	134	136	179	123	119	81	62	49	12
	F	-	-	2	44	83	127	159	184	162	170	207	202	212	182	169	130	74	23
Liverpool	M	-	-	7	34	78	85	89	103	98	69	81	102	54	44	36	46	10	2
	F	-	-	1	54	80	98	105	112	84	94	109	103	90	90	72	52	29	15
All regions	M	3	34	103	760	1,336	1,535	1,939	1,963	1,679	1,638	1,758	1,807	1,509	1,331	1,165	1,076	710	299
	F	2	11	83	835	1,449	2,071	2,456	2,552	2,180	2,411	2,499	2,329	2,159	2,236	2,118	2,007	1,294	722

Hospital region	Sex	Age at admission																	85 and over	All ages
		0-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		
Newcastle	M F	-	-	-	14 17	54 28	99 80	125 155	145 175	91 164	94 177	84 155	89 128	59 115	55 102	16 75	12 42	9 9	2 3	948 1,423
Leeds	M F	-	-	1	19 18	64 54	126 100	145 177	177 172	129 164	133 188	124 217	114 201	93 201	74 149	50 104	18 62	5 14	2 1	1,274 1,823
Sheffield	M F	1	2	5	26 18	61 84	130 137	173 171	180 216	136 229	130 232	139 289	168 263	104 213	105 209	50 152	32 97	26 15	7 11	1,475 2,322
East Anglian	M F	-	-	-	13 13	34 27	48 55	75 92	82 104	52 87	69 143	64 122	88 127	87 96	89 102	59 48	34 33	9 10	-	803 1,062
North West Metropolitan	M F	-	-	1	16 26	78 70	105 101	143 171	137 212	111 218	116 223	124 223	97 206	71 177	58 164	30 96	27 49	8 27	3 5	1,125 1,967
North East Metropolitan	M F	-	-	4	13 16	70 40	89 102	116 129	142 162	85 178	98 166	87 168	103 168	73 145	61 142	46 48	22 48	9 13	1 5	1,019 1,581
South East Metropolitan	M F	-	-	1	19 16	58 41	75 92	114 128	103 151	80 206	93 212	92 205	75 220	92 218	78 211	60 152	46 99	9 35	3 8	998 1,995
South West Metropolitan	M F	-	4	6	64 68	178 169	287 327	375 443	371 500	332 492	305 513	272 501	235 503	196 469	149 360	104 231	60 137	30 84	7 17	2,975 4,801
Oxford	M F	-	-	-	10 21	27 27	35 50	48 68	52 72	50 88	41 78	40 94	54 91	39 82	31 59	22 49	13 40	5 7	4 6	471 832
South Western	M F	-	-	3	31 23	57 58	102 121	106 168	140 178	123 205	116 214	135 240	128 242	117 247	66 181	69 129	40 63	9 25	3 5	1,243 2,103
Wales	M F	-	-	-	20 17	51 51	89 82	126 138	114 211	117 160	102 196	106 172	116 167	90 172	57 137	43 87	17 54	5 10	2 2	1,055 1,657
Birmingham	M F	-	-	2	34 32	93 82	162 153	224 230	243 288	202 263	203 289	170 284	187 269	134 221	75 235	80 158	28 88	11 18	4 8	1,852 2,608
Manchester	M F	-	-	1	32 13	67 55	104 95	156 140	148 146	117 167	121 168	108 195	115 142	77 143	88 125	42 78	22 41	14 9	3 3	1,215 1,521
Liverpool	M F	-	-	-	15 18	37 54	79 55	113 103	107 146	76 143	68 119	64 127	50 125	60 115	20 72	17 42	16 29	2 4	-	724 1,152
All regions	M F	1	6	24	326 316	929 840	1,530 1,550	2,039 2,313	2,141 2,733	1,701 2,754	1,689 2,918	1,609 2,972	1,617 2,849	1,292 2,614	1,006 2,248	688 1,499	387 882	151 260	41 75	17,177 26,847

Appendix Table M.14(i). Mental Hospitals. First admission rates per million home population in sex-age groups at 10 years and over, for certain diagnoses, 1957 and 1958

Diagnosis and ICD No.	Sex	1957										1958									
		10-	15-	20-	25-	35-	45-	55-	65-	75 and over	All ages	10-	15-	20-	25-	35-	45-	55-	65-	75 and over	All ages
Schizophrenia (300.0-300.7)	M	5	236	415	432	236	92	43	23	16	156	9	215	443	403	238	93	49	34	21	154
	F	6	167	271	342	252	170	119	68	29	151	9	177	272	364	262	182	120	70	49	159
Manic-depressive reaction (301.0-301.2)	M	1	52	131	234	336	435	580	472	194	253	5	36	117	228	333	428	595	453	208	250
	F	3	78	175	388	491	586	696	612	208	362	3	79	213	417	562	612	724	644	257	330
Involuntary melancholia (302)	M	-	-	-	-	4	31	77	52	6	17	-	-	-	-	5	30	83	49	15	17
	F	-	-	-	-	42	188	168	60	7	58	-	-	-	-	39	182	140	65	17	54
Senile and presenile psychoses (304, 305)	M	-	-	-	-	1	12	76	552	1,829	102	-	-	-	-	1	9	75	570	2,025	109
	F	-	-	-	-	1	11	97	776	2,238	194	-	-	-	-	1	14	86	784	2,498	211
Psychosis with cerebral arteriosclerosis (306)	M	1	-	-	0	1	9	63	170	227	26	-	-	-	0	1	6	55	188	275	27
	F	-	-	-	0	-	5	36	98	112	19	-	1	-	0	1	5	35	120	167	24
Anxiety reaction (310)	M	5	25	87	153	145	89	73	31	6	73	3	36	78	142	137	82	71	23	10	68
	F	2	41	80	166	143	74	69	34	7	71	2	51	96	181	151	80	62	34	8	75
Hysterical reaction (311)	M	2	33	32	30	31	22	15	8	1	18	2	18	30	30	28	19	19	3	1	16
	F	6	69	67	83	61	47	31	16	3	40	6	56	58	66	58	42	31	12	2	34
Neurotic-depressive reaction (314)	M	1	13	38	71	95	98	117	86	28	60	1	15	37	72	95	102	119	77	43	61
	F	1	29	81	169	148	119	108	72	24	86	2	37	104	175	187	143	121	94	20	98
Pathological personality (320)	M	3	74	130	99	63	40	16	6	6	44	2	83	114	97	74	33	20	4	1	44
	F	2	43	37	29	22	10	6	4	3	14	2	64	63	45	19	15	4	1	-	19
Mental deficiency (325)	M	2	9	7	8	4	3	2	1	-	4	3	6	7	6	4	5	5	1	-	4
	F	2	5	6	5	7	5	2	2	-	4	-	7	5	4	5	3	3	1	-	3
Syphilis (020-029)	M	-	-	1	5	10	14	11	6	3	6	-	1	-	3	13	11	13	6	1	6
	F	-	-	-	2	3	5	9	3	2	3	1	-	-	-	6	4	6	1	1	2
Epilepsy (353)	M	6	26	23	14	17	10	8	3	3	10	1	25	19	19	13	8	7	5	3	10
	F	4	19	12	13	11	11	4	3	2	8	2	20	21	8	10	8	8	3	2	8
Senility without psychosis (794)	M	-	-	-	-	-	-	-	18	45	3	-	-	-	-	-	-	-	11	62	3
	F	-	-	-	-	-	-	1	12	59	4	-	-	-	-	-	-	0	11	28	2
All diagnoses	M	65	571	968	1,206	1,169	1,123	1,444	1,771	2,709	955	56	532	968	1,164	1,171	1,074	1,431	1,788	3,084	949
	F	48	521	915	1,450	1,370	1,435	1,615	2,041	2,921	1,187	47	591	1,034	1,514	1,473	1,495	1,613	2,147	3,322	1,259

Appendix Table M.14(ii). Mental Hospitals. Subsequent admission rates per million home population in sex-age groups at 10 years and over, for certain diagnoses, 1957 and 1958

Diagnosis and ICD No.	Sex	1957										1958									
		10-	15-	20-	25-	35-	45-	55-	65-	75 and over	All ages	10-	15-	20-	25-	35-	45-	55-	65-	75 and over	All ages
Schizophrenia (300.0-300.7)	M	1	144	425	681	489	198	86	34	18	238	-	134	421	751	531	205	103	77	34	262
	F	2	94	293	583	562	364	180	65	22	255	1	99	290	615	608	411	235	94	31	281
Manic-depressive reaction (301.0-301.2)	M	1	14	58	125	262	374	613	559	178	220	1	9	57	113	249	402	645	589	220	227
	F	-	30	64	246	525	792	1,061	976	286	446	1	18	82	277	590	847	1,137	1,015	358	484
Involuntional melancholia (302)	M	-	-	-	-	0	15	45	37	13	10	-	-	-	-	1	9	50	37	10	9
	F	-	-	-	-	15	112	119	58	8	37	-	-	-	-	14	100	125	72	15	38
Senile and presenile psychoses (304, 305)	M	-	-	-	-	1	4	35	198	335	28	-	-	-	-	1	5	35	203	416	31
	F	-	-	-	-	2	6	39	306	452	55	-	-	-	-	1	5	37	329	474	58
Psychosis with cerebral arteriosclerosis (306)	M	1	-	-	-	0	6	30	59	47	9	-	-	-	-	-	3	23	62	43	8
	F	-	-	-	-	-	3	18	28	22	6	-	-	-	-	-	3	13	32	24	6
Anxiety reaction (310)	M	-	3	15	51	72	51	45	19	3	32	-	4	20	59	75	65	52	24	1	37
	F	-	7	19	69	83	46	43	28	3	36	1	6	21	67	83	59	54	36	7	40
Hysterical reaction (311)	M	1	7	11	13	17	17	12	5	-	9	-	4	10	12	20	16	11	6	-	9
	F	-	20	38	46	57	43	31	10	-	28	3	21	30	38	61	38	34	19	2	28
Neurotic-depressive reaction (314)	M	-	3	9	20	36	47	69	39	13	26	-	1	8	19	48	57	56	44	10	27
	F	-	4	22	53	78	72	85	71	9	46	-	2	18	71	97	91	97	71	7	54
Pathological personality (320)	M	-	38	85	103	98	55	26	7	3	48	1	28	80	95	100	63	35	11	1	48
	F	-	27	53	46	40	22	12	6	3	22	1	37	63	71	57	28	16	3	-	29
Mental deficiency (325)	M	1	8	4	5	4	3	3	4	-	3	2	2	5	6	3	2	5	1	-	3
	F	-	3	6	6	7	4	4	3	1	4	1	2	6	4	6	4	4	4	-	3
Syphilis (020-029)	M	-	1	-	4	8	10	7	10	1	5	-	-	-	-	2	8	15	6	4	5
	F	-	-	1	1	4	3	8	4	-	2	-	1	1	0	3	3	6	4	1	2
Epilepsy (353)	M	1	14	23	21	20	14	7	6	3	11	1	13	17	28	26	12	10	5	3	13
	F	1	12	19	12	19	7	5	1	-	8	-	14	20	15	14	14	5	2	1	9
Senility without psychosis (794)	M	-	-	-	-	-	-	1	6	9	1	-	-	-	-	-	-	-	6	15	1
	F	-	-	-	-	-	-	0	3	13	1	-	-	-	-	-	0	-	11	12	2
All diagnoses	M	11	264	682	1,132	1,166	980	1,170	1,127	684	747	13	228	673	1,196	1,235	1,043	1,255	1,213	857	790
	F	10	225	584	1,187	1,547	1,650	1,795	1,694	882	1,054	12	224	599	1,292	1,708	1,794	1,963	1,848	1,005	1,149

Appendix Table M.19. Mental Hospitals. Quittance rates* per 100,000 at risk for certain diagnoses by sex and age, 1957

Diagnostic group	Sex	Age-group										75 and over	All ages
		0-	10-	20-	25-	35-	45-	55-	65-	75 and over	All ages		
Schizophrenia	M	2,041	28,307	33,407	23,435	12,265	4,819	2,071	1,317	1,247	8,787	1,247	8,787
	F	-	23,517	25,622	21,836	14,512	7,237	3,109	1,432	816	7,185	816	7,185
Manic-depressive reaction	M	2,041	5,501	8,210	7,504	10,396	12,628	13,812	11,294	5,051	10,661	5,051	10,661
	F	-	11,158	11,656	14,939	17,460	18,133	17,243	12,306	4,243	14,132	4,243	14,132
Senile and presenile psychoses	M	-	-	-	-	27	242	1,033	7,014	20,302	2,906	20,302	2,906
	F	-	-	-	-	37	173	1,025	7,026	16,539	4,096	16,539	4,096
Psychoses, all forms (except puerperal)	M	4,082	36,897	44,490	33,591	26,388	22,815	23,855	28,235	34,343	27,831	34,343	27,831
	F	-	36,370	39,801	39,477	36,190	33,508	27,939	25,715	25,831	30,719	25,831	30,719
Anxiety reaction	M	-	3,214	4,421	4,410	3,804	2,372	1,386	442	75	2,344	75	2,344
	F	-	4,449	4,940	5,522	3,981	1,615	1,049	432	79	1,825	79	1,825
Hysterical reaction	M	-	3,337	1,926	958	797	574	317	121	25	597	25	597
	F	-	10,452	5,330	3,302	2,081	1,225	586	193	20	1,203	20	1,203
Psychoneuroses, all forms	M	-	9,085	9,757	8,734	7,768	6,168	4,268	2,222	698	5,599	698	5,599
	F	-	19,421	17,271	16,290	10,977	5,966	3,997	2,019	457	5,988	457	5,988
Mental deficiency	M	2,041	1,854	632	379	214	232	312	434	349	344	349	344
	F	-	1,059	498	363	251	185	172	167	147	214	147	214
All behaviour disorders except mental deficiency	M	51,020	18,912	10,294	5,682	4,228	2,991	1,255	392	87	3,165	87	3,165
	F	42,857	12,984	5,792	2,370	1,633	820	312	133	44	957	44	957
All other diagnoses	M	8,163	6,180	2,905	1,615	1,451	1,495	1,164	1,268	1,085	1,497	1,085	1,497
	F	9,524	5,932	8,635	4,471	1,830	876	768	568	580	1,431	580	1,431
All diagnoses	M	65,306	72,930	68,077	50,000	40,049	33,701	30,854	32,550	36,563	38,436	36,563	38,436
	F	52,381	75,777	71,997	62,972	50,880	41,155	33,188	28,601	27,060	39,309	27,060	39,309

* The term "Quittance rate" has been used to relate the deaths, departures and discharges in any year to the total number of patients who have been in hospital at any time during the year.

Appendix Table M.20a(i). Mental Hospitals. Departures and discharges during 1957 of patients first admitted and not subsequently readmitted during 1957, by age at admission and duration of stay

Age at admission	Duration of stay in hospital							Total
	Under 1 wk.-	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9-11 mths.	
Males								
0-	-	1	-	-	-	-	-	1
5-	-	3	1	3	4	1	-	12
10-	7	24	13	14	21	3	-	82
15-	58	198	116	71	112	26	2	583
20-	156	340	233	118	154	30	2	1,033
25-	170	467	299	158	162	34	1	1,291
30-	194	631	400	190	147	32	7	1,601
35-	205	596	426	174	133	29	3	1,566
40-	155	557	406	141	102	17	2	1,380
45-	150	582	402	145	110	26	3	1,418
50-	126	541	415	138	91	21	2	1,334
55-	89	454	446	153	104	27	3	1,276
60-	62	375	334	115	106	12	4	1,008
65-	50	279	240	95	78	15	1	758
70-	38	167	139	61	67	10	-	482
75-	28	87	87	31	31	7	2	273
80-	11	50	33	13	21	3	-	131
85 and over	3	13	6	6	7	-	-	35
All ages	1,502	5,365	3,996	1,626	1,450	293	32	14,264
Median age at admission	39.0	43.8	46.3	43.0	39.7	38.5	42.5	43.5
Females								
0-	1	1	-	-	-	-	-	2
5-	-	-	2	-	1	3	-	6
10-	5	18	12	11	8	4	-	58
15-	61	193	125	64	99	14	2	558
20-	150	334	237	111	145	26	2	1,005
25-	201	644	425	176	184	22	2	1,654
30-	194	718	542	242	200	23	2	1,921
35-	198	766	506	222	207	26	4	1,929
40-	157	655	530	185	136	27	1	1,691
45-	147	687	583	210	203	21	2	1,853
50-	123	637	633	231	164	23	6	1,817
55-	96	582	540	243	162	32	7	1,662
60-	57	476	495	212	149	13	4	1,406
65-	71	383	435	158	157	27	7	1,238
70-	46	247	270	96	107	35	1	802
75-	30	147	133	79	68	16	6	479
80-	17	67	54	18	33	14	3	206
85 and over	10	21	18	7	7	3	-	66
All ages	1,564	6,576	5,540	2,265	2,030	329	49	18,353
Median age at admission	39.3	44.7	48.4	47.9	45.9	49.6	57.5	46.0

Appendix Table M.20a(ii). Mental Hospitals. Departures and discharges during 1957 of patients admitted during 1957 for the second and subsequent time, by age at admission and duration of atay

Age at admission	Duration of stay in hospital							Total
	Under 1 wk.	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9-11 mths.	
Males								
0-	-	-	-	1	-	-	-	1
5-	-	-	1	1	-	-	-	2
10-	1	3	4	3	2	1	-	14
15-	21	74	39	36	56	10	1	237
20-	66	204	122	83	111	29	4	619
25-	99	313	217	124	154	38	7	952
30-	125	437	304	190	220	36	3	1,315
35-	121	519	317	173	165	37	6	1,338
40-	99	455	296	149	147	33	5	1,184
45-	90	447	324	124	120	25	7	1,137
50-	60	373	292	135	123	23	6	1,012
55-	53	292	332	139	97	23	3	939
60-	37	227	253	105	114	21	4	761
65-	17	172	203	84	71	15	3	565
70-	10	85	126	54	51	7	1	334
75-	1	32	44	16	26	5	2	126
80-	2	14	15	6	7	2	-	46
85 and over	-	5	2	-	2	1	-	10
All ages	802	3,652	2,891	1,423	1,466	306	52	10,592
Median age at admission	38.7	43.0	47.2	43.4	40.9	40.3	45.0	43.5
Females								
0-	-	-	-	-	-	-	-	-
5-	-	-	-	-	1	-	-	1
10-	1	5	5	1	4	1	-	17
15-	15	77	31	33	32	12	1	201
20-	61	161	112	86	85	24	3	532
25-	94	309	237	148	169	44	7	1,008
30-	138	467	416	234	235	36	9	1,535
35-	108	608	451	228	259	56	16	1,726
40-	115	587	518	286	253	47	10	1,816
45-	77	563	612	275	252	41	13	1,833
50-	52	568	635	323	281	55	12	1,926
55-	50	515	586	288	253	48	6	1,746
60-	51	395	523	245	217	49	2	1,482
65-	19	264	478	214	174	33	9	1,191
70-	13	177	295	148	119	28	4	784
75-	5	86	131	61	62	12	3	360
80-	5	20	18	12	14	3	-	72
85 and over	2	6	7	3	2	-	-	20
All ages	806	4,808	5,055	2,585	2,412	489	95	16,250
Median age at admission	39.4	46.7	51.1	50.0	48.3	49.2	45.6	48.5

Appendix Table M.20b(i). Mental Hospitals. Departures and discharges during 1958 of patients first admitted and not subsequently readmitted during 1958, by age at admission and duration of stay

Age at admission	Duration of stay in hospital							Total
	Under 1 wk.-	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9-11 mths.	
Males								
0-	-	1	-	-	-	-	-	1
5-	2	3	5	-	7	1	1	19
10-	8	13	15	9	13	7	1	66
15-	63	172	151	70	96	18	2	572
20-	162	340	249	108	146	38	3	1,046
25-	184	443	298	119	142	18	5	1,209
30-	217	628	397	164	153	20	1	1,578
35-	197	646	458	167	122	17	-	1,607
40-	158	568	365	137	97	19	4	1,348
45-	132	528	381	147	91	16	4	1,299
50-	116	547	449	129	87	16	4	1,348
55-	102	480	427	152	122	6	2	1,291
60-	89	383	341	119	90	18	6	1,046
65-	50	243	262	92	75	14	2	738
70-	47	185	165	57	49	12	1	516
75-	28	111	104	33	43	12	1	332
80-	11	56	36	18	17	7	1	146
85 and over	4	26	13	9	4	1	1	58
All ages	1,570	5,371	4,116	1,530	1,354	240	39	14,220
Median age at admission	38.8	43.9	46.6	44.7	39.9	40.3	48.1	43.8
Females								
0-	-	1	1	-	-	-	-	2
5-	1	1	2	1	3	-	1	9
10-	3	15	12	9	11	4	-	54
15-	90	214	138	66	110	15	3	636
20-	159	408	292	146	131	20	3	1,159
25-	208	645	457	192	170	30	-	1,702
30-	258	739	589	242	211	17	6	2,062
35-	228	821	592	230	165	27	7	2,070
40-	175	678	574	223	140	17	3	1,810
45-	162	697	641	209	163	25	3	1,900
50-	139	754	677	202	162	21	6	1,961
55-	125	626	572	197	156	19	4	1,699
60-	96	507	541	155	121	27	1	1,448
65-	68	420	457	199	139	42	1	1,326
70-	43	257	337	131	120	24	5	917
75-	27	159	180	69	101	24	4	564
80-	17	52	70	35	37	9	7	227
85 and over	5	28	19	14	10	6	1	83
All ages	1,804	7,022	6,151	2,320	1,950	327	55	19,629
Median age at admission	39.0	44.9	48.3	46.2	46.0	52.0	51.3	45.8

Appendix Table M.20b(ii). Mental Hospitals. Departures and discharges during 1958 of patients admitted during 1958 for the second and subsequent time, by age at admission and duration of stay

Age at admission	Duration of stay in hospital							Total
	Under 1 wk.	1 wk.-	1 mth.-	2 mths.-	3 mths.-	6 mths.-	9-11 mths.	
Males								
0-	-	1	-	-	-	-	-	
5-	-	1	1	-	1	-	-	3
10-	-	9	2	3	1	1	-	16
15-	19	59	44	32	45	8	-	207
20-	78	197	124	77	84	27	4	589
25-	98	340	227	143	152	41	5	1,006
30-	140	440	353	172	194	42	8	1,349
35-	147	529	367	190	202	37	5	1,477
40-	108	406	322	144	140	28	3	1,151
45-	89	478	337	135	126	28	7	1,200
50-	75	400	343	142	127	30	1	1,118
55-	66	347	366	133	120	19	3	1,054
60-	45	286	255	98	102	17	3	806
65-	19	157	196	96	87	13	2	570
70-	14	101	128	60	45	11	2	361
75-	6	55	64	32	24	1	-	182
80-	-	22	14	5	14	3	-	58
85 and over	-	8	4	2	1	-	-	15
All ages	902	3,836	3,147	1,464	1,465	306	43	11,163
Median age at admission	39.0	44.2	47.6	44.0	41.9	39.6	39.5	44.1
Females								
0-	-	-	-	-	-	-	-	-
5-	-	2	-	1	-	-	-	3
10-	-	4	2	1	5	1	-	13
15-	36	62	36	28	44	13	3	222
20-	50	183	122	82	116	23	3	579
25-	93	341	299	155	152	48	8	1,096
30-	117	533	457	251	227	51	8	1,644
35-	137	619	576	301	289	62	11	1,995
40-	113	647	625	292	267	57	6	2,007
45-	120	675	646	294	268	58	4	2,065
50-	92	602	713	316	279	52	9	2,063
55-	60	546	701	296	245	63	9	1,920
60-	57	482	593	290	257	40	7	1,726
65-	36	367	540	247	181	34	12	1,417
70-	22	189	322	120	131	23	4	811
75-	13	100	145	69	63	18	3	411
80-	3	27	42	11	10	-	1	94
85 and over	-	7	7	-	5	-	-	19
All ages	949	5,386	5,826	2,754	2,539	543	88	18,085
Median age at admission	41.8	47.2	51.1	49.5	48.2	46.4	50.1	48.6

Appendix Table M.21a. Mental Hospitals. Causes of death of patients dying in hospital in 1957, irrespective of year of admission

Cause of death	ICD Abridged List A	Sex	Age at death															85 and over	All ages
			0-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		
Respiratory tuberculosis	1	M	-	-	-	1	6	5	4	7	7	15	12	18	12	8	3	1	99
		F	-	-	2	2	2	4	5	3	6	3	5	1	7	3	2	2	47
Tuberculosis, other forms	2-5	M	-	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	8
		F	-	-	-	1	-	-	-	1	-	-	1	1	2	-	-	-	6
General paralysis of the insane	9	M	-	-	-	-	-	-	4	3	4	6	8	10	1	2	-	-	38
		F	-	-	-	-	-	2	1	-	4	3	3	2	2	1	-	-	18
Other syphilis	6, 7, 8, 10	M	-	-	-	-	-	-	-	1	-	-	-	3	3	2	-	-	9
		F	-	-	-	-	-	-	-	1	1	1	1	2	3	1	-	-	10
Other infectious diseases	11-43	M	-	-	-	-	-	2	-	4	2	1	1	1	1	-	3	-	15
		F	-	-	-	-	-	2	-	2	2	3	1	2	1	1	1	1	16
Malignant neoplasms	44-57	M	-	-	-	-	2	1	7	16	31	46	61	68	53	35	31	6	357
		F	-	-	-	-	3	3	11	15	32	55	50	67	84	75	42	28	465
Other neoplasms	58-60	M	-	-	1	2	1	1	2	2	4	11	6	2	4	3	2	2	43
		F	-	-	-	1	1	2	4	6	6	13	8	9	3	8	2	1	64
Allergic, endocrine, metabolic and nutritional diseases.	61-68	M	-	-	-	2	3	-	3	3	3	6	9	8	8	6	-	1	52
Diseases of blood and blood- forming organs		F	-	1	1	-	1	2	2	8	11	14	14	27	17	16	5	2	121
Psychoses	67	M	-	1	1	2	4	5	3	6	7	12	12	13	12	16	27	5	126
		F	-	-	1	1	2	3	8	5	9	22	23	23	26	33	34	28	218
Neuroses, personality disorders, mental deficiency	68, 69	M	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	4
		F	-	1	1	-	-	-	1	-	3	-	-	2	-	-	-	-	8

Appendix Table M.21a - continued

Cause of death	ICD Abridged List A	Sex	Age at death																All ages	
			0-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		
Vascular lesions of central nervous system	70	M	-	-	-	-	-	-	-	5	7	20	51	68	107	98	92	59	26	531
		F	-	-	-	-	1	1	1	5	12	23	40	57	86	125	147	115	68	678
Epilepsy	73	M	-	-	-	2	7	4	5	5	7	3	3	3	2	3	1	1	-	43
		F	-	1	-	1	1	9	7	6	2	6	6	11	5	4	1	-	-	54
Other diseases of nervous system and sense organs	71, 72, 74-78	M	-	-	1	2	-	2	7	10	12	9	9	15	6	6	1	1	-	72
		F	-	-	-	1	-	4	6	2	10	11	13	13	16	9	4	1	5	82
Rheumatic fever and rheumatic heart disease	79, 80	M	-	-	-	1	-	2	1	8	7	4	7	7	6	4	2	3	1	46
		F	-	-	-	2	2	2	6	9	7	14	14	14	12	9	6	3	2	88
Arteriosclerotic and degenerative heart disease	81	M	-	-	1	1	-	6	9	19	39	96	141	141	262	396	453	326	202	1,951
		F	-	-	-	1	1	2	4	16	32	58	155	155	255	533	697	616	461	2,831
Other heart disease	82	M	-	-	-	-	-	-	-	3	3	2	8	8	7	8	7	4	2	44
		F	-	-	1	-	-	2	1	-	2	5	4	4	5	9	11	6	4	52
Hypertension, with or without heart disease	83, 84	M	-	-	-	-	-	1	4	2	11	16	28	28	33	53	68	31	13	260
		F	-	-	-	-	-	1	2	3	9	8	40	40	50	74	89	82	48	406
Arteriosclerosis	85(1)	M	-	-	-	-	-	-	1	-	2	3	10	10	16	29	36	33	16	146
		F	-	-	-	-	-	-	-	-	2	2	4	6	16	37	46	58	35	204
Other diseases of arteries and circulatory system	85(2), 86	M	-	-	-	-	1	-	1	3	5	1	10	10	5	13	6	6	4	55
		F	-	-	-	-	-	2	-	4	7	4	13	13	20	21	24	17	11	123
Influenza	88	M	-	-	-	-	2	-	3	2	7	10	9	9	15	14	11	2	4	79
		F	-	-	1	1	1	1	6	3	6	6	11	11	19	16	18	20	12	121

Pneumonia, all forms	89-91	M	-	1	1	4	2	5	7	17	21	34	62	91	93	109	61	30	538
		F	-	3	7	7	6	5	7	21	31	39	59	86	141	164	129	114	812
Bronchitis, all forms, and other respiratory diseases	87, 92-97	M	-	-	3	2	2	2	3	3	18	31	47	53	62	49	27	17	317
		F	-	-	-	1	1	3	5	2	11	18	10	25	31	38	38	35	215
Diseases of digestive system	98-107	M	-	-	1	1	2	4	7	11	8	17	17	18	20	14	11	5	135
		F	-	-	1	1	1	1	2	2	6	16	12	17	37	18	17	8	138
Diseases of genito-urinary system	108-114	M	-	-	1	1	1	3	-	2	2	3	9	19	12	18	16	6	92
		F	-	-	-	1	1	1	4	4	2	8	10	10	18	11	14	9	90
Pregnancy and complications	115-120	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of skin and musculoskeletal system	121-126	M	-	-	1	-	-	-	-	1	3	1	4	-	-	1	1	2	14
		F	-	-	-	-	-	2	1	-	-	2	3	4	4	4	2	3	25
Congenital malformations, birth injuries	127-135	M	-	1	1	1	2	1	1	-	1	-	1	-	-	1	-	-	9
		F	-	-	-	-	-	-	-	2	2	-	1	-	1	-	2	-	8
Senility without psychosis	136	M	-	-	-	-	-	-	-	-	-	-	-	2	7	19	31	8	67
		F	-	-	-	-	-	-	-	-	-	-	-	3	12	31	56	63	165
Ill-defined and unknown causes	137	M	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	3
		F	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2
Suicide and self-inflicted injury	E 148	M	-	2	1	5	3	3	3	6	9	5	3	6	2	2	-	-	47
		F	-	1	2	3	3	3	1	3	5	3	7	5	-	1	-	-	35
Other effects of external causes	E 138 - 147, 149-150	M	-	3	3	10	4	4	7	8	12	9	17	12	11	16	10	6	128
		F	-	2	2	2	4	4	4	6	3	9	12	11	19	35	34	20	163
All causes		M	-	12	30	51	52	90	150	247	393	567	784	925	978	1,483	889	357	5,328
		F	-	13	23	29	61	93	136	234	366	544	781	1,243	1,483	1,297	958	7,265	

Appendix Table M.21b. Mental Hospitals. Causes of death of patients dying in hospital in 1958, irrespective of year of admission

Cause of death	ICD Abridged List A	Sex	Age at death													85 and over	All ages	
			0-15	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-			80-
Respiratory tuberculosis	1	M	-	1	-	4	7	3	9	7	12	10	13	9	6	3	1	85
		F	-	-	-	2	4	2	1	6	4	6	8	6	1	1	-	33
Tuberculosis, other forms	2-5	M	-	1	-	-	1	1	-	2	-	-	1	1	1	-	1	9
		F	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	3
General paralysis of the insane	9	M	-	-	-	2	2	2	3	5	6	5	9	9	1	-	-	44
		F	-	-	-	2	2	4	-	3	2	5	2	1	2	-	-	21
Other syphilis	6,7,8, 10	M	-	-	-	-	-	-	-	-	-	4	2	2	1	-	-	9
		F	-	1	-	-	-	-	1	-	-	1	3	3	1	1	-	11
Other infectious diseases	11-43	M	-	-	1	1	3	-	4	1	-	2	1	2	-	-	-	15
		F	-	-	-	-	-	4	2	1	5	3	2	2	-	1	-	20
Malignant neoplasms	44-57	M	-	-	1	2	2	5	18	32	52	55	81	50	42	28	9	378
		F	-	1	-	-	8	12	20	35	51	70	63	85	64	47	29	485
Other neoplasms	58-60	M	-	-	1	1	2	2	3	7	9	2	8	1	1	-	-	37
		F	-	-	-	1	-	2	2	4	5	9	5	9	4	4	-	45
Allergic, endocrine, metabolic and nutritional diseases. Diseases of blood and blood-forming organs	61-66	M	-	-	-	2	2	2	-	3	8	5	6	6	8	2	1	45
		F	-	-	1	1	-	5	6	5	10	15	17	10	14	14	6	104
Psychoses	67	M	-	2	3	2	3	6	3	4	12	13	15	11	17	21	12	124
		F	-	1	1	-	2	3	4	6	20	26	29	37	24	20	29	203
Neuroses, personality disorders, mental deficiency	68,69	M	-	-	-	-	2	-	1	3	-	1	1	1	-	-	-	10
		F	-	1	-	1	-	-	-	-	1	-	-	-	2	-	-	6

Vascular lesions of central nervous system	70	M	-	-	-	-	-	-	2	-	3	2	8	25	34	57	85	99	93	58	31	494
		F	-	-	-	-	-	-	3	3	3	3	4	15	37	58	111	113	154	97	83	680
Epilepsy	73	M	-	-	2	3	6	1	2	6	4	5	5	6	4	4	5	1	1	-	-	40
		F	-	-	4	4	4	3	6	4	10	8	2	1	1	8	2	1	1	-	-	52
Other diseases of nervous system and sense organs	71, 72, 74-78	M	2	-	-	1	3	4	9	13	9	10	15	15	15	15	8	3	4	-	-	76
		F	-	-	1	1	1	3	13	9	9	17	14	7	8	14	7	7	8	3	2	91
Rheumatic fever and rheumatic heart disease	79, 80	M	-	-	-	4	4	4	4	4	3	3	3	5	5	5	5	3	1	1	-	33
		F	-	-	1	2	2	8	10	13	11	15	12	4	4	15	12	4	8	15	7	108
Arteriosclerotic and degenerative heart disease	81	M	-	-	-	2	3	10	17	44	86	139	244	368	477	392	509	368	477	392	198	1,978
		F	-	-	2	1	1	3	15	19	65	152	290	509	767	675	543	509	767	675	543	3,041
Other heart disease	82	M	-	-	-	1	1	2	2	2	4	6	10	12	9	11	4	9	11	4	-	64
		F	-	-	-	-	2	-	1	4	5	2	17	19	28	24	13	19	28	24	13	115
Hypertension, with or without heart disease	83, 84	M	-	-	-	-	-	1	4	8	25	32	51	55	51	52	83	55	51	52	24	305
		F	-	-	-	1	3	2	6	5	18	38	50	83	105	92	54	83	105	92	54	457
Arteriosclerosis	85(1)	M	-	-	-	-	-	-	-	-	2	10	11	22	32	24	24	32	24	13	115	
		F	-	-	-	-	-	1	-	-	4	9	11	41	61	60	49	41	61	60	49	237
Other diseases of arteries and circulatory system	85(2), 86	M	-	-	1	-	2	4	5	1	8	4	7	13	6	9	2	13	6	9	2	56
		F	-	-	-	-	2	4	4	4	7	10	18	18	22	13	15	18	22	13	15	118
Influenza	88	M	-	-	-	1	1	-	1	-	2	3	6	2	1	-	1	2	1	-	1	18
		F	-	-	-	-	-	-	1	1	2	6	7	6	5	5	4	6	5	5	4	39
Pneumonia, all forms	89-91	M	1	-	2	5	6	13	6	23	32	49	66	88	101	84	46	88	101	84	46	531
		F	-	-	1	1	9	4	12	28	27	73	84	148	220	196	151	148	220	196	151	960
Bronchitis, all forms, and other respiratory diseases	87, 92-97	M	-	-	-	-	1	4	9	14	30	45	50	47	49	33	12	47	49	33	12	295
		F	-	-	1	1	3	2	4	10	15	16	21	26	39	55	27	26	39	55	27	221
Diseases of digestive system	98-107	M	-	-	-	-	4	2	5	10	17	21	17	18	15	13	2	18	15	13	2	124
		F	-	-	-	-	3	3	6	4	11	9	14	12	25	18	12	12	25	18	12	117

Appendix Table M.21b - continued

Cause of death	ICD Abridged List A	Sex	Age at death															85 and over	All ages
			0-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-		
Diseases of genito-urinary system	108-114	M	-	-	-	1	-	-	3	7	6	16	15	17	15	17	7	104	
		F	-	-	-	-	3	1	6	1	7	9	14	14	17	11	6	90	
Pregnancy and complications	115-120	F	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
	121-126	M	-	-	-	-	-	-	-	-	2	3	4	3	-	1	-	13	
Diseases of skin and musculoskeletal system		F	-	-	-	-	1	1	1	-	-	2	6	8	8	5	2	34	
	127-135	M	-	-	-	-	-	-	1	-	1	1	-	1	2	-	-	6	
Congenital malformations, birth injuries		F	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	5	
	136	M	-	-	-	-	-	-	-	-	-	-	-	4	14	21	19	58	
Senility without psychosis		F	-	-	-	-	-	-	-	-	-	-	2	11	33	46	64	156	
	137	M	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3	
Ill-defined and unknown causes		F	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	7	
	E 148	M	-	-	-	1	1	2	4	1	4	7	3	1	2	-	1	30	
Suicide and self-inflicted injury		F	-	-	-	3	3	4	3	2	4	2	5	-	-	-	-	32	
	E 138-147, 149-150	M	-	-	3	3	6	4	4	4	6	7	13	15	13	15	8	113	
Other effects of external causes		F	-	-	2	2	1	2	7	7	9	11	17	21	46	38	39	230	
	All causes	M	3	4	12	19	42	59	74	123	229	385	523	739	862	963	785	390 5,212	
		F	-	2	15	18	31	55	83	137	187	341	581	830	1,204	1,660	1,442	1,136 7,722	

Appendix Table M.D.1a. Mental Deficiency Hospitals. Movement of patients and mental state of direct admissions, 1957

Hospital region	Sex	Number at start of 1957	Admissions			Patients discharged, transferred or removed	Patients died	Number at end of 1957	Mental state of patients (Direct admissions)					
			Direct (including transfers from mental hospitals)		Transfers				IQ < 20 MA 0-2	20-49 3-7	50-69 8-12	70+ 13+	Not stated	Not testable
			Admittance in Order under Secs. 6, 8 or 9	Admittance in pursuance of Order under Sec. 3	From other Deficiency Institutions or from guardianship									
Newcastle	M	1,622	112	13	14	79	20	1,662	3	33	33	2	28	28
	F	1,608	73	11	22	112	20	1,582	1	23	12	1	13	34
	P	3,230	185	24	36	191	40	3,244	4	56	45	3	39	62
Leeds	M	2,103	79	40	38	102	40	2,118	6	33	20	-	57	3
	F	1,664	47	36	46	111	27	1,655	2	28	13	-	31	9
	P	3,767	126	76	84	213	67	3,773	8	61	33	-	88	12
Sheffield	M	1,893	152	51	61	151	39	1,967	11	94	44	3	31	20
	F	2,342	103	24	67	190	31	2,315	6	63	26	-	28	4
	P	4,235	255	75	128	341	70	4,282	17	157	70	3	59	24
East Anglian	M	754	22	13	20	29	14	766	1	17	14	-	-	3
	F	697	16	12	5	27	9	694	2	13	8	1	-	4
	P	1,451	38	25	25	56	23	1,460	3	30	22	1	-	7
North West Metropolitan	M	2,771	79	99	44	139	45	2,809	6	42	55	6	41	28
	F	2,447	66	75	41	86	53	2,490	8	41	45	3	23	21
	P	5,218	145	174	85	225	98	5,299	14	83	100	9	64	49
North East Metropolitan	M	1,595	69	12	18	76	26	1,592	19	49	12	-	-	1
	F	1,577	86	14	16	122	29	1,542	24	61	14	-	-	1
	P	3,172	155	26	34	198	55	3,134	43	110	26	-	-	2
South East Metropolitan	M	2,303	59	96	35	150	37	2,306	3	80	33	1	26	12
	F	1,805	53	53	37	111	38	1,799	2	51	25	2	21	5
	P	4,108	112	149	72	261	75	4,105	5	131	58	3	47	17
South West Metropolitan	M	4,625	75	141	70	257	78	4,576	21	113	53	2	5	22
	F	3,636	52	98	36	197	65	3,560	14	90	28	6	3	9
	P	8,261	127	239	108	454	143	8,136	35	203	81	8	8	31

Oxford	M	942	46	30	47	101	20	944	1	13	17	-	15	30
	F	1,087	24	20	18	78	14	1,057	1	14	12	-	10	7
	P	2,029	70	50	65	179	34	2,001	2	27	29	-	25	37
South Western	M	3,336	73	58	43	173	33	3,302	2	40	54	3	5	25
	F	2,860	57	26	35	164	39	2,775	1	31	28	1	8	16
	P	6,196	130	82	78	337	72	6,077	3	71	80	4	13	41
Wales	M	997	135	5	126	166	20	1,077	3	36	12	1	88	-
	F	1,117	70	3	35	68	32	1,125	2	48	12	-	9	2
	P	2,114	205	8	161	234	52	2,202	5	84	24	1	97	2
Birmingham	M	2,999	150	25	44	165	43	3,010	17	87	29	-	31	11
	F	2,669	112	41	29	128	40	2,683	19	74	22	2	21	15
	P	5,668	262	66	73	293	83	5,693	36	161	51	2	52	26
Manchester	M	3,924	153	53	46	161	55	3,960	21	117	51	4	4	9
	F	2,773	59	22	25	77	40	2,762	7	49	15	-	4	6
	P	6,697	212	75	71	238	95	6,722	28	166	66	4	8	15
Liverpool	M	144	3	32	5	9	3	172	2	3	1	-	-	29
	F	439	16	6	9	27	-	443	-	13	5	-	3	1
	P	583	19	38	14	36	3	615	2	16	6	-	3	30
Rampton and Moss Side Hospitals	M	1,060	20	-	70	127	4	1,019	-	1	16	2	1	-
	F	545	3	-	68	74	8	534	-	-	3	-	-	-
	P	1,605	23	-	138	201	12	1,553	-	1	19	2	1	-
All regions	M	31,068	1,227	666	681	1,885	477	31,280	116	758	444	24	330	221
	F	27,266	837	441	489	1,572	445	27,016	89	599	266	16	174	134
	P	58,334	2,064	1,107	1,170	3,457	922	58,296	205	1,357	710	40	504	355

Appendix Table M.D. 1b. Mental Deficiency Hospitals. Movement of patients and mental state of direct admissions, 1958

Hospital region	Sex start	Number at start of 1958	Statutory admissions			Informal admissions		Patients discharged, transferred or removed	Informal patients		Number at end of 1958	Mental state of patients (Direct admissions)				
			Direct (including transfers from mental hospitals)	* Transfers	* Moved under care +	Departures	Moved under care +		Patients died	IQ<20 MA 0-2		20-49 3-7	50-69 8-12	70+ 13+	Not stated	Not testable
Newcastle	M	1,662	39	16	95	88	31	3	22	1,670	-	34	31	3	39	27
	F	1,582	13	9	121	90	26	6	21	1,588	1	27	23	3	53	29
	P	3,244	52	25	216	178	57	9	43	3,258	1	61	54	6	92	56
Leeds	M	2,118	16	35	139	72	39	7	30	2,177	1	50	43	8	55	5
	F	1,655	12	3	78	49	26	8	24	1,661	10	27	21	1	28	6
	P	3,773	28	52	217	121	65	15	54	3,838	18	77	64	18	83	11
Sheffield	M	1,967	54	27	215	86	32	7	28	2,132	15	131	51	15	66	10
	F	2,315	32	41	215	145	31	4	37	2,395	11	91	30	11	98	8
	P	4,282	86	68	430	231	63	11	66	4,527	26	222	81	26	164	18
East Anglian	M	766	16	11	33	60	5	2	8	758	2	23	24	2	3	-
	F	694	8	10	43	67	9	1	5	676	5	28	15	5	1	1
	P	1,460	24	21	76	127	14	3	11	1,434	7	51	39	7	2	3
North West Metropolitan	M	2,809	59	46	167	109	18	11	52	2,925	13	69	70	13	3	42
	F	2,490	28	6	143	121	18	3	71	2,507	5	61	31	5	3	49
	P	5,299	87	89	310	230	36	14	123	5,432	18	130	101	18	6	91
North East Metropolitan	M	1,592	27	13	83	59	4	1	20	1,633	16	57	31	16	5	1
	F	1,542	14	7	105	66	11	1	29	1,567	15	60	22	15	21	1
	P	3,134	41	20	188	125	15	2	49	3,200	31	117	53	31	28	2
South East Metropolitan	M	2,306	42	31	96	107	36	7	37	2,306	4	46	41	4	44	12
	F	1,799	22	11	82	87	19	5	25	1,807	7	44	28	1	30	5
	P	4,105	64	52	178	194	55	12	62	4,113	11	90	69	11	74	17
South West Metropolitan	M	4,576	50	48	230	215	58	20	69	4,580	20	108	92	20	6	43
	F	3,560	28	29	196	154	67	5	68	3,532	28	105	59	28	7	3
	P	8,136	76	77	428	369	125	25	137	8,112	48	213	151	48	13	46

Oxford	M	944	21	4	10	74	4	51	16	7	15	988	27	24	2	30	16
	F	1,057	10	4	13	58	3	80	9	8	9	1,039	51	18	2	20	10
	P	2,001	31	8	23	132	7	131	25	15	24	2,007	51	40	4	50	28
South Western	M	3,302	43	39	36	100	5	127	5	2	33	3,358	49	61	4	29	35
	F	2,775	22	31	22	84	2	161	16	-	32	2,727	42	44	1	27	29
	P	6,077	65	70	58	184	7	288	21	2	65	6,085	81	106	5	58	64
Wales	M	1,077	32	1	17	80	11	32	13	9	26	1,138	53	16	-	38	-
	F	1,125	20	1	35	83	28	69	11	18	21	1,181	58	31	2	16	4
	P	2,202	52	2	52	173	37	101	24	27	47	2,319	111	47	2	54	4
Birmingham	M	3,010	40	5	27	124	4	139	14	3	43	3,011	84	37	1	23	7
	F	2,683	27	12	33	203	5	142	23	1	39	2,758	141	32	1	20	21
	P	5,693	67	17	60	327	9	281	37	4	82	5,769	225	69	2	43	28
Manchester	M	3,960	63	19	31	132	5	121	49	4	63	3,973	103	51	-	20	20
	F	2,762	28	9	34	68	1	76	9	1	36	2,780	52	25	-	8	11
	P	6,722	91	28	65	200	6	197	58	5	99	6,753	155	78	-	28	31
Liverpool	M	172	1	1	1	32	-	4	3	-	1	199	29	-	-	-	5
	F	443	7	6	7	75	-	29	5	1	8	495	39	13	-	7	29
	P	615	8	7	8	107	-	33	8	1	9	694	68	13	-	7	34
Rampton and Moss Side Hospitals	M	1,019	21	-	81	-	-	133	-	-	10	978	3	16	2	-	-
	F	534	6	-	54	-	-	83	-	-	3	508	1	5	-	-	-
	P	1,553	27	-	135	-	-	216	-	-	13	1,486	4	21	2	-	-
All regions	M	31,280	524	128	430	1,600	108	1,403	323	83	455	31,806	866	588	29	434	207
	F	27,016	275	100	375	1,564	80	1,419	280	62	428	27,221	1,656	395	32	383	212
	P	58,296	799	228	805	3,164	188	2,822	603	145	883	59,027	1,656	983	61	817	419

* These figures include some patients who were reclassified to Informal status at the receiving hospital.

† "Moved under care" relates to Informal patients moved from one hospital to another without break in hospitalisation.

Appendix Table M.D.2a. Mental Deficiency Hospitals. Admission rates per million home population by sex, age and hospital region, 1957

(Patients outside the provisions of the Acts are excluded)

Hospital, region	Sex	Age at admission														65 and over	All ages
		0-	2-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		
Newcastle	M	-	53	215	98	282	140	109	46	71	62	38	10	61	16	-	86
	F	-	56	181	77	173	82	52	19	41	41	29	50	-	25	-	56
Leeds	M	21	224	169	151	308	91	61	48	47	28	9	47	22	29	-	81
	F	21	121	103	120	167	21	40	93	18	18	52	27	20	-	4	52
Sheffield	M	-	79	153	134	407	174	68	32	33	81	65	69	50	22	5	96
	F	-	64	47	89	220	91	86	67	40	61	40	48	54	-	-	59
East Anglian	M	38	-	50	83	193	89	82	-	-	20	19	61	24	-	-	47
	F	87	-	54	71	227	23	-	41	40	-	20	-	43	24	-	38
Metropolitan (combined)	M	111	250	208	188	299	114	58	47	46	32	22	21	16	3	4	89
	F	107	192	161	131	211	81	58	43	26	28	31	23	10	7	3	62
North West Metropolitan	M	228	313	201	133	286	119	63	74	77	35	21	15	18	11	11	95
	F	204	269	113	120	240	92	45	49	33	20	52	27	7	8	3	67
North East Metropolitan	M	-	106	128	103	205	71	30	19	27	27	35	56	11	-	7	55
	F	23	115	161	134	253	63	96	36	34	25	16	17	19	-	8	61
South East Metropolitan	M	43	147	189	361	462	122	48	45	43	26	17	9	22	-	-	101
	F	45	172	113	138	222	102	47	60	24	32	32	33	18	21	4	62
South West Metropolitan	M	132	364	281	173	261	131	79	43	35	36	17	12	15	-	-	97
	F	125	191	235	135	153	69	51	29	17	33	22	17	-	-	-	60

Oxford	M	200	88	180	177	361	102	20	57	38	59	56	60	48	31	-	100
		87	-	53	52	432	67	22	41	78	38	38	40	-	24	-	58
South Western	M	-	97	180	153	455	143	71	66	33	22	31	33	12	32	-	95
		25	83	76	76	288	61	48	56	84	32	49	51	21	24	-	58
Wales	M	-	83	154	125	293	88	174	176	102	114	63	88	76	65	8	109
		-	18	81	130	159	49	47	55	79	34	73	32	48	14	-	55
Birmingham	M	68	143	193	135	290	99	56	35	54	30	30	6	-	11	-	78
		71	110	158	87	252	89	76	47	55	43	12	13	7	-	4	66
Manchester	M	-	21	161	207	675	138	64	34	26	60	30	39	15	-	-	98
		-	-	62	50	178	86	50	33	38	31	12	6	-	22	-	35
Liverpool	M	-	-	76	172	71	-	30	-	57	14	-	-	-	-	-	34
		-	-	22	56	39	28	14	-	40	27	13	-	15	-	15	20
All regions*	M	51	136	176	163	345	116	70	51	46	46	31	33	25	14	2	87
		50	96	113	98	207	71	55	46	41	33	32	26	16	10	3	55

* The admissions to Rampton and Moss Side Hospitals were included when calculating these rates.

Appendix Table M.D.2b. Mental-Deficiency Hospitals. Admission rates per million home population by sex, age and hospital region, 1958

Hospital region	Sex	Age at admission															All ages
		0-	2-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65 and over	
Newcastle	M	-	67	263	102	238	137	101	76	49	86	38	40	35	15	22	91
	F	39	113	142	89	131	81	84	59	147	97	137	60	111	25	44	90
Leeds	M	20	257	258	173	348	101	90	66	45	69	71	28	65	43	14	109
	F	-	134	142	50	165	63	82	38	61	78	35	27	39	11	5	58
Sheffield	M	-	140	224	224	350	221	153	71	90	99	116	48	89	74	15	132
	F	-	32	111	128	485	158	162	90	130	114	119	61	76	60	25	116
East Anglian	M	-	59	86	63	283	118	61	78	73	-	38	60	23	31	13	69
	F	-	-	111	34	333	178	128	40	93	60	19	20	43	-	9	68
Metropolitan (combined)	M	90	216	221	128	418	162	85	75	71	45	64	48	79	35	13	111
	F	127	201	160	116	241	84	76	57	68	59	70	49	25	26	18	80
North West	M	169	181	182	155	414	232	87	67	81	45	69	72	154	56	22	124
Metropolitan	F	179	190	139	149	220	106	76	58	63	58	65	79	22	17	26	84
North East	M	22	106	106	115	363	102	60	67	34	29	18	28	54	43	7	74
Metropolitan	F	45	81	65	85	299	83	97	73	56	27	58	34	46	32	45	72
South East	M	-	134	216	72	462	176	58	74	83	45	85	27	53	-	-	98
Metropolitan	F	65	156	126	92	162	60	85	53	70	103	65	49	18	20	4	67
South West	M	129	374	331	151	429	134	119	88	78	56	75	54	50	37	18	133
Metropolitan	F	179	319	264	125	275	82	57	48	79	52	86	33	18	35	3	92

Oxford	M	38	206	300	266	323	175	63	60	57	85	59	61	71	-	26	130
	F	83	182	54	164	413	133	65	41	113	41	58	120	41	-	17	93
South Western	M	45	210	299	267	430	124	120	68	63	47	71	53	60	47	20	133
	F	24	69	157	127	415	136	120	90	134	79	50	61	52	12	9	95
Wales	M	24	68	220	83	226	100	82	90	54	84	63	55	73	48	23	88
	F	-	54	115	126	217	72	36	56	140	94	104	140	60	40	17	86
Birmingham	M	53	160	97	90	258	117	38	77	34	44	73	44	24	-	11	75
	F	14	168	159	153	188	162	135	139	70	97	86	89	51	17	25	103
Manchester	M	29	21	142	166	417	195	117	83	89	70	49	77	30	38	5	102
	F	-	-	77	36	145	109	80	34	61	60	47	30	25	-	6	46
Liverpool	M	-	-	169	137	14	-	15	14	14	15	14	-	-	-	-	33
	F	-	18	337	86	295	38	57	27	38	70	53	-	15	-	37	78
All regions*	M	43	149	206	147	338	149	91	74	56	58	65	49	59	34	14	104
	F	48	116	146	106	257	104	95	66	86	74	73	56	43	21	18	83

* The admissions to Rampton and Moss Side Hospitals were included when calculating these rates.

Appendix Table M.D.3a. Mental Deficiency Hospitals, Direct admissions by intelligence quotient for those aged under 15 and by mental age for those aged 15 and over, 1957

Intelligence quotient	Age at admission					Mental age	Age at admission						Total
	Age at admission						Age at admission						
	0-	2-	5-	10-14	Total		15-	20-	25-	35-	45-	55-	65 and over
Males	0-	1	11	8	21	15	5	5	8	4	4	-	
	10-	2	10	27	54	45	17	16	19	17	3	-	
	20-	6	21	41	123	67	17	28	31	25	5	1	
	30-	5	14	61	134	46	25	14	13	13	4	-	
	40-	-	12	40	95	118	42	31	15	15	2	3	
	50-	1	2	22	48	44	13	18	9	3	2	-	
	60-	-	2	1	15	22	5	7	4	4	1	-	
	70-	-	2	2	6	12	3	4	2	2	-	-	
	80-	-	1	-	2	9	2	1	1	-	1	-	
	90-	-	-	-	-	2	-	-	-	-	-	-	
100 and over	-	-	-	-	-	-	-	-	-	-	-		
Not stated	6	29	45	112	75	22	48	35	17	20	1		
Not testable	15	33	65	164	28	7	11	7	2	4	-		
Total	36	137	312	774	481	158	183	144	102	46	5		
Females													
Females	0-	2	6	8	22	10	6	8	4	2	-	-	
	10-	3	6	15	37	26	9	19	22	16	2	1	
	20-	4	14	30	77	44	21	31	30	17	13	1	
	30-	7	12	39	90	50	9	27	12	7	6	1	
	40-	-	5	23	68	71	25	28	17	13	4	1	
	50-	1	5	10	25	27	6	5	2	2	1	-	
	60-	-	2	1	6	10	4	4	-	1	-	-	
	70-	-	1	1	6	9	2	1	1	1	-	-	
	80-	-	-	1	1	2	1	-	2	1	-	-	
	90-	-	-	-	1	-	-	2	-	-	-	-	
100 and over	-	-	-	-	-	-	-	-	-	-	-		
Not stated	6	16	19	56	31	11	19	21	24	9	3		
Not testable	10	25	44	93	7	5	8	8	10	2	1		
Total	33	92	191	482	287	99	152	119	94	37	8		
Total													

Appendix Table M.D.3b. Mental Deficiency Hospitals. Direct admissions by intelligence quotient for those aged under 15 and by mental age for those aged 15 and over, 1958

Intelligence quotient	Age at admission					Mental age	Age at admission						Total			
	Age at admission						Age at admission									
	0-	2-	5-	10-14	Total		15-	20-	25-	35-	45-	55-		65 and over		
						Males										
0-	4	9	6	2	21	0-	12	4	7	12	6	7	2	50		
10-	1	19	24	13	57	3-	34	13	31	18	22	18	7	143		
20-	5	16	48	44	113	5-	56	22	38	40	36	17	4	213		
30-	2	14	63	47	126	7-	53	17	24	22	21	12	3	152		
40-	2	15	42	60	119	8-	135	49	52	25	22	13	-	296		
50-	-	6	18	26	50	10-	54	30	10	13	7	3	1	118		
60-	-	4	8	10	22	11-	26	17	13	3	6	3	2	70		
70-	-	1	1	3	5	12-	12	7	6	2	3	2	-	32		
80-	-	1	1	1	2	13-	2	2	3	2	1	1	-	11		
90-	-	-	-	-	-	14-	2	1	2	-	5	1	-	11		
100 and over	-	-	-	-	-	15 and over	-	-	-	-	-	-	-	-		
Not stated	2	33	63	44	142	Not stated	81	34	47	46	44	31	9	292		
Not testable	15	33	78	22	148	Not testable	15	10	12	10	8	3	1	59		
Total	31	150	352	272	805	Total	482	206	245	193	181	111	29	1,447		
						Females										
0-	4	6	8	4	22	0-	10	9	13	17	7	4	2	62		
10-	5	9	21	8	43	3-	32	11	23	43	31	7	4	151		
20-	-	24	42	30	96	5-	41	28	49	47	39	15	13	232		
30-	1	10	36	38	85	7-	56	11	29	32	20	4	1	152		
40-	2	10	24	38	74	8-	91	35	44	23	22	10	2	227		
50-	1	2	12	13	28	10-	29	9	10	6	11	1	4	70		
60-	1	3	1	10	14	11-	16	10	4	1	2	-	-	33		
70-	-	1	1	1	3	12-	9	1	3	7	1	1	1	23		
80-	-	-	-	3	-	13-	1	1	1	4	1	-	4	6		
90-	-	-	-	-	-	14-	3	1	-	3	5	3	4	19		
100 and over	-	-	-	-	-	15 and over	-	-	1	-	-	-	-	1		
Not stated	3	14	32	19	68	Not stated	65	25	49	53	61	37	25	315		
Not testable	17	32	61	23	133	Not testable	11	6	13	23	14	9	3	79		
Total	33	111	238	187	569	Total	363	146	239	259	213	91	59	1,370		

Appendix Table M.D. 4. Mental Deficiency Hospitals. Admissions by grade of defect and by intelligence quotient for those aged 15 and over, 1957 and 1958

Grade of defect	Sex	Year	Intelligence quotient (for those aged under 15)										Mental age (for those aged 15 and over)										All ages		All admissions
			0-	10-	20-	30-	40-	50-	60-	70-	80-	90 and over	0-	3-	5-	7-	8-	10-	11-	12-	13-	14 and over	Not stated	Not testable	
Idiot	M	1957	18	35	27	13	2	1	-	-	-	-	21	4	-	-	-	-	-	-	-	-	33	90	244
	M	1958	16	34	36	7	5	-	-	-	-	-	30	2	1	-	-	-	-	-	-	-	56	66	253
	F	1957	15	24	22	5	1	3	-	-	-	-	12	7	-	-	-	-	-	-	-	-	16	60	165
Imbecile	F	1958	13	30	34	5	3	-	-	-	-	-	34	6	-	-	-	-	-	-	-	-	41	86	252
	M	1957	3	18	95	117	68	20	1	1	-	-	19	111	118	20	2	2	-	-	-	-	134	122	849
	M	1958	5	23	73	110	83	21	4	1	-	-	18	137	121	18	5	-	-	-	-	-	139	128	884
Feeble-minded	F	1957	7	13	55	80	47	8	2	1	1	-	18	81	100	16	3	-	-	-	-	-	81	66	579
	F	1958	9	13	58	73	55	8	2	-	-	-	27	142	160	30	3	1	-	-	-	1	125	115	823
	M	1957	-	1	4	27	27	14	5	2	-	-	1	2	56	95	223	86	43	23	14	2	162	9	797
Moral defective	M	1958	-	-	4	9	31	29	17	4	2	-	2	4	81	134	280	118	67	29	9	5	233	15	1,093
	F	1957	-	-	-	5	20	14	4	4	-	1	-	7	57	98	156	42	19	14	6	1	77	8	531
	F	1958	-	-	4	7	16	20	12	3	3	-	1	3	72	122	223	69	32	20	4	3	196	11	821
* Educationally subnormal	M	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	3
	M	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	3	-	9
	F	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3
* Social reason with dullness	F	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2
	F	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	6
* Social reason with normal intelligence	M	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
* No mental defect	F	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
	M	1957	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
	F	1958	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	-	34
Total	M	1957	21	54	123	134	95	48	15	6	2	-	41	117	174	115	226	89	43	23	14	2	330	221	1,893
	M	1958	21	57	113	126	119	50	22	5	2	-	50	143	213	152	296	118	70	32	11	1	434	207	2,252
	F	1957	22	37	77	90	68	25	6	6	1	1	30	95	157	112	159	43	19	14	6	2	174	134	1,278
			F	1958	22	43	96	85	74	28	14	3	62	151	232	152	227	70	33	23	6	20	363	212	1,589

Appendix Table M.D.8a.

Mental Deficiency Hospitals. Deaths by grade of defect,
age at admission and duration of stay before death, 1957

Grade of defect and age at admission	Duration of stay before death												Total
	Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over	
Idiot													
Males 0-	3	-	-	-	-	-	2	-	1	-	-	-	6
2-	6	1	5	2	3	2	2	7	4	-	-	-	32
5-	3	-	3	1	1	2	11	6	3	2	-	3	35
10-	2	-	3	1	-	3	-	3	1	1	2	2	18
15-	-	1	1	2	-	-	1	2	1	2	-	-	10
20-	2	-	1	1	-	1	2	-	1	-	2	-	10
25-	-	-	-	-	-	-	-	1	-	-	-	-	1
30-	-	-	-	-	1	-	1	2	1	1	-	-	6
35-	-	-	-	-	-	-	-	-	-	1	-	1	2
40-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	1	-	-	-	-	1	-	1	-	-	3
50-	-	-	-	1	-	-	1	-	-	-	-	-	2
55-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	1	-	-	-	-	-	-	-	-	1
All ages	16	2	14	9	5	8	20	22	12	8	4	6	126
Females													
0-	4	-	1	-	-	-	1	1	-	-	-	-	7
2-	6	-	4	-	2	5	5	2	2	1	1	-	28
5-	3	1	-	3	-	-	3	10	2	4	-	1	27
10-	-	1	-	1	-	1	2	-	-	-	-	2	7
15-	-	-	-	-	-	-	-	3	-	2	1	-	6
20-	1	-	1	-	-	-	-	1	-	1	-	1	5
25-	-	-	1	-	1	-	1	-	-	-	-	-	3
30-	-	-	-	1	-	-	-	1	-	-	1	-	3
35-	1	-	-	-	-	-	1	1	-	-	1	-	4
40-	-	-	-	-	-	1	-	-	-	-	-	-	1
45-	-	-	1	-	-	-	1	-	-	-	-	-	2
50-	1	-	-	-	-	-	-	-	-	-	-	-	1
55-	-	-	-	1	-	-	1	-	-	-	-	-	2
60-	-	-	-	-	-	-	-	1	-	-	-	-	1
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-
All ages	16	2	8	6	3	7	15	20	4	8	4	4	97
Imbecile													
Males 0-	2	-	-	-	-	2	-	1	-	-	-	-	5
2-	2	3	1	1	-	-	3	-	2	-	-	-	12
5-	2	1	2	-	3	5	5	5	5	1	2	4	35
10-	3	1	-	1	1	2	1	3	6	3	3	9	33
15-	1	-	1	1	-	-	3	3	2	4	3	7	25
20-	-	-	-	1	-	-	-	2	1	4	3	5	16
25-	2	-	-	-	-	2	-	1	-	-	4	3	12
30-	-	-	-	-	-	-	1	-	-	-	1	1	3
35-	-	-	-	1	1	-	2	1	1	-	1	3	10
40-	-	1	1	-	-	3	2	-	-	-	1	1	9
45-	-	-	2	1	1	-	1	-	2	2	-	-	9
50-	1	-	3	-	-	2	2	1	2	-	2	-	13
55-	1	-	-	1	-	-	2	2	-	1	1	-	8
60-	1	1	-	1	2	-	3	2	-	1	-	-	11
65 and over	-	1	-	-	-	-	-	2	-	-	-	-	3
All ages	15	8	10	8	8	16	25	23	21	16	21	33	204

Appendix Table M.D.8a - continued

Grade of defect and age at admission	Duration of stay before death												Total
	Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over	
Imbecile													
Females 0-	2	2	1	3	-	-	-	1	1	-	-	-	10
2-	2	-	2	1	-	1	1	2	2	1	1	-	13
5-	2	1	3	1	-	1	-	7	2	-	3	2	22
10-	-	-	-	1	-	3	2	5	3	2	3	2	21
15-	1	1	-	-	1	1	2	1	-	2	1	7	17
20-	-	-	-	-	-	-	2	1	1	1	3	1	9
25-	-	1	-	-	-	-	2	2	1	2	1	1	10
30-	1	-	-	-	-	2	2	-	1	3	4	1	14
35-	1	-	-	-	-	1	-	1	-	3	1	-	7
40-	-	-	1	-	-	-	-	1	2	1	3	-	8
45-	-	1	-	-	1	1	2	3	1	1	1	1	12
50-	-	2	-	1	-	1	-	2	-	2	3	-	11
55-	1	-	-	1	-	-	1	1	1	5	-	-	10
60-	1	-	-	-	1	2	-	1	1	-	-	-	6
65 and over	1	-	-	1	-	-	-	1	-	3	-	-	6
All ages	12	8	7	9	3	13	14	29	16	26	24	15	176
Feeble-minded													
Males 0-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-	-	1	-	-	-	-	-	-	1	-	1	-	3
5-	-	-	-	-	-	-	-	-	2	1	1	1	5
10-	-	-	-	-	-	-	2	2	-	-	1	3	8
15-	-	-	-	-	-	-	3	1	2	3	2	6	17
20-	-	1	-	-	-	-	1	1	2	1	2	5	13
25-	-	-	-	-	1	-	-	3	1	2	-	4	11
30-	-	-	-	-	-	2	1	3	2	4	4	4	20
35-	2	-	-	-	-	-	1	1	3	2	3	3	15
40-	1	-	-	-	-	-	3	4	2	4	1	2	17
45-	1	1	-	-	-	1	1	1	3	4	2	1	15
50-	1	-	-	-	-	-	1	1	-	3	-	-	6
55-	-	-	1	-	1	-	1	4	1	1	-	-	9
60-	-	-	-	-	-	1	-	1	-	1	-	-	3
65 and over	1	-	-	-	-	-	1	2	-	-	-	-	4
All ages	6	3	1	-	2	4	15	24	19	26	17	29	146
Females 0-	-	-	-	-	-	-	1	-	1	-	-	-	2
2-	2	-	-	-	-	-	1	-	-	-	-	-	3
5-	-	-	-	-	-	-	1	-	1	-	-	1	3
10-	1	-	-	-	-	-	1	-	2	1	4	1	10
15-	1	1	-	-	-	-	1	2	2	3	-	7	17
20-	-	-	-	-	-	-	1	1	1	2	4	4	13
25-	-	-	-	-	-	1	-	1	1	2	-	9	14
30-	-	-	-	-	-	-	-	2	1	5	4	12	24
35-	1	-	-	1	1	-	-	3	3	2	2	5	18
40-	-	-	2	-	-	1	2	6	1	5	6	5	28
45-	-	-	-	-	-	-	3	1	-	3	2	3	12
50-	-	-	-	-	-	-	1	2	-	3	-	1	7
55-	-	-	-	-	-	1	-	6	-	3	-	-	10
60-	-	-	2	-	-	-	1	4	-	-	1	-	8
65 and over	-	1	-	-	-	1	1	-	-	-	-	-	3
All ages	5	2	4	1	1	4	14	28	13	29	23	48	172
Moral defective	1 Male aged 15-19: duration of stay 25 years and over.												

Appendix Table M.D.8a - continued

Grade of defect and age at admission		Duration of stay before death												Total	
		Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over		
All causes															
Males		0-	5	-	-	-	-	2	2	1	1	-	-	-	11
		2-	8	5	6	3	3	2	15	7	7	-	1	-	47
		5-	5	1	5	1	4	7	16	11	10	4	3	8	75
		10-	5	1	3	2	1	5	3	8	7	4	6	14	59
		15-	1	1	2	3	-	-	7	6	5	9	5	14*	53*
		20-	2	1	1	2	-	1	3	3	4	5	7	10	39
		25-	2	-	-	-	1	2	-	5	1	2	4	7	24
		30-	-	-	-	-	1	2	3	5	3	5	5	5	29
		35-	2	-	-	1	1	-	3	2	4	3	4	7	27
		40-	1	1	1	-	-	3	5	4	2	4	2	3	26
		45-	1	-	3	1	1	1	2	2	5	7	2	1	27
		50-	2	-	3	1	-	2	4	2	2	3	2	-	21
		55-	1	-	1	1	1	-	3	6	1	2	1	-	17
		60-	1	1	-	1	2	1	3	3	-	2	-	-	14
		65 and over	1	1	-	1	-	-	1	4	-	-	-	-	8
All ages			37	13	25	17	15	28	60	69	52	50	42	69*	477*
Females		0-	6	2	2	3	-	-	2	2	2	-	-	-	19
		2-	10	-	6	1	2	6	7	4	4	2	2	-	44
		5-	5	2	3	4	-	1	4	17	5	4	3	4	52
		10-	1	1	-	2	-	4	5	5	5	3	7	5	38
		15-	2	2	-	-	1	1	3	6	2	7	2	14	40
		20-	1	-	1	-	-	-	3	3	2	4	7	6	27
		25-	-	1	1	-	1	1	3	3	2	4	1	10	27
		30-	1	-	-	1	-	2	2	3	2	8	9	13	41
		35-	3	-	-	1	1	1	1	5	3	5	4	5	29
		40-	-	-	3	-	-	2	2	7	3	6	9	5	37
		45-	-	1	1	-	1	1	6	4	1	4	3	4	26
		50-	1	2	-	1	-	1	1	4	-	5	3	1	19
		55-	1	-	-	2	-	1	2	7	1	8	-	-	22
		60-	1	-	2	-	1	2	1	6	1	-	1	-	15
		65 and over	1	1	-	1	-	1	1	1	-	3	-	-	9
All ages			33	12	19	16	7	24	43	77	33	63	51	67	445

* One moral defective has been included in this total.

Appendix Table M.D.8b. Mental Deficiency Hospitals. Deaths by grade of defect, age at admission and duration of stay before death, 1958

Grade of defect and age at admission	Duration of stay before death												Total
	Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over	
Idiot													
Males 0-	2	2	-	-	-	-	-	1	-	-	-	-	5
2-	1	-	1	-	-	-	3	6	2	2	2	-	17
5-	2	2	2	3	-	3	2	6	3	2	3	3	31
10-	1	-	2	-	1	2	1	2	5	3	2	2	21
15-	-	-	1	-	-	-	1	3	1	-	2	1	9
20-	-	-	-	-	2	-	2	-	-	1	-	1	6
25-	-	-	-	-	-	1	-	1	-	-	-	-	2
30-	-	-	-	-	-	-	-	1	1	-	-	-	2
35-	-	-	-	-	-	-	1	-	-	-	-	-	1
40-	1	-	-	-	-	-	-	1	-	-	-	-	2
45-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	1	-	-	-	-	-	-	-	-	-	-	-	1
60-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-
All ages	8	4	6	3	3	6	10	21	12	8	9	7	97
Females 0-	4	1	-	-	1	1	-	2	-	-	-	-	9
2-	2	-	1	2	2	1	2	6	1	2	2	-	21
5-	2	-	5	1	4	1	2	5	5	1	2	-	28
10-	1	-	2	1	-	1	-	3	1	1	3	2	15
15-	1	-	-	-	-	1	-	-	1	2	-	1	6
20-	-	-	-	-	-	-	-	1	-	2	2	-	5
25-	-	-	-	-	-	-	1	-	-	1	-	2	4
30-	1	-	-	-	-	-	-	1	-	-	-	-	2
35-	2	1	-	-	-	-	-	1	-	-	-	1	5
40-	-	-	-	-	-	-	-	-	1	1	-	-	2
45-	-	-	-	-	-	-	-	-	-	-	1	-	1
50-	1	-	-	-	-	-	-	2	-	1	-	-	4
55-	1	-	-	-	-	1	-	-	-	1	-	-	3
60-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	1	-	-	-	-	-	-	-	-	-	2
All ages	16	2	9	4	7	6	5	21	9	12	10	6	107
Imbecile													
Males 0-	2	3	-	-	-	-	-	2	-	-	-	-	7
2-	-	1	5	-	-	1	1	4	2	2	-	1	17
5-	5	1	-	1	1	1	3	3	4	3	1	3	26
10-	1	1	1	2	-	-	3	2	5	1	2	1	19
15-	2	2	1	1	-	1	2	8	3	1	3	7	31
20-	-	-	-	1	-	-	-	1	1	2	2	1	8
25-	-	-	-	-	2	-	2	-	-	3	4	1	12
30-	-	-	-	1	-	2	1	3	1	-	10	3	21
35-	-	1	-	-	1	2	1	3	-	2	1	2	13
40-	-	-	-	-	3	-	2	5	1	2	1	1	15
45-	1	1	-	-	1	-	-	1	1	1	-	2	8
50-	1	1	2	-	-	1	-	3	-	1	-	1	10
55-	-	1	-	-	-	-	1	1	1	1	1	-	6
60-	2	1	-	2	-	1	-	-	-	-	-	-	6
65 and over	1	-	-	-	-	-	-	2	-	-	-	-	3
All ages	15	13	9	8	8	9	16	38	19	19	25	23	202

Appendix Table M.D.8b - continued

Grade of defect and age at admission	Duration of stay before death												Total
	Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over	
Imbecile													
Females 0-	3	-	1	-	-	-	-	-	-	-	-	-	4
2-	3	2	2	1	1	1	1	2	1	-	-	2	16
5-	-	-	1	-	-	1	1	9	2	4	-	5	23
10-	-	1	3	1	-	1	2	-	4	1	5	4	22
15-	3	-	1	-	-	-	-	2	1	2	2	1	12
20-	-	-	1	-	-	-	-	3	1	1	-	3	9
25-	-	-	-	-	-	-	-	2	-	4	3	2	11
30-	-	-	-	-	-	-	2	-	2	1	4	4	13
35-	1	-	-	-	-	-	-	1	1	2	2	2	9
40-	1	-	-	1	-	-	-	2	2	1	-	2	9
45-	3	-	2	1	-	1	3	5	2	2	-	1	20
50-	1	-	1	-	-	2	-	4	-	-	2	-	10
55-	-	1	-	-	-	1	1	2	-	1	1	-	7
60-	-	-	-	1	1	-	2	1	-	-	-	-	5
65 and over	1	-	-	1	-	-	1	2	1	1	-	-	7
All ages	16	4	12	6	2	7	13	35	17	20	19	26	177
Feeble-minded													
Males 0-	-	-	-	-	-	-	1	-	-	-	-	-	1
2-	-	-	-	-	-	-	-	1	-	-	-	-	1
5-	1	-	-	-	-	-	-	2	-	-	-	-	3
10-	-	-	-	-	-	-	-	1	1	1	1	2	6
15-	-	-	-	1	1	1	1	2	2	4	7	4	23
20-	-	-	-	-	-	-	-	1	-	-	4	6	11
25-	-	-	-	-	-	-	-	-	-	2	4	3	9
30-	1	-	-	-	1	-	2	2	2	8	6	-	22
35-	1	-	1	1	1	-	-	3	1	3	2	4	17
40-	-	-	-	-	-	-	4	2	-	-	1	3	10
45-	-	-	-	1	-	2	-	4	2	3	1	3	16
50-	-	-	-	-	-	1	1	2	-	2	-	3	9
55-	-	1	-	-	-	-	-	4	-	1	1	-	7
60-	2	-	-	-	1	-	2	1	2	1	-	1	10
65 and over	-	-	3	-	-	-	2	3	-	-	-	-	8
All ages	5	1	4	3	4	4	13	28	10	25	27	29	153
Females 0-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-	-	-	-	-	-	-	-	-	1	-	-	-	1
5-	-	-	-	-	-	-	-	1	1	-	-	-	2
10-	-	-	-	-	-	-	-	1	1	-	-	2	4
15-	-	1	-	-	-	1	-	3	1	1	1	4	12
20-	-	-	-	-	-	-	1	-	-	-	2	5	8
25-	-	-	-	-	-	-	1	3	1	3	1	3	12
30-	1	-	-	-	-	-	1	2	2	2	2	5	15
35-	-	-	-	-	-	-	1	3	3	2	4	4	17
40-	-	1	-	1	-	-	1	2	1	4	3	-	13
45-	-	-	1	-	1	-	3	3	1	2	1	4	16
50-	1	-	-	-	-	-	1	2	3	5	3	1	16
55-	1	-	-	-	1	-	-	4	2	3	-	1	12
60-	-	-	-	-	-	-	-	2	1	-	2	-	5
65 and over	1	1	1	1	-	2	2	1	1	-	-	-	10
All ages	4	3	2	2	2	3	11	27	19	22	19	29	143

Appendix Table M.D.8b - continued

Grade of defect and age at admission	Duration of stay before death												Total
	Up to 3 mths.	3 mths.	6 mths.	12 mths.	18 mths.	2 yrs.	3 yrs.	5 yrs.	10 yrs.	15 yrs.	20 yrs.	25 yrs. and over	
Moral defective													
Males 5-9	1	-	-	-	-	-	-	-	-	-	-	-	1
15-19	-	-	-	-	-	-	-	-	-	-	-	1	1
45-49	1	-	-	-	-	-	-	-	-	-	-	-	1
All ages	2	-	-	-	-	-	-	-	-	-	-	1	3
Females	No cases were admitted												
All causes													
Males 0-	4	5	-	-	-	-	1	3	-	-	-	-	13
2-	1	1	6	-	-	1	4	11	4	4	2	1	35
5-	9	3	2	4	1	4	5	11	7	5	4	6	61
10-	2	1	3	2	1	2	4	5	11	5	5	5	46
15-	2	2	2	2	1	2	4	13	6	5	12	13	64
20-	-	-	-	1	2	-	2	2	1	3	6	8	25
25-	-	-	-	-	2	1	2	1	-	5	8	4	23
30-	1	-	-	1	1	2	3	6	4	8	16	3	45
35-	1	1	1	1	2	2	2	6	1	5	3	6	31
40-	1	-	-	-	3	-	6	8	1	2	2	4	27
45-	2	1	-	1	1	2	-	5	3	4	1	5	25
50-	1	1	2	-	-	2	1	5	-	3	-	4	19
55-	1	2	-	-	-	-	1	5	1	2	2	-	14
60-	4	1	-	2	1	1	2	1	2	1	-	1	16
65 and over	1	-	3	-	-	-	2	5	-	-	-	-	11
All ages	30	18	19	14	15	19	39	87	41	52	61	60	455
Females 0-	7	1	1	-	1	1	-	2	-	-	-	-	13
2-	5	2	3	3	3	2	3	8	3	2	2	2	38
5-	2	-	6	1	4	2	3	15	8	5	2	5	53
10-	1	1	5	2	-	2	2	4	6	2	8	8	41
15-	4	1	1	-	-	2	-	5	3	5	3	6	30
20-	-	-	1	-	-	-	1	4	1	3	4	8	22
25-	-	-	-	-	-	-	2	5	1	8	4	7	27
30-	2	-	-	-	-	-	3	3	4	3	6	9	30
35-	3	1	-	-	-	-	1	5	4	4	6	7	31
40-	1	1	-	2	-	-	1	4	4	6	3	2	24
45-	3	-	3	1	1	1	6	8	3	4	2	5	37
50-	3	-	1	-	-	2	1	8	3	6	5	1	30
55-	2	1	-	-	1	2	1	6	2	5	1	1	22
60-	-	-	-	1	1	-	2	3	1	-	2	-	10
65 and over	4*	1	2	2	-	2	3	3	2	1	-	-	20*
All ages	37*	9	23	12	11	16	29	83	45	54	48	61	428*

* One patient having Epilepsy but no mental defect has been included in this total.



